



Conditions of Approval

Short-Term Rental Administrative Review Case Number
WSTRAR000007-2021 for WSTR24-0036

The project approved under Short-Term Rental Administrative Review Case Number WSTRAR000007-2021 shall be carried out in accordance with these conditions of approval granted on November 15, 2024. These conditions of approval may require submittal of documents, applications, fees, inspections, amendments to plans, and more. These conditions do not relieve the applicant of the obligation to obtain any other approvals and licenses from relevant authorities required under any other act or to abide by all other generally applicable codes, and neither these conditions nor the approval by the County of this project/use override or negate any other applicable restrictions on uses or development on the property.

Unless otherwise specified, all conditions related to the approval of this short-term rental administrative review permit shall be met prior to issuance of the Tier 2 STR permit by the Planning and Building Division. The agency responsible for determining compliance with a specific condition shall determine whether the condition has been fully completed.

Compliance with the conditions of approval related to this administrative review is the responsibility of the applicant and all owners of the property. Failure to comply with any of the conditions imposed in the approval of the Administrative Review Permit may result in the initiation of revocation procedures.

For the purpose of conditions imposed by Washoe County, “may” is permissive and “shall” or “must” is mandatory.

FOLLOWING ARE CONDITIONS OF APPROVAL REQUIRED BY THE REVIEWING AGENCIES. EACH CONDITION MUST BE MET TO THE SATISFACTION OF THE ISSUING AGENCY.

Washoe County Planning and Building Division

1. The following conditions are requirements of Planning and Building, which shall be responsible for determining compliance with these conditions.

**Contact Name – Courtney Weiche, Senior Planner, 775.328.3608,
cweiche@washoecounty.gov**

- a. The property owners will be responsible for maintaining the following:
 - i. The property shall not be rented to more than 14 occupants, and no more than 14 occupants are allowed on the property at any time, regardless of whether the property is being rented (see WCC Section 110.319.15(a)(4)).
 - ii. Renters must be informed, and the property owner shall ensure that all parking will be located on the property only (APN: 131-234-14). No parking is allowed on the street. All ancillary items, including but not limited to, boats, jet skis, and trailers must also be parked on the property only (APN: 131-234-14). Notice of this requirement to renters must be prominently displayed in the home, and the property owner must provide this information in all of their STR rental listings.
 - iii. The property owner must use/supply adequate bear boxes and/or bear-proof garbage cans for all trash and must notify renters that all garbage is to be placed in the bear boxes and/or bear-proof garbage cans.

- iv. The property owner must include the Bear Awareness Brochure provided by staff with the printed educational materials packet provided to renters.
 - v. Sound levels must conform to the noise standards found in Article 414 of the Washoe County Development Code and the noise standards found in WCC Section 110.319.15(c).
 - vi. No events, parties, or weddings (regardless of payment), are allowed or may be advertised. A party is defined as any gathering in excess of the approved on-site maximum occupancy associated with the STR permit. The maximum occupancy associated with an active STR permit applies to the owner(s) of the STR and their invitees regardless of whether the STR is being rented or used for other purposes.
- b. Prior to issuance of the Tier 2 permit, the property owner shall ensure that a monitored fire alarm system is designed and installed in accordance with NFPA 72 and the IFC as amended by Washoe County and approved by the North Lake Tahoe Fire Protection District (NLTFPD). The property owner shall provide proof that NLTFPD has approved the monitored fire alarm system in the form of a letter or email from NLTFPD staff.
 - c. The property owner and all successors shall direct any potential purchaser of the site to meet with the Planning and Building Division to discuss whether the potential purchaser wishes to continue to utilize the property as an STR and review conditions of approval for WSTRAR000007-2021 and requirements for obtaining their own STR permit prior to the final sale of the site. Any subsequent purchasers of the site shall notify the Planning and Building Division of the name, address, telephone number and contact person of the new purchaser within thirty (30) days of the final sale.
 - d. WSTRAR000007-2021 is only valid as long as the short-term rental permit remains active and in good standing. If the short-term rental permit expires or is revoked, then WSTRAR000007-2021 is no longer valid and no short-term rental activity will be permitted on the property. STR permits are not transferable; therefore, any new owner must obtain a new STR permit before engaging in rental activity.

North Lake Tahoe Fire Protection District (NLTFPD)

- 2. The following conditions are requirements of North Lake Tahoe Fire Protection District (NLTFPD), which shall be responsible for determining compliance with these conditions.

Contact Names –

John James, Fire Marshal, 775.831.0351 x8131, jjames@nltpd.net

Jeffrey Smith, Fire Inspector, 775.831.0351 x8107, jsmith@nltpd.net

- a. Prior to issuance of the Tier 2 permit, NLTFPD will require a monitored fire alarm system, with a deferred submittal and permit with the Fire District.

*** End of Conditions ***