# Reduced Oxygen Packaging: Two Barriers HACCP Plan Worksheet

#### Introduction

Reduced Oxygen Packaging (ROP) is when food is packaged by removing oxygen or modifying the packaging atmosphere. This can include processes like cook-chill, modified atmosphere packaging (MAP), controlled atmosphere packaging, vacuum packaging, or sous vide. All facilities wishing to use these special processes must have an approved HACCP Plan to control proliferation of *Clostridium botulinum* and *Listeria monocytogenes*. Definitions of these processes can be found in <u>Section 010.690 of the Regulations of the Washoe County District Board of Health Governing Food Establishments</u>.

Reduced Oxygen Packaging processes often require two barriers to prevent the proliferation of *C. botulinum* and *L. monocytogenes*. In <u>every</u> ROP HACCP Plan the first barrier to bacterial growth is refrigeration: maintaining ROP food items at or below a temperature of 41°F at all times. Many HACCP Plans include a second barrier, such as:

- a third-party confirmation of water activity below 0.91 or pH below 4.6
- the food product being packaged has a high number of competing organisms (i.e. raw meat or vegetables)
- the food product being packaged is meat or poultry cured at an establishment regulated by the USDA
- the food product being packaged is fish that is maintained frozen at all times of packaging
- the food product being packaged is commercially manufactured cheese
- that the food product being packaged with be subject to further processing (Cook-Chill or Sous Vide). *Please note that the Cook-Chill and Sous Vide HACCP Process is included in a separate workbook.*

#### **Worksheet Instructions**

This worksheet represents the minimum required support documentation for Reduced Oxygen Packaging with Two Barriers HACCP Plan. Please read through and complete the entire worksheet. If a section does not apply to your operation, please write "N/A". You may attach additional documentation to the end of the worksheet, as required. Additional materials and examples can be found on the <u>HACCP Plan Resources website</u>.

Click the blue boxes to fill out each section of the worksheet. Any text added to the worksheet will overwrite the example text provided. Instructions for filling out specific sections of the worksheet are provided under the section headings, as necessary. Printed and handwritten worksheets will be accepted.

Before submitting this worksheet, please review the Reduced Oxygen Packaging Checklist provided on the following page. Additional documentation that is not included in this worksheet is demarcated in **bold** on the HACCP Plan checklist and may be required for your establishment. All required additional information must be attached for your plan to be complete.

Incomplete plans will not be accepted or reviewed.



	Reduced Oxygen Packaging: Two Barriers HACCP Plan Checklist						
		Required Documentation	Completed				
New Facilities	Standard Applications	Application for a Permit to Operate					
New	Sta Appl	Food Establishment Review Form					
		HACCP Plan Review Application					
		List of facilities that will be processing and/or storing food items produced using the special process					
		List of all ingredients used in the special process					
	ion	List of equipment and materials used in the special process					
	Process-Specific Facility Information	Detailed written description of how all ROP food items will be maintained at or below 41F.					
		Detailed written description of how fish will be maintained frozen before, during, and after ROP.					
		Detailed written description of the second barrier to bacterial growth (as described on Page 1 of this workbook).					
<del>,</del>		Detailed written description of how ROP food items will be date-marked.					
orkshee		Detailed Process Flow Diagram, including all Critical Control Points (CCPs), for each food item prepared using the special process					
in this HACCP Worksheet		Hazard Analysis Chart, including each step listed in the Process Flow Diagram, for each food item prepared using the special process					
		HACCP Chart, including all CCPs listed in the Process Flow Diagram, for each food item prepared using the special process					
	p s	Employee Health & Personal Hygiene SOP					
Materials included	ning ndar dure	Cleaning & Sanitizing SOPs for all applicable equipment:					
incl	Employee Training Program and Standard Operating Procedures	- Chemical Sanitizing Dishwasher					
rials		- High Temperature Dishwasher					
late		- Three-Compartment Sink Employee Health and Exclusion Acknowledgement					
Σ		· · ·					
	ш о	Sample Product Labels (must be attached separately)					
		<u>Process Logs</u> - Refrigeration Log					
		Sample date-marking labels					
	Required Records & Documentation	Documentation verifying (if applicable):					
	Recontain	<ul> <li>meat/poultry is cured in a USDA-regulated establishment</li> </ul>					
	ed F	- cheese is commercially manufactured					
	quir	(must be attached separately)  Third-party documentation verifying the process for rendering the water activity					
	Re(	≤ <b>0.91 or the pH≤4.6</b> ( <i>if applicable</i> ) – must be attached separately					
		Sample Training Log for HACCP Plan and SOPs					
		Food Safety Checklist					
		2					

### HACCP PLAN REVIEW APPLICATION

**Washoe County Health District** 

Regulations of the Washoe County

District Board of Health Governing Food Establishments

THE FEE FOR AN INITIAL HACCP PLAN REVIEW IS \$ DATE				
NAME OF ESTABLISHMENT PERMIT NUMBER				
ADDRESSZIP				
PERSON TO CONTACTDAYTIME PHONE				
I am submitting a HACCP plan for (select all that apply):				
Reduced Oxygen Packaging using one of the following barriers in conjunction with refrigeration:				
Water activity of 0.91 or less				
pH of 4.6 or below				
Meat or poultry cured at a USDA regulated facility				
High level of competing organisms (raw meats, poultry, or raw vegetables)				
Reduced Oxygen Packaging using:				
Cook Chill (in accordance with Section 050.340(D) of the Food Regulations				
Sous Vide (in accordance with Section 050.340(D) of the Food Regulations				
Reduced Oxygen Packaging of commercially manufactured cheese				
Reduced Oxygen Packaging of fish (must be frozen before, during and after packaging)				
Packaging juice in a retail food establishment with a 5-log reduction				
Unpasteurized, unpackaged juice for highly susceptible populations				
Will process be used at more than one location? □Yes □No				
If yes, list name(s) and permit number(s)				
Will <u>product</u> be served at more than one location? □Yes □No				
If yes, list name(s) and permit number(s)				
in yes, not name(s) and permit number(s)				
How will the product be sold? (select all that apply): Retail Wholesale				
Signature Date				




Business Name:				
Address:				
WCHD Health Permit Number:				
Will this process be used at more than one location?  Yes  No				
If yes, list the names and permit numbers of each location:				
List all ingredients utilized for each food item prepared using this special process:				
List all equipment that will be utilized for each food item prepared using this special process:  Please note: This equipment list must identify all continuous monitoring equipment used for cold storage.				

Procedures for maintaining ROP food items at or below 41°F.
Procedures for maintaining fish as frozen before, during, and after the ROP process (if applicable):

Description of the second barrier to bacterial growth utilized for reduced oxygen packaging:
Procedures for date-marking ROP food items.  Please note: A copy of all labels that will be used for ROP food items must be attached separately as part of this HACCP Plan.

## **Process Flow Diagram**

Create a Process Flow Diagram for each food item prepared using the special process. Process Flow Diagrams should depict each step of the special process from receiving of food products to service. Please indicate which steps represent Critical Control Points (CCPs) in the process. If you are unsure what qualifies as a CCP, utilize this CCP Decision Tree. If the provided Process Flow Diagram is not appropriate for your facility, please attach a different one better suited to your operation. All additional Process Flow Diagrams must be attached, as needed.





## **Hazard Analysis Chart**

Complete a separate Hazard Analysis Chart for each food item prepared using the special process. Please leave unused boxes blank. Additional Hazard Analysis Charts must be attached, as needed

Menu Item:			Restaurant Name & Permit Number:				
Process Step	Potential Hazards (B) Biological (C) Chemical (P) Physical	Hazard Significan	I IIICTITICATION OT I 1	ecision Preventativ	Is this step a CCP?		

Check this box if additional Hazard Analysis Charts are attached.



### **HACCP Plan Chart**

Complete a separate HACCP Plan Chart for each food item prepared using the special process. Please leave unused boxes blank.

Additional HACCP Plan Charts must be attached, as needed. Examples of HACCP Plan Charts can be found on the HACCP Plan Resources website.

Menu Item:		Restaurant Name & Permit Number:							
Hazards	Critical Control	Control Critical Limits	Monitoring			Corrective	Verification	Records	
пагагиѕ	Points		What	How	Frequency	Who	Actions	verification	Records
			1						

Check this box if additional HACCP Plan Charts are attached.



### Standard Operating Procedure – Employee Health & Personal Hygiene

#### **PURPOSE & SCOPE**

This Standard Operating Procedure (SOP) describes the policy to which staff will adhere in order to ensure all foodservice employees will maintain good personal hygiene and follow proper Employee Health practices to ensure food safety.

#### **PROCEDURES**

1. Follow all Washoe County Health District Regulations Governing Food Establishments

#### **POLICIES**

- 1. Grooming:
  - a. Arrive at in a clean condition clean hair and clean outer clothing.
  - b. Fingernails should be trimmed, clean, polish-free, and maintained so edges and surfaces are cleanable and not rough. No artificial nails are permitted in the food production area.
  - c. Wash hands (including under fingernails) and up to forearms vigorously and thoroughly with soap and warm water for a period of 20 seconds:
    - i. When entering the facility before work begins.
    - ii. Immediately before preparing food or handling equipment.
    - iii. As often as necessary during food preparation when contamination occurs.
    - iv. In the restroom after toilet use and when you return to your workstation.
    - v. When switching between working with raw foods and working with ready-to-eat or cooked foods.
    - vi. After touching face, nose, hair, or any other body part, and after sneezing or coughing.
    - vii. After performing any cleaning duties.
    - viii. Between each task performed and before wearing disposable gloves.
    - ix. After smoking, eating, or drinking.
    - x. Any other time an unsanitary task has been performed (i.e. taking out garbage, handling cleaning chemicals, wiping tables, picking up a dropped food item, etc.)
  - d. Wash hands only in hand sinks designated for that purpose.
  - e. Dry hands with single use towels. Turn off faucets using a paper towel to prevent recontamination of clean hands.

#### 2. Proper Attire:

 Wear appropriate clothing- clean uniform with sleeves and clean non-skid close-toes work shoes that are comfortable for standing and working on floors that can be slippery.

- b. Aprons used by employees are to be hung in a designated area when not in use. They are not to be worn in the toilet area, eating areas or locker rooms.
- c. Use disposable gloves, or dispensing equipment such as tongs, spatulas or tissue paper when handling ready-to-eat foods that will not be heat-treated.
- d. Change disposable gloves as often as handwashing is required. Wash hands before donning and after discarding gloves.

#### 3. Hair restrains and jewelry:

- a. Effective hair restraints must be worn in food preparation and service areas.
- b. Keep beard and mustaches neat and trimmed. Beard restraints are required in any food production area.
- c. No jewelry (except a wedding band or other plain ring or medical identification bracelet) is allowed during handling of food.

#### 4. Illness:

- a. Food employees shall report to Person in Charge when they have a symptom caused by illness, infection, or other source that is:
  - i. Associated with, diarrhea, vomiting or other acute gastrointestinal illness
  - ii. Jaundice
  - iii. Sore throat with fever
  - iv. A boil, infected wound or other lesion containing pus that is open or draining. If located on the hands or wrists, a finger cot that protects the lesion and a single use glove must be worn. Lesions on exposed portions of the arms must be protected by an impermeable cover.
- b. Employees with gastrointestinal symptoms (vomiting and/or diarrhea) will be excluded for a minimum of 48 Hours after symptoms have stopped.
- c. Employees with jaundice will be excluded until laboratory results indicate the individual is not currently infected with Hepatitis A.
- d. Employees with acute respiratory infection or sore throat with fever will be excluded until symptom free. Employees could be re-assigned to activities so that there is no risk of transmitting a disease through food.

#### 5. Cuts, Abrasions and Burns:

- a. Bandage any cut, sores, rash, lesion, abrasion or burn that has broken the skin.
- b. Wear disposable gloves to cover bandages on hands. Change as appropriate.
- c. Inform Person in Charge of all wounds.

#### 6. Smoking, eating and gum chewing:

- Eating and drinking is prohibited in areas where contamination of exposed food, clean equipment, utensils, unwrapped single-service and single use articles could occur.
- b. Smoke only in designated areas. No smoking or chewing tobacco shall occur inside food preparation and service areas.

- c. A closed beverage container may be used in the kitchen if the container is handled to prevent contamination.
- d. Refrain from chewing gum or eating candy while working in food preparation areas.
- 7. No Bare Hand Contact with Ready To Eat (RTE) Foods
  - a. Food handlers may use single service gloves, tongs, spatulas, serving spoons, deli paper and/or toothpicks to prevent contact with ready to eat food items with bare hands during food preparation and/or service.

#### **MONITORING**

- 1. Person in Charge will:
  - a. Visually inspect employees when they report to work to ensure all employees are adhering to the health and hygiene policies.
  - b. Visually monitor employee handwashing during all hours of operation.
  - c. Visually monitor employees during all hours of operation to ensure proper procedures are followed to avoid bare-hand contact with ready-to-eat foods.
  - d. Visually observe handwashing sinks to ensure all handwashing sinks are properly supplied during all hours of operation.


#### CORRECTIVE ACTION

- 1) Retrain any employee found not following the procedures in this SOP.
- 2) Ensure employees that are observed not washing their hands at the appropriate times are required to immediately wash their hands using the proper procedures
- 3) Ensure employees that are observed contacting ready-to-eat food with bare hands are retrained to ensure proper procedures to avoid bare hand contact with ready-to-eat foods and proper handwashing procedures.
- 4) Ensure employees exhibiting signs of illness are excluded for the period outlined in this SOP.

DATE IMPLEMENTED:	BY:
DATE REVIEWED:	BY:
DATE REVISED:	BY·

### **Cleaning and Sanitizing Food Contact Surfaces**

(Chemical Sanitizing Dishwasher)



**PURPOSE:** To prevent foodborne illness by ensuring that all food contact surfaces are properly cleaned and sanitized.

**SCOPE:** This procedure applies to foodservice employees involved in cleaning and sanitizing food contact surfaces.

#### **INSTRUCTIONS:**

- 1. Train foodservice employees on using the procedures in this SOP.
- 2. Follow the Washoe County Health District's requirements.
- 3. Follow manufacturer's instructions regarding the use and maintenance of equipment and use of chemicals for cleaning and sanitizing food contact surfaces.
- 4. Wash, rinse, and sanitize food contact surfaces of sinks, tables, equipment, utensils, thermometers, carts, and equipment:
  - Before each use
  - Between uses when preparing different types of raw animal foods, such as eggs, fish, meat, and poultry
  - Between uses when preparing ready-to-eat foods and raw animal foods, such as eggs, fish, meat, and poultry
  - Any time contamination occurs or is suspected
- 5. Wash, rinse, and sanitize food contact surfaces of sinks, tables, equipment, utensils, thermometers, carts, and equipment using the following procedure:
  - Wash surface with detergent solution.
  - Rinse surface with clean water.
  - Sanitize surface using a sanitizing solution mixed at a concentration specified on the manufacturer's label.
  - Place wet items in a manner to allow air drying.

#### 6. For the dish machine:

- Check with the dish machine manufacturer to verify that the information on the data plate is correct.
- Refer to the information on the data plate for determining wash, rinse, and sanitization rinse temperatures; sanitizing solution concentrations; and water pressures, if applicable.
- Follow manufacturer's instructions for use.

#### **MONITORING:**

Foodservice employees will:

- 1. During all hours of operation, visually and physically inspect food contact surfaces of equipment and utensils to ensure that the surfaces are clean.
- 2. For the dish machine, daily:
  - Visually monitor that the water and the interior parts of the machine are clean and free of debris.
  - Continually monitor the temperature and pressure gauges, if applicable, to ensure that the machine is operating according to the data plate.
  - Check the sanitizer concentration on a recently washed food-contact surface by using a chlorine test kit. The chlorine concentration of the rinse should be 50 to 100 parts per million. Use the reference colors on the test kit to determine if the proper concentration has been reached.

#### **CORRECTIVE ACTION:**

- 1. Retrain any foodservice employee found not following the procedures in this SOP.
- 2. Wash, rinse, and sanitize dirty food contact surfaces. Sanitize food contact surfaces if it is discovered that the surfaces were not properly sanitized. Discard food that comes in contact with food contact surfaces that have not been sanitized properly.
- 3. For the dish machine:
  - Drain and refill the machine periodically and as needed to keep the water clean.
  - Contact the appropriate individual(s) to have the machine repaired if the machine is not reaching the proper wash or rinse temperature indicated on the data plate.
  - For a chemical sanitizing dish machine, check the level of sanitizer remaining in bulk container. Fill, if needed. "Prime" the machine according to the manufacturer's instructions to ensure that the sanitizer is being pumped through
  - If the dish machine is not dispensing the approve concentration of sanitizer, rinse, and sanitize in the 3-compartment sink until the machine is repaired or use disposable single service/single-use items. The dish machine may not be used if it is not dispensing the required concentration of sanitizer.

#### **VERIFICATION AND RECORD KEEPING:**

The foodservice manager will verify that foodservice employees have taken the required temperatures and tested the sanitizer concentration by visually monitoring foodservice employees during the shift and confirming their results.

DATE IMPLEMENTED:	BY:
DATE REVIEWED:	BY:
DATE REVISED:	BY:

### **Cleaning and Sanitizing Food Contact Surfaces SOP**

(High Temperature Dishwasher)

PURPOSE: To prevent foodborne illness by ensuring that all food contact surfaces are

**SCOPE:** This procedure applies to foodservice employees involved in washing, rinsing, and sanitizing food contact surfaces.

#### **INSTRUCTIONS:**

properly cleaned and sanitized.

- 1. Train foodservice employees on using the procedures in this SOP.
- 2. Follow Washoe County Health District's requirements.
- 3. Follow manufacturer's instructions regarding the use and maintenance of equipment and use of chemicals for cleaning and sanitizing food contact surfaces.
- 4. Wash, rinse, and sanitize food contact surfaces of sinks, tables, equipment, utensils, thermometers, carts, and equipment:
  - Before each use
  - Between uses when preparing different types of raw animal foods, such as eggs, fish, meat, and poultry
  - Between uses when preparing ready-to-eat foods and raw animal foods, such as eggs, fish, meat, and poultry
  - Any time contamination occurs or is suspected
- 5. For the high temperature dish machine:
  - Check with the dish machine manufacturer to verify that the information on the data plate is correct.
  - Refer to the information on the data plate for determining wash, rinse, and sanitization (final) rinse temperatures; sanitizing solution concentrations; and water pressures, if applicable.
  - Follow manufacturer's instructions for use.
  - Ensure that food contact surfaces reach a surface temperature of **160F** or above when using hot water to sanitize.

#### MONITORING

- 1. During all hours of operation, visually and physically inspect food contact surfaces of equipment and utensils to ensure that the surfaces are clean.
- 2. For the dish machine, on a daily basis:
  - Visually monitor that the water and the interior parts of the machine are clean and free of debris.
  - Continually monitor the temperature and pressure gauges, if applicable, to ensure that the machine is operating according to the data plate.
- 3. A minimum dishwashing temperature of 160F will be verified by:

#### **CORRECTIVE ACTION:**

- 1. Retrain any foodservice employee found not following the procedures in this SOP.
- 2. Wash, rinse, and sanitize dirty food contact surfaces. Sanitize food contact surfaces if it is discovered that the surfaces were not properly sanitized. Discard food that comes in contact with food contact surfaces that have not been sanitized properly.
- 3. For the dish machine:
  - Drain and refill the machine periodically and as needed to keep the water clean.
  - Contact the appropriate individual(s) to have the machine repaired if the machine is not reaching the proper wash or rinse temperature indicated on the data plate.
  - For the dish machine, retest by running the machine again. If the appropriate surface temperature is still not achieved on the second run, contact the appropriate individual(s) to have the machine repaired. Wash, rinse, and sanitize in the 3-compartment sink until the machine is repaired or use disposable single service/single-use items. The dish machine may not be used if it is not reaching the approved temperature that is indicated on the data plate.

#### **VERIFICATION AND RECORD KEEPING:**

The foodservice manager will verify that foodservice employees have taken the required temperatures by visually monitoring foodservice employees during the shift and confirming their results.

DATE IMPLEMENTED:	BY:
DATE REVIEWED:	BY:
DATE REVISED:	BY:

### **Cleaning and Sanitizing Food Contact Surfaces SOP**

(Three Compartment Sink)

**PURPOSE:** To prevent foodborne illness by ensuring that all food contact surfaces are properly cleaned and sanitized.

**SCOPE:** This procedure applies to foodservice employees involved in cleaning and sanitizing food contact surfaces.

#### **INSTRUCTIONS:**

- 1. Train foodservice employees on using the procedures in this SOP.
- 2. Follow the Washoe County Health District's requirements.
- 3. Follow manufacturer's instructions regarding the use and maintenance of equipment and use of chemicals for cleaning and sanitizing food contact surfaces.
- 4. Wash, rinse, and sanitize food contact surfaces of sinks, tables, equipment, utensils, thermometers, carts, and equipment:
  - Before each use
  - Between uses when preparing different types of raw animal foods, such as eggs, fish, meat, and poultry
  - Between uses when preparing ready-to-eat foods and raw animal foods, such as eggs, fish, meat, and poultry
  - Any time contamination occurs or is suspected
- 5. Wash, rinse, and sanitize food contact surfaces of sinks, tables, equipment, utensils, thermometers, carts, and equipment using the following procedure:
  - Wash surface with detergent solution.
  - Rinse surface with clean water.
  - Sanitize surface using a sanitizing solution mixed at a concentration specified on the manufacturer's label.
  - Place wet items in a manner to allow air drying.
- 6. Setup and use the 3-compartment sink in the following manner:
  - In the first compartment, wash with a clean detergent solution at or above 110 °F or at the temperature specified by the detergent manufacturer.
  - In the second compartment, rinse with clean water.
  - In the third compartment, sanitize with sanitizing solution mixed at a concentration of
     Test the chemical sanitizer concentration by using an appropriate test kit.

#### **MONITORING:**

Foodservice employees will:

- 1. During all hours of operation, visually and physically inspect food contact surfaces of equipment and utensils to ensure that the surfaces are clean.
- 2. For the 3-compartment sink, daily:
  - Visually monitor that the water in each compartment is clean.
  - Take the water temperature in the first compartment of the sink by using a calibrated thermometer.
  - Test sanitizer concentrations using:

#### **CORRECTIVE ACTION:**

- 1. Retrain any foodservice employee found not following the procedures in this SOP.
- 2. Wash, rinse, and sanitize dirty food contact surfaces. Sanitize food contact surfaces if it is discovered that the surfaces were not properly sanitized. Discard food that comes in contact with food contact surfaces that have not been sanitized properly.
- 3. For the 3-compartment sink:
  - Drain and refill compartments periodically and as needed to keep the water clean.
  - Adjust the water temperature by adding hot water until the desired temperature is reached.
  - Add more sanitizer or water, as appropriate, until the proper concentration is achieved.

#### **VERIFICATION AND RECORD KEEPING:**

The foodservice manager will verify that foodservice employees have taken the required sanitizer concentration by visually monitoring foodservice employees during the shift and confirming their results.

DATE IMPLEMENTED:	BY:
DATE REVIEWED:	BY:
DATE REVISED:	BY:

## **Employee Health Policy**

Establishment Name:	
Establishment Address:	
The purpose of this agreement is to inform conditional employers establishment of the responsibility to notify the person in charconditions listed so the PIC can take appropriate steps to preven	ge (PIC) when they experience any of the
I agree to report these symptoms whether they occur at work of	or outside of work:
1) Diarrhea;	
2) Vomiting;	
3) Jaundice;	
4) Sore throat with a fever; and/or,	
5) Infected cuts, wounds, or lesions containing pus on exposed	parts of the body (e.g. hands, wrists, etc.)
I understand that if I am experiencing diarrhea and vomiting, I least <b>24hrs after the symptoms have stopped.</b>	will not be able to return to work for at
I agree to report if I am diagnosed as being ill with Norovirus, S Shigella species, E. coli 0157:H7, other Enterohemorragic or Ch virus any other communicable disease that is considered report Statues (NRS) 441A.	niga toxin-producing E. coli, Hepatitis A
I agree to follow all employee health, restrictions, exclusions ar section 030.020 of the Regulations of the Washoe County Distr Establishments.	, , , , , , , , , , , , , , , , , , , ,
Current/Conditional Food Employee Initial Name:	
Current/Conditional Food Employee Initial Signature:	Date:
Food Establishment Representative Name:	
Food Establishment Representative Signature:	Date:

## Date-Marking Labels: Instructions for Use

READ BEFORE USE: This labeling template is intended for use by establishments that store prepared time/
temperature control for safety food item on-site. This template is not appropriate for use on packaged food items
for retail sale. Please utilize this or an equivalent labeling system to ensure proper date-marking of time/
temperature control for safety food.

Use the label template reference image to complete to the following steps:			
1. In the space corresponding to the letter A, write your the common name of the product that is being datemarked.			
2. In the space corresponding to the letter B, write the date that the food	Contents: A		
item was prepared or the date that the commercial package of the food item	Date Prepared: <u>B</u>		
was opened.	Frozen Date: <u>C</u>		
3. In the space corresponding to the letter C, write the date that the food item was placed in the freezer.	Thaw Date: <u>D</u>		
4. In the space corresponding to the letter D, write the date that the food item was removed from the freezer and thawed under refrigeration or cold, running water.			
Please Note: Freezing time/ temperature control for safety food items "pauses" the 7 day storage period. Items that have been held under refrigeration before being frozen must be used or discarded within a time period, which includes the original refrigeration time, that totals 7 days.			
This label template corresponds to Avery l	orand shipping labels #5163 but can be used with any 2"x 4" adhesive labels for		

#### **Proper Date-Marking Times and Temperatures:**

Refrigerated food products stored at 41F or below must be used or discarded within 7 days from Prepared Date.

Commercially packaged food items that are rendered time/temperture control for safety food items after the package is opened (i.e. canned foods, bagged salad mix, etc.), must be used or discarded within 7 days of the date that the package was opened.

easy, on-site printing.



Contents:	
	Contents:
Date Prepared:	Date Prepared:
Frozen Date:	
	Frozen Date:
Thaw Date:	Thaw Date:
	Thaw bate.
Contents:	Contents:
Date Prepared:	Date Prepared:
Frozen Date:	Frozen Date:
Thaw Date:	Thaw Date:
Contents:	Contents:
Date Prepared:	Date Prepared:
Frozen Date:	Frozen Date:
Thaw Date:	Thaw Date:
Contents:	Contents:
Date Prepared:	Date Prepared:
Frozen Date:	Frozen Date:
Thaw Date:	Thaw Date:
Contents:	Contents:
Date Prepared:	Date Prepared:
Frozen Date:	Frozen Date:
Thaw Date:	Thaw Date:

## **Refrigerator Temperature Log**

Month	20	
Refrigerator - Name/ Location	/	

Date	Time AM/PM	Temperature	Recorded By	Corrective Action

### Maintain Food at 41°F or Colder

- If the temperature is above 41°F notify a manager or supervisor immediately.
- Corrective action must be noted if the temperature is above 41°F.

Reviewed by:
--------------





## **Food Safety Training Log**

Trainee Name	Food Safety Training: Type Completed	Date Completed	Trainee Initials	Supervisor Initials



The Food Safety Checklist should be used by the person in charge (PIC) to determine compliance with food safety practices that prevent foodborne illness in their facility. This checklist:

- · is not comprehensive. Your facility will be evaluated on other items of compliance during an inspection.
- only includes items that, if found out of compliance, *must* be immediately corrected on site during an inspection and directly impacts the facility's inspection score.
- may be used with the <u>WCHD Food Establishment Field Inspection Guide</u> to determine how items would be marked and corrected during a routine inspection.

### In Out # Description

Supervision; Emloyee Health & Hygiene

Preventing Contamination by Hands

**Approved Sources** 

Food Protected from Contamination

- 1. PIC is present; PIC is a Certified Food Protection Manager (Risk Category 2s & 3s); PIC demonstrates active managerial control over employees and food safety risks at facility.
- 2. Facility has written procedures for the cleanup of vomit/diarrhea; employees are aware of exclusion policy.
- 3. Food handlers cover sores/cuts on hands with bandage and gloves; PIC restricts or excludes sick employees.
- 4. Employee drinks have fitted lid and straw; employees eat, taste, and drink in a way that avoids cross contamination.
- 5. Employees with runny nose, sneezing, coughing, and watery eyes are restricted from food/equipment.
- 6. Employees wash hands for at least 20 seconds as often as needed.
- 7. Employees use utensils or gloved hands to prevent bare hand contact with ready to eat (RTE) food.
- 8a. Handwashing sinks are clear and accessible; sinks are used for handwashing only.
- 8b. All handwashing sinks are stocked with soap and paper towels; handwashing signs are posted at each sink.
- 9a. All food comes from an approved source.
- 9b. All molluscan shellfish come from sources listed on the Interstate Certified Shellfish Shippers List (ICSSL).
- 9c. All game animals and wild mushrooms come from an approved source.
- 10. All time/temperature control for safety (TCS) food is received at  $\leq$  41°F; eggs and milk are received at  $\leq$  45°F.
- 11. Food is honestly presented and free from mold; packages and cans of food are in good condition.
- 12a. Facility maintains annual parasite destruction letters for fish served raw or undercooked.
- 12b. Shellstock tags are stored with the shellstock until last shellfish is sold; tags are marked with the last date of sale; tags for past 90 days are stored chronologically on site.
- 13a. All raw animal foods are stored away from or underneath RTE foods in all equipment.
- 13b. All raw animal foods are stored away from each other, or in order of minimum cook temperature from top to bottom: fish/seafood/whole muscle meat/raw shell eggs/pork, then ground meats, then poultry and stuffed foods.
- 13c. All food is stored or handled in a way that protects it from environmental contamination.
- 14. All in-use food prep surfaces such as cutting boards and utensils that contact TCS food are washed, rinsed, and sanitized every 4 hours minimum; equipment/utensils not in use are clean to sight and touch.
- 15a. Food is not re-served after being sold or served to a consumer.
- 15b. Food that has been contaminated or obtained from an unapproved source is discarded.



Consumer Advisory

#### In Out # Description

- 16. All raw animal foods are cooked to a proper final cook temperature; facility is following pre-approved non-continuous cooking process.
- 17. Commercially processed RTE food is rapidly reheated to 135°F within 2 hours; RTE food prepared in-house is rapidly reheated to 165°F within 2 hours.
- 18. TCS food is cooled from 135°F to 70°F within 2 hours and from 70°F to 41°F within an additional 4 hours, verified using a calibrated thermometer; food prepped from ambient temperature is cooled to 41°F within 4 hours.
- 19. All TCS food is hot held at 135°F or above; roasts are hot held at 130°F or above.
- 20. All TCS food is cold held at 41°F or below.
- 21a. All TCS food prepared on site, or opened from a commercial container, and held for more than 24 hours is date marked and discarded after 7 days; date marking system is clear and understood by all employees.
- 21b. When using time as a public health control, written procedures are maintained on site and food is marked to be discarded after 4 hours.
- 22. Alcohol advisory is posted behind the bar or in women's restroom; if serving raw or undercooked meat, facility has raw/undercooked advisory on menu and foods are identified by asterisking them to the advisory.
- 23. Facilities specifically serving highly susceptible populations do not offer prohibited foods such as undercooked animal products, raw seed sprouts or unpasteurized juice, milk, or shell eggs.
- 24. Approved food additives are used properly.
- 25a. All chemical bottles are labeled with contents; chemicals, first-aid items, and personal care products are stored underneath or separately from food; sanitizer applied to food contact surfaces is at appropriate concentration (50-100ppm chlorine, 200-400ppm quat).
- 25b. Poisonous or toxic chemicals held for retail sale are tored separately from or beneath food and single-use items.
- 26. Facility has an approved operational plan or HACCP plan for specialized processes conducted; facility is following plan and keeps records on site; mobile unit is following Servicing Area Agreement.
- 27. Facility is free from pest activity; facility receives regular service from a licensed pest control operator; facility does not allow live animals (other than service animals) inside
- 28. All dishwashing sanitizers used at proper concentration; surfaces of dishes reach 160°F and rinse gauge reaches 180°F in high temperature dishwasher; dishes washed in a 3-compartment sink and clean-in-place equipment are washed in the correct order (wash, rinse, sanitize, and air dry); test strips are available for sanitizer concentration and for high temperature dishwasher.
- 29. Water comes from an approved source and is free from contamination; hot and cold water available at sinks.
- 30. Facility is free from sewage overflows or back-ups; wastewater is properly disposed of.

PIC Signature: Date:

