Barbeques Operational Plan Checklist				
		Required Documentation	Completed	
Materials for New Food Establishments	Standard Applications	Application for a Permit to Operate		
Mate Ne	Sta App	Food Establishment Review Form		
		Operational Plan Review Application		
		List of menu items that will be barbequed.		
an Worksheet	rmation	 Site Plan to include: Site where BBQ is set up (must be an open area where there are no overhanging trees, wires, or other impediments over the BBQ). Location of equipment		
	Description of how area will be monitored for insects, and vermin cont Procedures to ensure ALL food preparation is conducted inside the food establishment prior to being transported to barbeque area. Procedure to ensure food is either being cooked and served immediat off BBQ to customer or transported inside food establishment to a prope for hot holding, storage, preparation or packaging and sale. Procedure to ensure the BBQ will be attended at all times during operatio	List of equipment and materials used in the special process (must be ANSI certified/NSF approved of the equivalent).		
rational P		Procedures to ensure ALL food preparation is conducted inside the food		
Materials included for Barbeques Operational Plan Worksheet		Procedure to ensure food is either being cooked and served immediately off BBQ to customer or transported inside food establishment to a proper area for hot holding, storage, preparation or packaging and sale. Procedure to ensure the BBQ will be attended at all times during operation and may be operated only by an employee of the affiliated food establishment.		
d for		Employee Health & Personal Hygiene SOP		
terials included	Employee Training Program and Standard Operating Procedures (SOPs)	Cleaning & Sanitizing SOPs for all applicable equipment: - Chemical Sanitizing Dishwasher - High Temperature Dishwasher - Three-Compartment Sink		
Σ	yee Tr Standa 'ocedu	Employee Health and Exclusion Acknowledgement		
	Emplo and	Training procedures to ensure staff are trained on the above outlined items.		
		Cooling Down Foods – Tracking Chart		
	Optional Documentation	Cooking Logs		
	Optional Docume	Food Safety Checklist		



OPERATIONAL PLAN REVIEW APPLICATION

Northern Nevada Public Health

Regulations of the Washoe County

District Board of Health Governing Food Establishments

NAME OF ESTABLISHMENT	PERMIT NUMBER
ADDRESS	CITY ZIP
PERSON TO CONTACT	DAYTIME PHONE
I am submitting an Operational Plan for (select all	that apply):
☐ Barbeque	
☐ Portable Unit for Service of Food, Operation of Po	ol Decks
☐ Outdoor Food Establishments	
☐ Food Establishments with Catering to include thos	e providing meals to School Kitchens
☐ Satellite Food Distribution Facilities with more tha	n one drop off location
Will <u>process</u> be used at more than one location? □	lYes □No
If yes, list name(s) and permit number(s)	
Will $\underline{product}$ be served at more than one location?	□Yes □No
If yes, list name(s) and permit number(s)	
How will the product be sold? (Select all that apply)	: □Retail □Wholesale
*Note: The Operational Plan - Initial Review Fee must be paid in documentation as outlined in the NNPH Checklist for General Opspecific checklist must accompany this application. Failure to subproposed Operational plan.	erational Plan Requirements and the applicable process
Signature	Date

Standard Operating Procedure - Employee Health & Personal Hygiene

Establishment Name

PURPOSE & SCOPE

This Standard Operating Procedure (SOP) describes the policy to which staff will adhere in order to ensure all foodservice employees will maintain good personal hygiene and follow proper Employee Health practices to ensure food safety.

PROCEDURES

1. Follow all Washoe County Health District Regulations Governing Food Establishments

POLICIES

- 1. Grooming:
 - a. Arrive at in a clean condition clean hair and clean outer clothing.
 - b. Fingernails should be trimmed, clean, polish-free, and maintained so edges and surfaces are cleanable and not rough. No artificial nails are permitted in the food production area.
 - c. Wash hands (including under fingernails) and up to forearms vigorously and thoroughly with soap and warm water for a period of 20 seconds:
 - i. When entering the facility before work begins.
 - ii. Immediately before preparing food or handling equipment.
 - iii. As often as necessary during food preparation when contamination occurs.
 - iv. In the restroom after toilet use and when you return to your workstation.
 - v. When switching between working with raw foods and working with readyto-eat or cooked foods.
 - vi. After touching face, nose, hair, or any other body part, and after sneezing or coughing.
 - vii. After performing any cleaning duties.
 - viii. Between each task performed and before wearing disposable gloves.
 - ix. After smoking, eating, or drinking.
 - x. Any other time an unsanitary task has been performed (i.e. taking out garbage, handling cleaning chemicals, wiping tables, picking up a dropped food item, etc.)
 - d. Wash hands only in hand sinks designated for that purpose.
 - e. Dry hands with single use towels. Turn off faucets using a paper towel to prevent recontamination of clean hands.

2. Proper Attire:

a. Wear appropriate clothing- clean uniform with sleeves and clean non-skid close-toes work shoes that are comfortable for standing and working on floors that can be slippery.

- b. Aprons used by employees are to be hung in a designated area when not in use. They are not to be worn in the toilet area, eating areas or locker rooms.
- c. Use disposable gloves, or dispensing equipment such as tongs, spatulas or tissue paper when handling ready-to-eat foods that will not be heat-treated.
- d. Change disposable gloves as often as handwashing is required. Wash hands before donning and after discarding gloves.

3. Hair restrains and jewelry:

- a. Effective hair restraints must be worn in food preparation and service areas.
- b. Keep beard and mustaches neat and trimmed. Beard restraints are required in any food production area.
- c. No jewelry (except a wedding band or other plain ring or medical identification bracelet) is allowed during handling of food.

4. Illness:

- a. Food employees shall report to Person in Charge when they have a symptom caused by illness, infection, or other source that is:
 - i. Associated with, diarrhea, vomiting or other acute gastrointestinal illness
 - ii. Jaundice
 - iii. Sore throat with fever
 - iv. A boil, infected wound or other lesion containing pus that is open or draining. If located on the hands or wrists, a finger cot that protects the lesion and a single use glove must be worn. Lesions on exposed portions of the arms must be protected by an impermeable cover.
- b. Employees with gastrointestinal symptoms (vomiting and/or diarrhea) will be excluded for a minimum of 48 Hours after symptoms have stopped.
- c. Employees with jaundice will be excluded until laboratory results indicate the individual is not currently infected with Hepatitis A.
- d. Employees with acute respiratory infection or sore throat with fever will be excluded until symptom free. Employees could be re-assigned to activities so that there is no risk of transmitting a disease through food.

5. Cuts, Abrasions and Burns:

- a. Bandage any cut, sores, rash, lesion, abrasion or burn that has broken the skin.
- b. Wear disposable gloves to cover bandages on hands. Change as appropriate.
- c. Inform Person in Charge of all wounds.

6. Smoking, eating and gum chewing:

- Eating and drinking is prohibited in areas where contamination of exposed food, clean equipment, utensils, unwrapped single-service and single use articles could occur.
- b. Smoke only in designated areas. No smoking or chewing tobacco shall occur inside food preparation and service areas.

- c. A closed beverage container may be used in the kitchen if the container is handled to prevent contamination.
- d. Refrain from chewing gum or eating candy while working in food preparation areas.
- 7. No Bare Hand Contact with Ready To Eat (RTE) Foods
 - a. Food handlers may use single service gloves, tongs, spatulas, serving spoons, deli paper and/or toothpicks to prevent contact with ready to eat food items with bare hands during food preparation and/or service.

MONITORING

- 1. Person in Charge will:
 - a. Visually inspect employees when they report to work to ensure all employees are adhering to the health and hygiene policies.
 - b. Visually monitor employee handwashing during all hours of operation.
 - c. Visually monitor employees during all hours of operation to ensure proper procedures are followed to avoid bare-hand contact with ready-to-eat foods.
 - d. Visually observe handwashing sinks to ensure all handwashing sinks are properly supplied during all hours of operation.

CORRECTIVE ACTION

- 1) Retrain any employee found not following the procedures in this SOP.
- 2) Ensure employees that are observed not washing their hands at the appropriate times are required to immediately wash their hands using the proper procedures
- 3) Ensure employees that are observed contacting ready-to-eat food with bare hands are retrained to ensure proper procedures to avoid bare hand contact with ready-to-eat foods and proper handwashing procedures.
- 4) Ensure employees exhibiting signs of illness are excluded for the period outlined in this SOP.

DATE IMPLEMENTED:	BY:
DATE REVIEWED:	BY:
DATE REVISED:	BY:

Cleaning and Sanitizing Food Contact Surfaces (Chemical Sanitizing Dishwasher)

Check here if not applicable

PURPOSE: To prevent foodborne illness by ensuring that all food contact surfaces are properly cleaned and sanitized.

SCOPE: This procedure applies to foodservice employees involved in cleaning and sanitizing food contact surfaces.

INSTRUCTIONS:

- 1. Train foodservice employees on using the procedures in this SOP.
- 2. Follow the Northern Nevada Public Health's requirements.
- 3. Follow manufacturer's instructions regarding the use and maintenance of equipment and use of chemicals for cleaning and sanitizing food contact surfaces.
- 4. Wash, rinse, and sanitize food contact surfaces of sinks, tables, equipment, utensils, thermometers, carts, and equipment:
 - Before each use
 - Between uses when preparing different types of raw animal foods, such as eggs, fish, meat, and poultry
 - Between uses when preparing ready-to-eat foods and raw animal foods, such as eggs, fish, meat, and poultry
 - Any time contamination occurs or is suspected
- 5. Wash, rinse, and sanitize food contact surfaces of sinks, tables, equipment, utensils, thermometers, carts, and equipment using the following procedure:
 - Wash surface with detergent solution.
 - Rinse surface with clean water.
 - Sanitize surface using a sanitizing solution mixed at a concentration specified on the manufacturer's label.
 - Place wet items in a manner to allow air drying.

6. For the dish machine:

- Check with the dish machine manufacturer to verify that the information on the data plate is correct.
- Refer to the information on the data plate for determining wash, rinse, and sanitization rinse temperatures; sanitizing solution concentrations; and water pressures, if applicable.
- Follow manufacturer's instructions for use.

MONITORING:

Foodservice employees will:

- 1. During all hours of operation, visually and physically inspect food contact surfaces of equipment and utensils to ensure that the surfaces are clean.
- 2. For the dish machine, daily:
 - Visually monitor that the water and the interior parts of the machine are clean and free of debris.
 - Continually monitor the temperature and pressure gauges, if applicable, to ensure that the machine is operating according to the data plate.
 - Check the sanitizer concentration on a recently washed food-contact surface by using a chlorine test kit. The chlorine concentration of the rinse should be 50 to 100 parts per million. Use the reference colors on the test kit to determine if the proper concentration has been reached.

CORRECTIVE ACTION:

- 1. Retrain any foodservice employee found not following the procedures in this SOP.
- 2. Wash, rinse, and sanitize dirty food contact surfaces. Sanitize food contact surfaces if it is discovered that the surfaces were not properly sanitized. Discard food that comes in contact with food contact surfaces that have not been sanitized properly.
- 3. For the dish machine:
 - Drain and refill the machine periodically and as needed to keep the water clean.
 - Contact the appropriate individual(s) to have the machine repaired if the machine is not reaching the proper wash or rinse temperature indicated on the data plate.
 - For a chemical sanitizing dish machine, check the level of sanitizer remaining in bulk container. Fill, if needed. "Prime" the machine according to the manufacturer's instructions to ensure that the sanitizer is being pumped through
 - If the dish machine is not dispensing the approve concentration of sanitizer, rinse, and sanitize in the 3-compartment sink until the machine is repaired or use disposable single service/single-use items. The dish machine may not be used if it is not dispensing the required concentration of sanitizer.

VERIFICATION AND RECORD KEEPING:

The foodservice manager will verify that foodservice employees have taken the required temperatures and tested the sanitizer concentration by visually monitoring foodservice employees during the shift and confirming their results.

DATE IMPLEMENTED:	BY:	
DATE REVIEWED:	BY:	
DATE REVISED:	BY:	

Cleaning and Sanitizing Food Contact Surfaces SOP

(Hig	gh Ten	nperat	ure Di	shwas	sher)
	Chec	k here	if not	appli	cable

Establishment Name

PURPOSE: To prevent foodborne illness by ensuring that all food contact surfaces are properly cleaned and sanitized.

SCOPE: This procedure applies to foodservice employees involved in washing, rinsing, and sanitizing food contact surfaces.

INSTRUCTIONS:

- 1. Train foodservice employees on using the procedures in this SOP.
- 2. Follow Northern Nevada Public Health's requirements.
- 3. Follow manufacturer's instructions regarding the use and maintenance of equipment and use of chemicals for cleaning and sanitizing food contact surfaces.
- 4. Wash, rinse, and sanitize food contact surfaces of sinks, tables, equipment, utensils, thermometers, carts, and equipment:
 - Before each use
 - Between uses when preparing different types of raw animal foods, such as eggs, fish, meat, and poultry
 - Between uses when preparing ready-to-eat foods and raw animal foods, such as eggs, fish, meat, and poultry
 - Any time contamination occurs or is suspected
- 5. For the high temperature dish machine:
 - Check with the dish machine manufacturer to verify that the information on the data plate is correct.
 - Refer to the information on the data plate for determining wash, rinse, and sanitization (final) rinse temperatures; sanitizing solution concentrations; and water pressures, if applicable.
 - Follow manufacturer's instructions for use.
 - Ensure that food contact surfaces reach a surface temperature of **160F** or above when using hot water to sanitize.

MONITORING

- 1. During all hours of operation, visually and physically inspect food contact surfaces of equipment and utensils to ensure that the surfaces are clean.
- 2. For the dish machine, on a daily basis:
 - Visually monitor that the water and the interior parts of the machine are clean and free of debris.
 - Continually monitor the temperature and pressure gauges, if applicable, to ensure that the machine is operating according to the data plate.
- 3. A minimum dishwashing temperature of 160F will be verified by:

Choose One Option

CORRECTIVE ACTION:

- 1. Retrain any foodservice employee found not following the procedures in this SOP.
- 2. Wash, rinse, and sanitize dirty food contact surfaces. Sanitize food contact surfaces if it is discovered that the surfaces were not properly sanitized. Discard food that comes in contact with food contact surfaces that have not been sanitized properly.
- 3. For the dish machine:
 - Drain and refill the machine periodically and as needed to keep the water clean.
 - Contact the appropriate individual(s) to have the machine repaired if the machine is not reaching the proper wash or rinse temperature indicated on the data plate.
 - For the dish machine, retest by running the machine again. If the appropriate surface temperature is still not achieved on the second run, contact the appropriate individual(s) to have the machine repaired. Wash, rinse, and sanitize in the 3-compartment sink until the machine is repaired or use disposable single service/single-use items. The dish machine may not be used if it is not reaching the approved temperature that is indicated on the data plate.

VERIFICATION AND RECORD KEEPING:

The foodservice manager will verify that foodservice employees have taken the required temperatures by visually monitoring foodservice employees during the shift and confirming their results.

DATE IMPLEMENTED:	BY:	
DATE REVIEWED:	BY:	
DATE REVISED:	BY:	

Cleaning and Sanitizing Food Contact Surfaces SOP

(Three Compartment Sink)

Check here if not applicable

PURPOSE: To prevent foodborne illness by ensuring that all food contact surfaces are properly cleaned and sanitized.

SCOPE: This procedure applies to foodservice employees involved in cleaning and sanitizing food contact surfaces.

INSTRUCTIONS:

- 1. Train foodservice employees on using the procedures in this SOP.
- 2. Follow the Northern Nevada Public Health's requirements.
- 3. Follow manufacturer's instructions regarding the use and maintenance of equipment and use of chemicals for cleaning and sanitizing food contact surfaces.
- 4. Wash, rinse, and sanitize food contact surfaces of sinks, tables, equipment, utensils, thermometers, carts, and equipment:
 - Before each use
 - Between uses when preparing different types of raw animal foods, such as eggs, fish, meat, and poultry
 - Between uses when preparing ready-to-eat foods and raw animal foods, such as eggs, fish, meat, and poultry
 - Any time contamination occurs or is suspected
- 5. Wash, rinse, and sanitize food contact surfaces of sinks, tables, equipment, utensils, thermometers, carts, and equipment using the following procedure:
 - Wash surface with detergent solution.
 - Rinse surface with clean water.
 - Sanitize surface using a sanitizing solution mixed at a concentration specified on the manufacturer's label.
 - Place wet items in a manner to allow air drying.
- 6. Setup and use the 3-compartment sink in the following manner:
 - In the first compartment, wash with a clean detergent solution at or above 110 °F or at the temperature specified by the detergent manufacturer.
 - In the second compartment, rinse with clean water.
 - In the third compartment, sanitize with a sanitizing solution mixed at a concentration specified on the manufacturer's label. Test the chemical sanitizer concentration by using an appropriate test kit.

MONITORING:

Foodservice employees will:

- 1. During all hours of operation, visually and physically inspect food contact surfaces of equipment and utensils to ensure that the surfaces are clean.
- 2. For the 3-compartment sink, daily:
 - Visually monitor that the water in each compartment is clean.
 - Take the water temperature in the first compartment of the sink by using a calibrated thermometer.
 - Test sanitizer concentrations using:

CORRECTIVE ACTION:

- 1. Retrain any foodservice employee found not following the procedures in this SOP.
- 2. Wash, rinse, and sanitize dirty food contact surfaces. Sanitize food contact surfaces if it is discovered that the surfaces were not properly sanitized. Discard food that comes in contact with food contact surfaces that have not been sanitized properly.
- 3. For the 3-compartment sink:
 - Drain and refill compartments periodically and as needed to keep the water clean.
 - Adjust the water temperature by adding hot water until the desired temperature is reached.
 - Add more sanitizer or water, as appropriate, until the proper concentration is achieved.

VERIFICATION AND RECORD KEEPING:

The foodservice manager will verify that foodservice employees have taken the required sanitizer concentration by visually monitoring foodservice employees during the shift and confirming their results.

DATE IMPLEMENTED:	BY:	
DATE REVIEWED:	BY:	
DATE REVISED:	BY:	

Employee Health Policy

Establishment Name:	
Establishment Address:	
The purpose of this agreement is to inform conditional employees an establishment of the responsibility to notify the person in charge (PIC) conditions listed so the PIC can take appropriate steps to prevent the tr	when they experience any of the
I agree to report these symptoms whether they occur at work or outsid	le of work:
1) Diarrhea;	
2) Vomiting;	
3) Jaundice;	
4) Sore throat with a fever; and/or,	
5) Infected cuts, wounds, or lesions containing pus on exposed parts of	the body (e.g. hands, wrists, etc.)
I understand that if I am experiencing diarrhea and vomiting, I will not bleast 24hrs after the symptoms have stopped.	oe able to return to work for at
I agree to report if I am diagnosed as being ill with Norovirus, Salmonell Shigella species, E. coli 0157:H7, other Enterohemorragic or Chiga toxin virus any other communicable disease that is considered reportable as Statues (NRS) 441A.	-producing E. coli, Hepatitis A
I agree to follow all employee health, restrictions, exclusions and report section 030.020 of the Regulations of the Washoe County District Board Establishments.	• ,
Current/Conditional Food Employee Initial Name:	
Current/Conditional Food Employee Initial Signature:	Date:
Food Establishment Representative Name:	
Food Establishment Representative Signature:	Date:

Food Safety Training Log

Trainee Name	Food Safety Training: Type Completed	Date Completed	Trainee Initials	Supervisor Initials





Cooling Down Foods – Tracking Chart

Cooling Food

- Cooling time starts at 135°F. Food may be left at room temperature until it drops to 135°F.
- Cool from 135°F to 70°F in 2 hours, then from 70°F to 41°F in 4 hours.
- If the temperature is more than 70°F in 2 hours, reheat to 165°F and start over.
- Reheating can only be done one time.
- Once at 70°F, cool down to 41°F in 4 hours.
- Once at 41°F, it's ready to be covered, labeled, dated, and stored in the refrigerator.
- Total cooling time cannot exceed 6 hours or food must be discarded.

Tips for Speeding up the Cooling Process

- Use the ice bath method by placing a smaller pan of food inside a larger pan filled with half ice and half water, stirring frequently.
- Use ice paddle with frequent stirring.
- Add ice as part of the ingredient.
- Place pan in coolest part of the refrigerator loosely covered or uncovered.
- Divide large food quantities into smaller portions
- Spread thick foods into thin layers and place in refrigerator.
- Use of metal pans is preferred, as they cool food faster than plastic.

Date	Food	Start Time & Temp	After 1 Hour	After 2 Hours	135°F to 70°F in 2 hours?	After 3 Hours	After 4 Hours	After 5 Hours	After 6 Hours	70°F to 41°F in 4 hours?	Corrective Actions?	Employee	Verified By Manager
Example: 1/1/10	Beef Stew	8 am 135°F	9am 100°F	10am 70°F	If Yes , continue If No , Reheat	11am 60°F	12pm 50°F	1pm 45°F	2pm 38°F	Yes Cover, Label, Date	No	АВ	CD



Cooking Temperature Log

Date	Food Item	Intern Tempera		Corrective Action	Employee Initial
	*All items must be cooked to the mi	nimum int	ernal 1	temperature listed below for 15 seconds *	
Poultry	165°F	Fish,	145°F		
Comminute	155°F	Injec	155°F		
Comminute	155°F	Stuff	165°F		
Raw Eggs (f	145°F	Rehe	165°F		
Raw Eggs (h	155°F	Fruit Hold	, Vegetables and Grains Cooked for Hot ing	135°F	
Whole Beef	Roast, Corned Beef Roast, Pork Roa	ast and Cu	red Po	ork Roast	145°F

Reviewed By: _	
----------------	--



FOOD SAFETY CHECKLIST

The Food Safety Checklist should be used by the person in charge (PIC) to determine compliance with food safety practices that prevent foodborne illness in their facility. This checklist:

- · is not comprehensive. Your facility will be evaluated on other items of compliance during an inspection.
- only includes items that, if found out of compliance, *must* be immediately corrected on site during an inspection and directly impacts the facility's inspection score.
- may be used with the <u>NNPH Food Establishment Field Inspection Guide</u> to determine how items would be marked and corrected during a routine inspection.

	In	Out	#	Description
Supervision; Emloyee Health & Hygiene			1.	PIC is present; PIC is a Certified Food Protection Manager (Risk Category 2s & 3s); PIC demonstrates active managerial control over employees and food safety risks at facility.
			2.	Facility has written procedures for the cleanup of vomit/diarrhea; employees are aware of
			3.	exclusion policy. Food handlers cover sores/cuts on hands with bandage and gloves; PIC restricts or
			4.	excludes sick employees. Employee drinks have fitted lid and straw; employees eat, taste, and drink in a way that
			5.	avoids cross contamination. Employees with runny nose, sneezing, coughing, and watery eyes are restricted from food/equipment.
Preventing Contamination by Hands			6. 7.	Employees wash hands for at least 20 seconds as often as needed. Employees use utensils or gloved hands to prevent bare hand contact with ready to eat (RTE) food.
			8a. 8b.	Handwashing sinks are clear and accessible; sinks are used for handwashing only. All handwashing sinks are stocked with soap and paper towels; handwashing signs are posted at each sink.
Approved Sources			9a. 9b.	All food comes from an approved source. All molluscan shellfish come from sources listed on the Interstate Certified Shellfish Shippers List (ICSSL).
			9c. 10.	All game animals and wild mushrooms come from an approved source. All time/temperature control for safety (TCS) food is received at \leq 41°F; eggs and milk are received at \leq 45°F.
			11.	Food is honestly presented and free from mold; packages and cans of food are in good condition.
				Facility maintains annual parasite destruction letters for fish served raw or undercooked. Shellstock tags are stored with the shellstock until last shellfish is sold; tags are marked with the last date of sale; tags for past 90 days are stored chronologically on site.
Food Protected from Contamination				All raw animal foods are stored away from or underneath RTE foods in all equipment. All raw animal foods are stored away from each other, or in order of minimum cook temperature from top to bottom: fish/seafood/whole muscle meat/raw shell eggs/pork,
				then ground meats, then poultry and stuffed foods. All food is stored or handled in a way that protects it from environmental contamination. All in-use food prep surfaces such as cutting boards and utensils that contact TCS food are washed, rinsed, and sanitized every 4 hours minimum; equipment/utensils not in use
				are clean to sight and touch. Food is not re-served after being sold or served to a consumer. Food that has been contaminated or obtained from an unapproved source is discarded.

	In	Out	#	Description
Control of TCS Foods			16.	All raw animal foods are cooked to a proper final cook temperature; facility is following pre-approved non-continuous cooking process.
			17.	Commercially processed RTE food is rapidly reheated to 135°F within 2 hours; RTE food prepared in-house is rapidly reheated to 165°F within 2 hours.
			18.	TCS food is cooled from 135°F to 70°F within 2 hours and from 70°F to 41°F within an additional 4 hours, verified using a calibrated thermometer; food prepped from ambient temperature is cooled to 41°F within 4 hours.
				All TCS food is hot held at 135°F or above; roasts are hot held at 130°F or above. All TCS food is cold held at 41°F or below.
				All TCS food is cold field at 411 of below. All TCS food prepared on site, or opened from a commercial container, and held for more than 24 hours is date marked and discarded after 7 days; date marking system is clear and understood by all employees.
			21b.	When using time as a public health control, written procedures are maintained on site and food is marked to be discarded after 4 hours.
Consumer Advisory			22.	Alcohol advisory is posted behind the bar or in women's restroom; if serving rawor undercooked meat, facility has raw/undercooked advisory on menu and foods are identified by asterisking them to the advisory.
Susceptible Populations			23.	Facilities specifically serving highly susceptible populations do not offer prohibited foods such as undercooked animal products, raw seed sprouts or unpasteurized juice, milk, or shell eggs.
Food Additives; Toxic Substances				Approved food additives are used properly. All chemical bottles are labeled with contents; chemicals, first-aid items, and personal care products are stored underneath or separately from food; sanitizer applied to food contact surfaces is at appropriate concentration (50-100ppm chlorine, 200-400ppm quat).
			25b.	Poisonous or toxic chemicals held for retail sale are tored separately from or beneath food and single-use items.
Approved Procedures			26.	Facility has an approved operational plan or HACCP plan for specialized processes conducted; facility is following plan and keeps records on site; mobile unit is following Servicing Area Agreement.
Equipment and Facilities			27.	Facility is free from pest activity; facility receives regular service from a licensed pest control operator; facility does not allow live animals (other than service animals) inside
			28.	All dishwashing sanitizers used at proper concentration; surfaces of dishes reach 160°F and rinse gauge reaches 180°F in high temperature dishwasher; dishes washed in a 3-compartment sink and clean-in-place equipment are washed in the correct order (wash, rinse, sanitize, and air dry); test strips are available for sanitizer concentration and for high temperature dishwasher.
			29.	Water comes from an approved source and is free from contamination; hot and coldwater available at sinks.
			30.	Facility is free from sewage overflows or back-ups; wastewater is properly disposed of.
PIC S	Signa	ıture: ַ		Date:

