# Community Scale Greenhouse Gas Emissions Inventory for Washoe County, 2021



draft published November 2024

#### Washoe County Strategic Plan FY 21-23

- I. MISSION The purpose of the mission statement is to clearly articulate why we exist as an organization. Working together regionally to provide and sustain a safe, secure, and healthy community.
- VISION The purpose of the vision is to establish a concrete picture of the future:
  Washoe County will be the social, economic and policy leadership force in
  Nevada and the western United States.
- **III.** GUIDING PRINCIPLES As Washoe County employees, we approach our work by putting first our community responsibility to:
  - a. Support and represent the people we serve. Elevate the quality of life so our community is a great place for everyone to live, regardless of means. We support and believe in diversity, inclusivity, and accessibility to all.
  - **b. Be forward thinking.** We will make decisions that are future looking, support economic diversification and are financially sustainable.
  - **c. Protect our natural resources.** Be caretakers of the environment so we preserve our region for future generations.
  - **d.** Collaborate within and across the County. Nurture and strengthen collaboration regionally with citizens, community organizations, nonprofits, business, and government agencies.
  - e. Commit to digital delivery. Drive a fundamental change through the value chain of County services by continuing digital delivery of services and processes where the outcomes for citizens and staff are improved.
  - **f. Reduce redundancies and non-value adds.** Reduce non-value add steps in the process. Stop non-essential services by deconstructing and reconstructing where we can.
  - g. Show up as "One County" externally and internally. Promote the idea that we are "One County" instead of independent entities, while also celebrating the uniqueness of each department.

# Acknowledgements

The Washoe County Community Emissions Reduction Plan was developed by the Office of the County Manager, Sustainability Program, with support from a Fuse Corps Executive Fellow. Development of the plan would not have been possible without leadership from the County Manager's Office and collaboration across county and regional agencies. A list of local specialists who provided operations data for 2021 Washoe County Inventory is in **Appendix 1.** 

# Table of Contents

Contents


A.	Executive Summary	5
В.	Climate in Washoe County	18
c.	What are GHG Emissions, and why is Washoe County measuring them?	19
D.	GHG Inventory methodology	21
E.	GHG Inventory results by sector	26
1.	E1 Transportation Emissions	28
2.	E2 Energy Emissions Methodology	48
3.	E3 Energy Emissions - Residential	55
4.	E4 Energy Emissions - Commercial	58
5.	E5 Energy Emissions - Industrial	61
6.	E6 Solid Waste Emissions	63
7.	E7 Water & Wastewater Emissions	70
8.	E8. Process & Fugitive Emissions	81
9.	E9. Agriculture, Forestry, and Other Land Use (AFOLU)	85
F.	Community-wide GHG emissions forecast	91
G.	Next steps: Working together as a community to reduce GHGs	92
Appe	endices	
1.	Contributors	94
2.	Glossary	96
3.	Abbreviations and acronyms	103
4.	Comparison of 2014 and 2021 emissions data for Washoe County	104
5.	Total emissions from 2008 and 2014 Community-wide Inventories	113
6.	Description of "Nonroad" Transportation sources	114
7.	Definitions of customer types from energy utilities	116
8.	Commercial and Industrial Jobs in Washoe County, 2021	120
9.	Definitions of Solid Waste material categories	122
10	Land Use Change matrices, 2013 to 2019	123

## A. Executive Summary

#### 2021 Community-wide GHG emissions

Total community wide greenhouse gas (GHG) emissions for Washoe County in 2021 were 6.30 million metric tons (MMT) carbon dioxide equivalent ( $\mathrm{CO_2e}$ ). 37% of emissions come from Transportation, 22% from Commercial Energy, 19% from Residential Energy, 15% from Industrial Energy, 2% from Solid Waste, 3% from Process & Fugitive Emissions, 2% from Water & Wastewater, and less than 1% from Agriculture, Forestry, and Other Land Use (AFOLU). This inventory includes emissions for City of Reno, City of Sparks, and Unincorporated Washoe County. It was calculated using ICLEI's Clearpath software, and it uses 100-year global warming potentials (GWPs) from the Intergovernmental Panel on Climate Change (IPCC)'s 6th Assessment Report (AR).

#### 2021 Washoe County Community Emissions (MMT CO2e)



2021 Washoe County Community Emissions						
Sector	MMT CO2e	% CO2e				
Transportation & Mobile Sources	2.32	37%				
Commercial Energy	1.41	22%				
Residential Energy	1.22	19%				
Industrial Energy	0.93	15%				
Solid Waste	0.13	2%				
Process & Fugitive Emissions	0.19	3%				
Water & Wastewater	0.09	2%				
Total	6.30	100%				

From 2014 to 2021, Washoe County Community-wide emissions increased 40%, from 4.52 MMT of CO2e to 6.30 MMT of CO2e. About half of this 1.79 MMT CO2e increase comes from direct emissions growth (0.80 MMT CO2e), and the rest comes from improvements in methodology (0.99 MMT CO2e). These methodology improvements include the addition of nonroad transportation (~0.50 MMT CO2e), the addition of "point source" stationary fuels such as distillate fuel oil to Industrial Energy (0.30 MMT CO2e), and the addition of Fugitive Emissions (0.19 MMT CO2e). When the key methodology differences between the 2014 and 2021 inventories are removed, the "direct growth" comparison between the two inventories is an 18% increase, from 4.52 MMT CO2e to 5.31 MMT CO2e. This growth in "apples to apples" emissions is 11% lower than GDP growth over the same time period.

Washoe County Population, GDP, and Emissions Comparison: 2014 to 2021						
Category	2014	2021	% change			
Population	436,797	485,113	11%			
Gross Domestic Product (GDP)						
in thousands chained (2017						
dollars)	\$ 23,682,755	\$30,542,848	29%			
GHG Emissions (MMT)	4.52	6.38	41%			
Per Capita GHG	10.35	13.00	25%			


Sources: population: NV State Demographer, GDP: US Bureau of Economic Analysis

#### Per capita emissions

Per capita emissions increased 25% from 2014 (10.35 MT CO2e) to 2021 (13.00 MT CO2e). After removing emissions related to improved inventory methodology, the increase is  $\sim$ 7%, from 10.35 to 10.95 MT CO2e. This 5.8% increase corresponds with the 11% population increase over the same time frame. Even with the methodology adjustment, however, the

increase in per capita emissions indicates that increased community-wide emissions between 2014 to 2021 are not just a result of population growth, but also of increased per capita GHG emissions. Washoe County's per capita emissions of 13.00 MT CO2e in 2021 were lower than the national average of 14.25 MT CO2e per capita emissions, though higher than other Mountain West cities like Eugene, OR (5.37 MT CO2e), Unincorporated Sacramento County, CA (7.57 MT CO2e), Boise, ID (9.69 MT CO2e), or Clark County, NV (12.90 MT CO2e), where Las Vegas is located. Different jurisdictions may use different inventory tools and methodologies, so these numbers are directionally informative, but they are not exact comparisons.


# 2021 Washoe County Per Capita GHG Emissions compared with Mountain West and US average




Per capita annual MT CO2e in the Mountain West					
Jurisdiction	MT CO2e	Population			
Eugene, OR	5.37	176,000			
Unincorporated Sacramento County, CA	7.57	555,000			
Boise, ID	9.69	232,000			
Clark County, NV (incl. Las Vegas)	12.90	2,270,000			
Washoe County, NV	13.00	485,000			
US average	14.25				

#### Comparison between 2014 and 2021 inventories

The chart below shows differences by sector that caused Washoe County's Community-wide emissions to increase 40% from 4.52 MMT CO2e in 2014 to 6.30 MMT CO2e in 2021.





Comparison of emissions (MMT CO2e), 2014 to 2021					
Sector	2021	Change			
Transportation	1.46	2.32	0.87		
Commercial energy	1.28	1.41	0.14		
Residential energy	1.28	1.22	(0.06)		
Industrial energy	0.25	0.93	0.68		
Solid Waste	0.20	0.13	(0.07)		
Water & Wastewater	0.03	0.09	0.06		
Process & Fugitive	0.00	0.19	0.19		
Agriculture	0.03	0.00	(0.03)		
TOTAL	4.52	6.30	1.79		

Almost half of the increased emissions in Washoe County came from the Transportation sector, which had 37% more emissions in 2021 than 2014 (+0.87 MMT CO2e). Most of this difference (+0.50 MMT CO2e) is because Nonroad transportation is included in the 2021 inventory but was not calculated in 2014. On-road diesel emissions more than tripled, and emissions from aviation doubled. Some of the differences in on-road numbers could be a result of different data sources for vehicle miles traveled (VMT) data in the 2014 inventory (RTC Washoe) versus the 2021 inventory (Google Environmental Insights Explorer).

Total Energy emissions also increased between 2014 and 2021, by 27%. Energy consumption nearly doubled between the two inventories; however, the electricity grid also became cleaner with the addition of more renewable sources. A Sustainability Report is not available for 2014, but NV Energy's 2017 report shows an "emissions intensity" of 930 pounds per megawatt hour (lbs / MWh). This had decreased to 729 lbs / MWh by 2021. Emissions in both the Commercial and Industrial Energy sectors were higher in 2021 than 2014. For Industrial Energy in particular, this was a result of including emissions from stationary energy sources such as distillate fuel oil that were not included in the 2014 Inventory. Residential Energy emissions were 6% lower in 2021 than 2014, perhaps because the efficiency of the grid outpaced the increased electricity demand that came with 12% growth in new housing, or because individual household behaviors (eg increased use of smart thermostats, turning off lights, etc) changed over this time.

Solid waste emissions were similar in 2014 and 2021. Landfilled waste in Washoe County shrank almost 50% between inventories, from 571,663 tons in 2014 to 300,775 tons in 2021. This change in landfilled tonnage may be attributable to evolving data calculation methods and / or improved recycling rates. The 2014 inventory reported a recycling rate of 37.5%, while rates as of 2024 were as high as 97% for single family. The recycling rate for multi-family homes was 54.5% and for commercial accounts was 9.5%.

Water and wastewaster emissions tripled between the 2014 and 2021 inventory, though the overall amount of emissions is very low. Some of the additional emissions come from the inclusion of providers that were not included in the 2014 inventory, including the Incline Village General Improvement District (GID), Great Basin Water Company, Sun Valley GID, and Gerlach GID. The Truckee Meadows Water Authority (TMWA) is included in both inventories and still provides >92% of the water to the community in Washoe County. TMWA's reported population-served of 444,182 in 2021 was almost exactly the same as the population served in 2014, with only a 5% increase in millions of gallons delivered (27.9 in 2021). Likewise, wastewater volume only increased 6% between 2014 to 2021, to 13 million gallons of water processed. Neither of these services scaled proportionally to the 11% population growth during this time.

The 2021 inventory measures Process & Fugitive Emissions, which were not included in the 2014 report. Washoe County has fugitive emissions from the distribution of natural gas as well as uses such as electric power systems, fire extinguishing, refrigeration, aerosols, foams and solvents. These cause only a small percentage (3%) of overall emissions.

And finally, emissions from Agriculture remained very small in 2021 (<1% of total). Agricultural emissions appear to have decreased in 2021, but they are likely similar to 2014 because the "optional" category of livestock is not included in the 2021 inventory, despite its inclusion in 2014. The Agriculture section of this inventory includes only electricity used to serve agricultural uses. Sequestration, or carbon removals, are calculated as part of this

Washoe County Community Greenhouse Gas (GHG) Emissions Inventory, 2021, DRAFT (Nov 2024)

inventory (see section E8, AFOLU), but they are not added to gross / total emissions for a "net" emissions number.

A detailed table with GHG sources and CO2e emissions by sector for 2021 is below. A full comparison of 2021 data with 2014 data is in **Appendix 4**.

	2021 e	missions by F	uel or Source		
Org providing data	Туре	Fuel or Source	2021 Usage	Usage Unit	2021 Emissions (MT CO2e)
Transportation	on				
Google EIE	On Road	Gasoline	2,677,846,997	VMT	1,034,447
Google EIE	On Road	Diesel	347,968,818	VMT	499,772
EPA NEI	Nonroad	Diesel	-	-	387,405
EPA NEI	Nonroad	Gasoline	-	-	90,949
EPA NEI	Nonroad	LPG	-	-	15,158
EPA NEI	Nonroad	CNG	-	-	1,796
RNO Airport	Ground Ops	Diesel	87,846	Gallons	905
RNO Airport	Ground Ops	Gasoline	70,937	Gallons	628
Reno-Stead Airport	Ground Ops	Diesel	5,013	Gallons	52
Reno-Stead Airport	Ground Ops	Gasoline	1,704	Gallons	15
RNO Airport	Commercial (Passenger)	Jet Kerosene	14,948,972	Gallons	146,246
RNO Airport	Freight	Jet Kerosene	4,926,489	Gallons	48,196
RNO Airport	General Aviation	Jet Kerosene	4,074,471	Gallons	39,861
RNO Airport	General Aviation	Aviation Gas	155,118	Gallons	1,294
Reno-Stead Airport	General Aviation	Jet Kerosene	488,146	Gallons	4,776
Reno-Stead Airport	General Aviation	Aviation Gas	99,619	Gallons	831
RNO Airport	Air National Guard (ANG)	Jet Kerosene	842,075	Gallons	8,238
EPA NEI	Rail, Commercial	Diesel	-	-	23,113
EPA NEI	Rail, Passenger	Diesel	-	-	702
EPA NEI	Water, Pleasure Craft	Gasoline	-	-	14,903
EPA NEI	Water, Pleasure Craft	Diesel	-	-	3,616

	2021 emissions by Fuel or Source						
Org providing data	Туре	Fuel or Source	2021 Usage	Usage Unit	2021 Emissions (MT CO2e)		
Transportatio	n, continued						
RTC Washoe	Buses	Electric	1,020,784	kWh	338		
RTC Washoe	Buses	Bio-diesel	568,890	Gallons	1		
RTC Washoe	Regional Connector Bus (Carson City)	Electric	250,159	kWh	72		
RTC	Paratransit and Flexride	Gasoline	13,504	Gallons	122		
RTC	Paratransit and Flexride	CNG	179,175	Gallons	118		
Transportatio	n Total				2,323,551		

2021 emissions by Fuel or Source						
Org providing data	Туре	Fuel or Source	2021 Usage	Usage Unit	2021 Emissions (MT CO2e)	
Commercial E	nergy					
NV Energy	Commercial	Electricity	3,217,822	MWh	1,065,100	
NV Energy	Municipal	Electricity	54,895	MWh	18,175	
SVEC	Commercial	Electricity	65	MWh	19	
PSREC	Commercial	Electricity	57	MWh	16	
NV Energy	Commercial	Natural Gas	51,656,782	Therms	274,827	
SW Gas	Commercial	Natural Gas	1,738,311	Therms	9,246	
EIA	Commercial	Fuel Oil	356,535	MMBtu	26,281	
EIA	Commercial	Propane (HGL)	307,917	MMBtu	19,430	
EIA	Commercial	Wood	64,825	MMBtu	632	
Commercial E	Commercial Energy Total					
	•					
Residential Er	nergy					
NV Energy	Residential	Electricity	1,748,938	MWh	578,899	
PSREC	Residential	Electricity	4,882	MWh	1,414	
SVEC	Residential	Electricity	44	MWh	13	
NV Energy	Residential	Natural Gas	106,176,831	Therms	564,683	
SW Gas	Residential	Natural Gas	8,171,381	Therms	43,458	
EIA	Residential	Propane (HGL)	405,268	MMBtu	24,184	
EIA	Residential	Fuel oil	52,861	MMBtu	3,943	
EIA	Residential	Wood	370,027	MMBtu	3,384	
Residential Er	nergy Total				1,219,978	
				T		
Industrial						
NV Energy	Industrial	Electricity	1,598,279	MWh	529,031	
NV Energy	Industrial	Natural Gas	19,039,233	therms	101,050	
EIA	Industrial	Fuel Oil	3,511,184	MMBtu	258,056	
EIA	Industrial	Propane (HGL)	161,434	MMBtu	10,152	
EIA	Industrial	Motor Gasoline	464,122	MMBtu	31,131	
EIA	Industrial	Wood	20,179	MMBtu	41	
Industrial Ene	rgy Total				929,460	

	2021	emissions by Fu	uel or Source		
Org providing data	Туре	Fuel or Source	2021 Usage	Usage Unit	2021 Emissions (MT CO2e)
Solid Waste					
WM	Waste	Waste Generated	300,775	Tons	130,466
WM	Flaring	Landfill Gas	261,858,830	Cubic ft/yr	28
WM	Combustion	Landfill Gas	380,450,265	Cubic ft/yr	0.53
Solid Waste	Solid Waste Total				
Water & Was	tewater (Water)				
TMWA	Potable Water	Electricity	65,183,869	kWh	28,126
TMWA	Potable Water	Natural Gas	123,170	MMBtu	included in elec. #
IVGID	Potable Water	Electricity	3,932,368	kWh	1,311
IVGID	Potable Water	Natural Gas	1,761	kWh	included in elec. #
Great Basin Water Co	Potable Water	Electricity	1,346,223	kWh	446
Sun Valley GID	Potable Water	Electricity	517,390	kWh	205
Sun Valley GID	Potable Water	Natural Gas	6,271	MMBtu	included in elec. #
Gerlach GID	Potable Water	Electricity	15,712	kWh	15
Gerlach GID	Potable Water	Propane	1,872	therms	included in elec#

	2021	l emissions by Fu	el or Source					
Org	Туре	Fuel or	2021 Usage	Usage	2021			
providing		Source		Unit	Emissions			
data					(MT CO2e)			
Water & Was	Water & Wastewater (Wastewater)							
TMWRF	Energy Use	Electricity	25,268,000	kWh	8,483			
TMWRF	Combustion	Digester Gas	385,920	scf/day	19			
TMWRF	Flaring	Digester Gas	184,320	scf/day	35,075			
TMWRF	Wastewater	Nitrification /	363,000	people	867			
	Treatment	Denitrification						
TMWRF	Effluent	Nitrification	216	Kg N /	169			
				day				
TMWRF	Wastewater	Methanol	8.9	MT	3,563			
	Treatment			СНЗОН				
				/ day				
Washoe	Energy Use	Electricity	8,754,862	kWh	2,898			
County								
Washoe	Wastewater	Nitrification /	26,717	people	64			
County	Treatment	Denitrification						
Washoe	Effluent	Nitrification	155	Kg N /	121			
County				day				
Reno Stead	Energy Use	Electricity	5,071	kWh	1,795			
WRF								
Reno Stead	Energy Use	Natural Gas	22,323	therms	Included in			
WRF					elec.#			
Reno Stead	Wastewater	Nitrification /	28,000	people	67			
WRF	Treatment	Denitrification						
Reno Stead	Effluent	Nitrification	41	Kg N /	32			
WRF				day				
IVGID	Energy Use	Electricity	1,698,637	kWh	636			
IVGID	Energy Use	Natural Gas	14,829	therms	included in			
					elec.#			
Gerlach GID	Energy Use	None	125	people	0			
Septic	Fugitive	Methane	0.09	Kg	7,672			
	Emissions			BOD5/				
				day				
Water & Was	tewater Total				91,564			

	2021 emissions by Fuel or Source						
Org providing data	Туре	Fuel or Source	2021 Usage	Usage Unit	2021 Emissions (MT CO2e)		
Process & Fug	gitive Emissions	,					
listed above	Fugitive	Natural Gas	188,150,339	therms	34,741		
EPA	Fugitive	Refrigeration	-	-	106,453		
EPA	Fugitive	Non-MDI Aerosols	-	-	15,614		
EPA	Fugitive	Electric Power Systems	-	-	14,150		
EPA	Fugitive	Foams	-	-	13,455		
EPA	Fugitive	Solvents	-	-	3,027		
EPA	Fugitive	MDI Aerosols	-	-	2,455		
EPA	Fugitive	Fire Extinguishing	-	-	3,776		
Process & Fug	gitive Emissions	Total			193,669		
Agricultural	I			T			
NV Energy	Energy Use	Electric	7,368,753	kWh	2,439		
PSREC	Energy Use	Electric	96,139	kWh	28		
Agricultural Total							
TOTAL GROSS EMISSIONS							

	2021 emissions by Fuel or Source					
Org providing data	Туре	Fuel or Source	2021 Usage	Usage Unit	2021 Emissions (Mt CO2e)	
Agriculture,	Forestry, and Othe	r Land Use				
ICLEI	Trees outside of Forests	Emissions	9	hectares	523	
ICLEI	Trees outside of Forests	Removals	4,433	hectares	-43,360	
ICLEI	Undisturbed Forests	Removals	36,255	hectares	-31,046	
ICLEI	Non-Forest to Forest	Removals	2,469	hectares	-2,913	
ICLEI	Forest Disturbances	Emissions	7,019	hectares	10,570	
ICLEI	Forest to Grassland	Emissions	605	hectares	15,352	
ICLEI	Forest to Other	Emissions	6	hectares	1,245	
ICLEI	Forest to Wetland	Emissions	798	hectares	1,112	
ICLEI	Forest to Settlement	Emissions	60	hectares	701	
ICLEI	Forest to Cropland	Emissions	0.1	hectares	0	
Forests & Trees Total					-47,816	
TOTAL EMIS	SIONS, WITH SEQU	JESTRATION			6,257,095	

# B. Climate in Washoe County

Washoe County has a diverse population covering 6,540 square miles of urban, suburban, and rural land. 485,113 people lived in Washoe County in 2021, with 264,318 people living in Reno, Washoe County's largest urban area, and 107,489 people living in Sparks, the second largest urban area. Almost 113,306 people lived in Unincorporated Washoe County.

Reno is the fastest-warming metro in the US. Warming winter temperatures have resulted in more precipitation falling as rain instead of snow, which has caused declining snowpack in the Sierra Nevada. Predominant drought conditions are projected to be punctuated by more intense storms. In Nevada and elsewhere in the American West, wildfires are becoming more frequent and hotter, destroying homes, forests, and choking our region with dangerous smoke, sometimes intensely. To read more about the impacts of a changing climate in Washoe County, visit the **Introduction** to this Climate Action Plan.

According to <u>FEMA's climate risk map</u>, Washoe County's climate risk is designated Relatively High, making Washoe County one of the two most vulnerable counties in NV and one of the most vulnerable counties nationwide as well.




Figure 1 The State of Nevada on FEMA's Climate Risk Map. Source: FEMA National Risk Index

# C. What are GHG Emissions, and why is Washoe County measuring them?

#### What are GHG Emissions?

Naturally occurring gases dispersed in the atmosphere determine the Earth's climate by trapping solar radiation. This phenomenon is known as the greenhouse effect.

This greenhouse effect causes global average surface and lower atmospheric temperatures to rise, threatening the safety, quality of life, and economic prosperity of global communities.

Although the natural greenhouse effect is needed to keep the earth warm, a human-enhanced greenhouse effect with the rapid accumulation of greenhouse gases (GHGs) in the atmosphere leads to too much heat and radiation being trapped.

The Intergovernmental Panel on Climate Change (IPCC) Sixth Assessment Report confirms that human activities have unequivocally caused an increase in the carbon emissions that are warming our planet. The most significant contributor to carbon dioxide and other greenhouse gases into the atmosphere is the burning of fossil fuels for




Figure 2 Earth's atmosphere traps some of the sun's heat, preventing it from escaping back into space at night. Source: NASA/JPL-Caltech

transportation, electricity generation and other purposes. This Community-wide GHG Inventory measures the contribution of these human activities in Washoe County to the warming climate.

Why Measure Community GHG Emissions? Washoe County, like many other governments around the world, has committed to measuring and reducing greenhouse gas emissions (GHGs) in its community. A Community GHG inventory estimates the quantity of GHG emissions and removals associated with community sources and activities taking place during a chosen analysis year. The inventory can then be used for many purposes, such as informing climate action planning, communicating with the public, and tracking GHGs over time.

In 2019, the State of Nevada Legislature passed Senate Bill 254, establishing GHG reduction targets, and by conducting this inventory, Washoe County is supporting State of Nevada efforts by adopting the same ambitious emission reduction targets:

- 28 percent by 2025
- 45 percent by 2030
- Net-zero by 2050

Washoe County Community Greenhouse Gas (GHG) Emissions Inventory, 2021, DRAFT (Nov 2024)

Further, Washoe County designated a goal to Reduce GHG Emissions in its April 2022 Washoe County Green Recovery Plan. Two of the strategies under this goal include: 1) Conduct a community-wide GHG inventory to monitor and report progress, and 2) Establish GHG reduction targets that align with state and federal targets.

# D. GHG Inventory methodology

GHGs Three greenhouse gases are included in this inventory: carbon dioxide (CO2), methane (CH4), and nitrous oxide (N2O). Many charts in this report represent emissions in "carbon dioxide equivalent" (CO₂e) values, calculated using the Global Warming Potentials for methane and nitrous oxide from the IPCC 6<sup>th</sup> Assessment Report. Global Warming Potentials (GWPs) are the warming effect of an emission of 1kg of each gas relative to that of CO2.

100 year Global Warming Potentials (GWPs)			
Source: page XXI of the IPCC 6th Assessment			
Carbon Dioxide (CO2) 1			
Methane (CH4) 21			
Nitrous Oxide (N2O) 290			

**US Community Protocol** Washoe County used the <u>ClearPath Climate Planner</u> tool to calculate 2021 community-wide GHG emissions. ClearPath is produced and supported by the non-profit ICLEI, "Local Governments for Sustainability." Washoe County also used earlier of versions of Clearpath for its 2008 and 2014 inventories. See 2008 and 2014 inventory summary results in **Appendix 5.** 

The 2021 inventory follows the <u>U.S. Community Protocol for Accounting and Reporting of Greenhouse Gas Emissions, Version 1.2, published July 2019</u>, which aligns with the <u>Global Protocol for Community-Scale Greenhouse Gas (GHG) Inventories</u>. As local governments continue to join the climate protection movement, the need for a standardized approach to quantify GHG emissions is essential. The US Community Protocol (USCP) represents a national standard in guidance to help U.S. local governments develop effective community GHG emissions inventories. It establishes reporting requirements for all community GHG emissions inventories, provides detailed accounting guidance for quantifying GHG emissions associated with a range of emission sources and community activities, and provides a number of optional reporting frameworks to help local governments customize their community GHG emissions inventory reports based on their local goals and capacities.

**Boundary** The community "boundary" includes the entirety of Washoe County: Reno, Sparks, and Unincorporated Washoe County. Data from the total population of Washoe County is included in this inventory, as has been the case for previous inventories.

**Baseline year** Washoe County has established a "baseline year" of 2021. This means that the County's GHG reduction goals of 28 percent by 2025, 45 percent by 2030, and Net Zero

2050 will be measured in comparison to the data in this inventory. Per the Paris Agreement, 2005 is typically recommended as the baseline year for measuring emissions reductions.

However, data collection and GHG collection methodology has vastly improved over the past 20 years, so Washoe County is baselining against 2021 instead.

Government Operations Emissions Inventory Washoe
County has also conducted a detailed County Operations
GHG Inventory for 2021. The government operations
inventory is a subset of the community, as shown in Figure
3. For example, data on commercial energy use by the
community include energy consumed by municipal
buildings, and community vehicle-miles-traveled
estimates include miles driven by municipal fleet



Figure 3 Relationship of Community and Government Operations Inventories

#### **Sources and Activities**

vehicles.

Communities contribute to greenhouse gas emissions in many ways. Two central categorizations of emissions are used in the community inventory: 1) GHG emissions that are produced by "sources" located within the community boundary, and 2) GHG emissions produced as a consequence of community "activities."

Source	Activity
Any physical process inside the	The use of energy, materials, and / or
jurisdictional boundary that releases GHG	services by members of the community
emissions into the atmosphere.	that result in the creation of GHG
	emissions.

By reporting on both GHG emissions sources and activities, local governments can develop and promote a deeper understanding of GHG emissions associated with their communities. A purely source-based emissions inventory could be summed to estimate total emissions released within the community's jurisdictional boundary. In contrast, a purely activity-based emissions inventory could provide perspective on the efficiency of the community, even when the associated emissions occur outside the jurisdictional boundary. The division of emissions into sources and activities replaces the scopes framework (Scope 1, 2, and 3) that is used in government operations inventories, but that does not have a clear definition for application to community inventories.

<u>Input Data for this Inventory</u> Local utility operators provided data to Washoe County for this analysis, and the list of these specialists and their agencies are listed in **Appendix 1**. Some other data comes from federal databases from, for example, the Environmental Protection Agency (EPA), or other agencies. Data sources are listed in sector descriptions.

#### **Quantification Methods**

GHG emissions can be quantified in two ways:

- 1. Measurement-based methodologies refer to the direct measurement of GHG emissions (from a monitoring system) emitted from a flue of a power plant, wastewater treatment plant, landfill, or industrial facility.
- 2. Calculation-based methodologies calculate emissions using activity data and emission factors. To calculate emissions accordingly, the basic equation below is used:

# **Activity Data x Emission Factor = Emissions**

Most emissions sources in this inventory are quantified using calculation-based methodologies. Activity data refers to the relevant measurement of energy use or other GHG-generating processes such as fuel consumption by fuel type, metered annual electricity consumption, and annual vehicle miles traveled.

Known emission factors are used to convert energy usage or other activity data into associated quantities of emissions. Emissions factors are usually expressed in terms of emissions per unit of activity data (e.g. lbs CO2/kWh of electricity). For this inventory, calculations were made using ICLEI's ClearPath Climate Planner tool.

#### **Emissions generating activities**

In ClearPath, the five basic emissions generating activities are included in the analysis:

- 1. Use of Electricity by the community Power plant emissions associated with generating electricity used within the jurisdictional boundary of the community, regardless of the location of the electricity generation facility.
- 2. Use of Fuel in Residential and Commercial Stationary Combustion Equipment Combustion emissions associated with fuels used in residential and commercial stationary applications (e.g., natural gas used in boilers and furnaces) within the jurisdictional boundary of the community, excluding fuels used for production of electricity or district energy.
- **3. On-Road Passenger and Freight Motor Vehicle Travel** Emissions associated with transportation fuels used by on-road passenger and freight motor vehicles.
- 4. Use of Energy in Potable Water and Wastewater Treatment and Distribution Emissions associated with energy used in the treatment and delivery of potable water used in the community and in the collection and treatment of wastewater used in the community, regardless of the location of the water and wastewater infrastructure.
- **5. Generation of Solid Waste by the Community** End-of-life emissions (i.e., projected future methane emissions) associated with disposal of waste generated by members of the community during the analysis year, regardless of disposal location or method.

The community inventory also includes:

- Wastewater treatment processes
- Off-road, rail, and aviation travel
- Process & fugitive emissions from natural gas distribution

The table below lists the Required, Recommended, and Optional Community-wide Inventory inputs from the US Community Protocol. The following sections have detailed descriptions of Washoe County community operations by sector as well as explanations of the methodology for calculating GHGs for each activity.

Inputs into the 2021 GHG Washoe County Inventory			
Residential Energy	USCP	In Inventory	
Emissions from Grid Electricity	Required	Х	
Emissions from Stationary Fuel Combustion	Required	Х	
Commercial Energy			
Emissions from Grid Electricity	Required	Х	
Emissions from Stationary Fuel Combustion	Required	Х	
Industrial Energy			
Emissions from Grid Electricity	Required	Х	
Emissions from Stationary Fuel Combustion	Required	Х	
Transportation & Mobile Sources			
On Road Transportation	Required	Х	
Aviation Travel	Recommended	Х	
Emissions from Public Transit	Recommended	Х	
Rail Transportation	Recommended	Х	
Water Transportation	Recommended	Х	
Emissions from Off Road Vehicles	Recommended	Х	
Active Transportation	Indicator Only	no	
Solid Waste			
Landfilled Waste	Required	Х	
Combustion of Solid Waste Generated by the	Required	n/a	
Community			
Emissions from Flaring of Landfill Gas	-	Х	
Biologic Treatment of Solid Waste (Composting)	-	n/a	
Emissions from Combustion of Landfill Gas	-	X	
Water & Wastewater			
Emissions from the Supply of Potable Water	Recommended	Х	
Emissions from Wastewater Treatment Energy Use	Recommended	Х	
Emissions from the Combustion of Digester Gas	Recommended	Х	
Emissions from Flaring of Digester Gas	Recommended	Х	
Process N2O Emissions from Wastewater Treatment	Recommended	Х	


Water & Wastewater		
Emissions from the Supply of Potable Water	Recommended	Х
Emissions from Wastewater Treatment Energy Use	Recommended	Х
Emissions from the Combustion of Digester Gas	Recommended	Х
Emissions from Flaring of Digester Gas	Recommended	Х
Process N2O Emissions from Wastewater Treatment	Recommended	Х
Process N2O from Effluent Discharge to River, Ocean,	Recommended	Х
or Deep Well Injection		
Emissions from Combustion of Biosolids and Sludges	-	n/a
CO2 Emissions from the Use of Fossil Fuel Derived	-	Х
Methanol		
Fugitive Emissions from Septic Systems	-	Х
Process & Fugitive Emissions		
Fugitive Emissions from Natural Gas Distribution	Recommended	Х
Hydrofluorocarbon & Refrigerant Emissions	-	Х
Fugitive Emissions from Oil and Gas Production and	-	n/a
Processing		
Fugitive Emissions from Mining, Processing, Storage,	-	n/a
and Transportation of Coal		
AFOLU		
Emissions and Removals from Forests	Recommended	X
Emissions and Removals from Trees Outside of Forests	Recommended	X
Emissions from Livestock Agricultural Soils	Optional	no
Emissions from Livestock Enteric Fermentation	Optional	no
Emissions from Livestock Manure Management	Optional	no
Emissions from Crop Agriculture	Optional	no
Emissions from Grid Electricity	-	Х
Emissions from Stationary Fuel Combustion	-	n/a

# E. GHG Inventory results by sector

#### 2021 Community-wide GHG emissions

Total community wide greenhouse gas (GHG) emissions for Washoe County in 2021 were 6.30 million metric tons (MMT) carbon dioxide equivalent (CO2e). 37% of emissions come from Transportation, 22% from Commercial Energy, 19% from Residential Energy, 15% from Industrial Energy, 2% from Solid Waste, 3% from Process & Fugitive Emissions, 2% from Water & Wastewater, and less than 1% from Agriculture, Forestry, and Other Land Use (AFOLU). This inventory includes emissions for City of Reno, City of Sparks, and Unincorporated Washoe County. It was calculated using ICLEI's Clearpath software, and it uses 100-year global warming potentials (GWPs) from the Intergovernmental Panel on Climate Change (IPCC)'s 6th Assessment Report (AR).






Community-wide GHG emissions by sector, 2021			
Sector	MMT CO2e	Percent	
Transportation & Mobile Sources	2.32	37%	
Commercial Energy	1.41	22%	
Residential Energy	1.22	19%	
Industrial Energy	0.93	15%	
Solid Waste	0.13	2%	
Process & Fugitive Emissions	0.19	3%	
Water & Wastewater	0.09	2%	
TOTAL	6.30	100%	

# 1. E1 Transportation Emissions

#### (1) Transportation Summary

The Transportation sector causes 2.32 MMT of CO2e, or 37% of emissions in Washoe County. It is the largest USCP emissions sector. On-road vehicles cause 45% of the County's transportation emissions, followed by nonroad—primarily construction vehicles—that cause 21% of the emissions. Aviation causes 11% of emissions. Rail (1%) and Water (1%) are responsible for the remainder, with a negligible amount of emissions (651 MT CO2e) coming from Transit.

2021 Washoe County Transportation Sector Emissions (MMT CO2e)




Washoe County Transportation Sector Emissions, 2021			
Category MMT CO2e MT CO2e % CO			
On-Road (Gas)	1.03	1,034,447	45%
On-Road (Diesel)	0.50	499,772	22%
Nonroad	0.50	496,914	21%
Aviation	0.25	249,432	11%
Rail	0.02	23,811	1%
Water	0.02	18,519	1%
Transit	0.00	651	0%
TOTAL	2.32	2,323,551	100%

# (2) On Road Transportation (USCP Required)

1.53 MMT of CO2e | 67% of Transportation Emissions | 25% of overall emissions





Sources of MT CO2e for On Road Transportation		
Fuel MT CO2e Percent of On Road		
Gasoline	1,034,447	67%
Diesel	499,772	33%
TOTAL	1,534,219	100%

**Definition:** "On-road vehicles are designed for transporting people, property or material on common or public roads, thoroughfares, or highways. This category includes vehicles such as buses, cars, trucks, motorcycles, on-road waste collection and transportation vehicles (e.g. compactor trucks), etc. Most vehicles burn liquid or gaseous fuel in internal combustion engines. The combustion of these fuels produces CO2, CH4, and N2O, often referred to collectively as tailpipe emissions. Increasingly, electric or hybrid vehicles can also be charged at stations within or outside the city."

Roads in Washoe County Washoe County has more than 5,700 lane miles of roads, grouped into three categories. First, the Nevada Department of Transportation (NDOT) manages approximately 1,396 lane miles of state roads in Washoe County, including two Interstate Routes (I-80, I-580), two US Routes (US 395, US 395A), and 16 State Routes. Second, the Regional Transportation Commission (RTC) and the local jurisdictions share responsibility for approximately 1,047 lane miles of the Regional Road Network. This includes 662 lane miles in Reno, 254 lane miles in Sparks, and 131 lane miles in Unincorporated Washoe County. Third, local jurisdictions manage approximately 3,293 lane miles of Local Roads, which are all roads other than state roads, regional roads, and private roads that are located within the local jurisdictions. There are 1,061 lane miles in Reno, 484 lane miles in Sparks, and 1,631 lane miles in Unincorporated Washoe County.

GHG Inventory Methodology Vehicle Miles Traveled (VMT) information comes from Google's Environmental Insights Explorer (EIE) tool. This tool provides In-Boundary, Inbound, and Outbound VMT. In-Boundary trips begin and end within Washoe County. Inbound trips begin outside of Washoe County and end inside Washoe County. Outbound trips begin inside Washoe County and end outside Washoe County. "GPC Distance" represents an Origin-Destination VMT Model, compliant with the Global Protocol for Community-Scale Greenhouse Gas Inventories (GPC). The values represent 100% of all inboundary transportation and 50% cross-boundary transportation (inbound and outbound).

2021 Vehicle Miles Traveled in Washoe County					
	full_distance_ gpc_distance_ distance				
travel_bounds	trips	km	km	(miles)	% miles
IN-BOUNDARY	381,146,498	2,918,510,126	2,918,510,126	1,813,478,110	60%
INBOUND	24,904,503	1,958,397,072	979,198,536	608,445,760	20%
OUTBOUND	24,799,551	1,943,742,748	971,871,374	603,892,872	20%
TOTAL	430,850,552	6,820,649,946	4,869,580,036	3,025,816,742	100%

The inventory then uses the National Default Vehicle Mix to designate VMT by vehicle type and fuel type. ICLEI gets this mix from the EPA's State Inventory and Projection tool. The dataset does not specifically include Electric Vehicles (EVs) or nonstandard fuels. For this inventory, we did not manually enter EV estimates, as the number of EVs in Washoe County is not easily accessible, and even the number of EVs statewide was only 17,400 vehicles, or 0.70% of the 2.4M vehicles registered in the entire state of Nevada. In this inventory, we assume that energy use for charging electric vehicles is included in residential and commercial energy calculations. And we expect the technology for tracking and calculating electric vehicle and nonstandard fuel use will improve in future inventories as vehicles that use these technologies become more prevalent.

National Vehicle Mix – Vehicle Types			
Fuel Type Gas Diesel			
% Passenger	75%	4%	
% Light-Duty	24%	8%	
% Heavy-Duty	0%	88%	
% Motorcycle	1%	0%	

The National Default Vehicle Mix also indicates the percent of VMT traveled by gas (88.5%) and diesel (11.50%) vehicles. Of the 3,025,815, 817 VMT traveled in Washoe County in 2021, drivers traveled 2,677,846,998 miles in gasoline vehicles, and 347,968,819 miles in diesel vehicles.

National Vehicle Mix - VMT by fuel		
Fuel Type	Washoe County VMT	VMT %
Gas	2,677,846,998	88.50%
Diesel	347,968,819	11.50%
Total	3,025,815,817	100%


Finally, the inventory applies the 2021 US National Defaults factor set (updated 2023) to the trip data to calculate emissions. This factor set comes from the EPA.

2021 US National Defaults (updated 2023) - fuel efficiency			
Vehicle Type Fuel Economy (MPG) g CH4 / mi g N2O			
Gas Passenger Vehicle	25.3	0.0084	0.0069
Gas Light Truck	18.2	0.0117	0.0087
Gas Heavy Truck	5.383557	0.0719	0.0611
Gas Transit Bus	18.2	0.0117	0.0087
Gas Para Transit Bus	18.2	0.0117	0.0087
Gas Motorcycle	44	0.0084	0.0069
Electric Vehicle	n/a	n/a	n/a
Diesel Passenger Vehicle	25.3	0.0005	0.001
Diesel Light Truck	18.2	0.001	0.0015
Diesel Heavy Truck	6.561615	0.0051	0.0048
Diesel Transit Bus	18.2	0.001	0.0015
Diesel Para Transit Bus	18.2	0.001	0.0015
Diesel Motorcycle	44	0.0005	0.001

# (3) Nonroad Vehicles (USCP Recommended)

0.50 MMT of CO2e | 21% of Transportation Emissions | 8% of overall emissions

## **Sources of MT CO2e for Non-Road Transportation**



Sources of MT CO2e for Nonroad Transportation			
Fuel	MT CO2e	Percent of Nonroad	
Diesel	387,411	78%	
Gasoline	90,949	18%	
LPG	15,159	3%	
CNG	1,796	1%	
Airport Support	1,599	0%	
TOTAL	496,914	100%	

**Definition:** "Off-road vehicles are those designed or adapted for travel on unpaved terrain. This category typically includes all-terrain vehicles, landscaping and construction equipment, tractors, bulldozers, amphibious vehicles, snowmobiles and other off-road recreational vehicles...Emissions from off-road transportation activities within transportation facility premises such as airports, harbors, bus terminals, and train stations" are also included.

**Non-Road Vehicles in Washoe County** Almost all of the diesel emissions in Washoe County come from construction equipment. The remainder of all fuel use comes from commercial equipment, industrial equipment, lawn & garden equipment, and recreational equipment.


**Methodology** The inventory utilizes "mobile nonroad" data from the EPA's National Emissions Inventory (see **Appendix 6** for data description). The NEI provides carbon dioxide (CO2), methane (CH4), and nitrous oxide (N2O) emissions for off-highway vehicle diesel, gasoline, liquefied petroleum gas (LPG), and compressed natural gas (CNG). The Clearpath software applies global warming potentials for methane and nitrous oxide are applied, then emissions are summed with CO2 to produce CO2e values.

Non-road emissions from EPA's NEI data				
	Emissions (Tons)			
	Carbon Dioxide	Methane	Nitrous Oxide	
Fuel Type	(CO2)	(CH4)	(N2O)	
Mobile - Non-Road				
Equipment - Diesel	426,827.20	7.87	N/A	
Mobile - Non-Road				
Equipment - Gasoline	98,001.02	82.85	N/A	
Mobile - Non-Road				
Equipment - LPG	16,678.82	1.10	N/A	
Mobile - Non-Road				
Equipment - CNG	1,664.01	11.61	N/A	

# (4) Aviation Travel (USCP Recommended)

0.25 MMT of CO2e | 11% of Transportation Emissions | 4% of overall emissions

#### **Sources of MT CO2E from Aviation**



Sources of MT CO2E from Aviation				
Location, Use	Fuel	MT CO2e	Percent	
RTIA, Commercial	Jet-A	146,241	59%	
RTIA, Freight	Jet-A	48,196	19%	
RTIA, Gen Aviation	Jet-A	39,861	16%	
RTIA, Gen Aviation	AvGas	1,294	1%	
Reno-Stead, Gen A	Jet-A	4,776	2%	
Reno-Stead, Gen A	AvGas	831	0%	
RTIA – ANG	Jet-A	8,238	3%	
TOTAL		249,441	100%	

**Definition:** "Civil aviation, or air travel, includes emissions from airborne trips occurring within the geographic boundary (e.g., helicopters operating within the city) and emissions from flights departing airports that serve the city."

#### **Aviation in Washoe County**

Reno-Tahoe International Airport (RTIA; airport code RNO), located 4 miles southeast of Reno's central business district, is the primary airport that serves Washoe County. As defined by the Federal Aviation Administration, (FAA), RNO is a medium hub commercial airport. It served over 1.8M passengers across 11 different airlines in calendar year 2021 and was the 63<sup>rd</sup> busiest commercial airport in the United States. In 2022, commercial cargo carriers FedEx, United Parcel Service (UPS), and DHL transported more than 147 million pounds of air cargo through RNO. General aviation flights also operate out of RNO, including Flight School, small aircraft, and helicopter operations.

Reno-Stead Airport (RTS) is a general aviation facility located 11 miles northwest of the central business district that is home to approximately 200-based aircraft. Hundreds of aircraft also utilized RTS for the Reno Air Races, an air racing and air show event held from September 15 – 19, 2021. The Reno Tahoe Airport Authority (RTAA) operates both RTIA and Reno-Stead.

Air National Guard (ANG) flights also operate out of both RTIA and RTS. This inventory includes data for ANG operations at RTIA, but the Reno-Stead ANG had not provided 2021 data before this inventory was published.

We also did not receive data from **Spanish Springs Airport**. Data from both the Reno-Stead ANG and Spanish Springs Airport should be included in future inventories.

**Methodology** The inventory calculates emissions related to the amount of fuel loading that takes place within Washoe County. "Jet A" jet fuel is the most commonly used fuel for commercial (passenger) and freight aviation. "AvGas," or aviation gas, is frequently used in general aviation. The USCP recommends separating international flights from domestic flights. However, RTIA has only one daily international flight to Guadalajara, Mexico, and the fuel for those flights is included in the domestic total since total fuel use is small.

2021 Fuel Use by Aviation Type			
Airport	Aviation Type	Fuel Type	Gallons of Fuel
RTIA	Commercial (Passenger)	Jet Kerosene	14,948,972
RTIA	Freight	Jet Kerosene	4,926,489
RTIA	General Aviation	Jet Kerosene	4,074,471
RTIA	General Aviation	Aviation Gasoline	155,118
Reno-Stead	General Aviation	Jet Kerosene	488,146
Reno-Stead	General Aviation	Aviation Gasoline	99,619
ANG - RTIA	ANG	Jet Kerosene	842,075
ANG - Reno-Stead	ANG	Jet Kerosene	not received
TOTAL			10,585,918


This inventory applies emissions factors to the gallons of fuel that are filled in Washoe County. Jet A is more emissions-intensive than AvGas, per the table below.

Emissions Factors for Aviation			
Greenhouse Gas Jet A AvGas			
CO2 (kg / gallon)	9.75	8.31	
CH4 (g / gallon)	0.41	0.36	
N2O (g / gallon)	0.08	0.07	

## (5) Rail Transportation (USCP Recommended)

0.02 MMT of CO2e | 1% of Transportation Emissions | <1% of overall emissions

## **Sources of MT CO2e from Rail Transportation**



Sources of MT CO2e from Rail Transportation			
Rail Type MT CO2e Percent			
Freight	23,113	97%	
Commuter & Passenger	702	3%	
Total 23,815 100%			

**Definition:** Railways can be used to transport people and goods, and are powered by a locomotive, which typically uses energy through combustion of diesel fuels or electricity (known as electric traction).

Rail in Washoe County According to the 2021 Nevada State Rail Plan, the Union Pacific Railroad (UPRR) operates east-west rail corridors in both northern and southern Nevada. BNSF Railway (BNSF) has trackage rights on nearly three-quarters of UPRR's Nevada trackage. The two-route northern Nevada corridor serves Reno and connects with Salt Lake City and Denver to the east and with Sacramento and the San Francisco area to the west. Amtrak operates once-a-day passenger rail service in each direction across this northern Nevada corridor; I-80 generally parallels the rail lines in this corridor.

## 2020 Nevada State Rail Plan: Existing Nevada Rail Network




Figure 4 Nevada State Rail Plan Map (2020) Source: Nevada DOT


**Methodology** The inventory utilizes "mobile nonroad" data from the EPA's National Emissions Inventory (see **Appendix 6** for data description). The NEI provides carbon dioxide (CO2), methane (CH4), and nitrous oxide (N2O) emissions for line-haul locomotives, both Class I + Class II/III Operations (freight) and Commuter Lines and Passenger Trains. The Clearpath software applies global warming potentials for methane and nitrous oxide, then emissions are summed with CO2 to produce CO2e values.

Rail emissions from EPA's NEI data			
	Emissions (Tons)		
Rail Type	Carbon Dioxide (CO2)	Methane (CH4)	Nitrous Oxide (N2O)
Mobile - Locomotives - Class I/II/III Operations (Freight)	25,265.23	1.83	0.59
Mobile - Locomotives - Passenger Trains (Amtrak)	724.38	0.05	0.02
Mobile - Locomotives - Commuter	n/a	n/a	n/a

## (6) Water Transportation (USCP Recommended)

0.02 MMT of CO2e | 0.8% of Transportation Emissions | <1% of overall emissions

#### **Sources of MT CO2e from Water Transportation**



Sources of MT CO2e from Water Transportation			
Fuel Type MT CO2e Percent			
Gasoline	13,903	80%	
Diesel	3,616	20%	
Total	18,519	100%	

**Definition:** Water transportation includes ships, ferries, and other boats operating within the city boundary, as well as marine-vessels whose journeys originate or end at ports within the city's boundary but travel to destinations outside of the city.

Water Transportation in Washoe County Washoe County is land-locked, so it has no emissions from commercial marine vessels. Emissions come from gasoline and diesel fueling of pleasure craft that are operated on one of the County's 50 lakes. The largest lakes in the county include 125,000-acre Pyramid Lake, which is fully within Nevada's boundary, and 193-square-mile Lake Tahoe, whose northeast corner is in Washoe County. The southeast shores of Lake Tahoe touch Carson City and Douglas County, Nevada, and the western and southern shores are in Placer and El Dorado Counties, California.

**Methodology** The inventory utilizes "mobile nonroad" data from the EPA's National Emissions Inventory (see **Appendix 6** for data description). The NEI provides carbon dioxide (CO2), methane (CH4), and nitrous oxide (N2O) emissions for both gasoline and diesel-powered mobile pleasure craft. The Clearpath software applies global warming potentials for methane and nitrous oxide, then emissions are summed with CO2 to produce CO2e values.


Water transportation emissions from EPA's NEI data				
	Emissions (Tons)			
	Carbon Dioxide	Carbon Dioxide Nitrous Oxide		
Water Craft Type	(CO2)	Methane (CH4)	(N2O)	
Mobile - Pleasure Craft -				
Gasoline	16,015.91	15.15	N/A	
Mobile - Pleasure Craft -				
Diesel	3,986.42	0.12	N/A	
Mobile - Commercial				
Marine Vessels	-	N/A	N/A	

## (7) Public Transport (USCP Recommended)

0.001 MMT of CO2e | 0.03% of Transportation Emissions | <1% of overall emissions

## **Sources of MT CO2e from Public Transport**

Buses, Bio-diesel, 1,0%



Sources of MT CO2e from Public Transport				
Transit Type Fuel MT CO2e Perce				
Buses	Electric	338	52%	
Paratransit, Flexride	Gasoline	122	19%	
Paratransit, Flexride	CNG	118	18%	
Regional Connector to Carson City	Electric	72	11%	
Buses	Biodiesel	1	0%	
TOTAL		651	100%	

**Definition:** Public transport vehicles such as vans and buses are "on-road" vehicles. Data for public transport comes directly from the local transport operator, RTC Washoe, and thus is reported in a separate section of this inventory.

Public Transport in Washoe County Public Transport is managed by the Regional Transportation Commission (RTC) of Washoe County, RTC offers five types of service: RTC RIDE, RTC ACCESS, FlexRIDE On-Demand service, REGIONAL CONNECTOR, and Vanpool. RTC RIDE is a fixed route bus service in Reno and Sparks. In RTC's fiscal year (FY) 2022 (July 2021 – June 2022), RTC RIDE had a fleet of 65 buses and 22 routes, including two bus rapid transit (BRT) routes, the Virgina Line and Lincoln Line. In calendar year 2021, customers took 4.4M rides on RTC RIDE. RTC ACCESS is a paratransit service that provides door-todoor, prescheduled transportation for people who meet the eligibility criteria of the Americans with Disabilities Act (ADA). In FY2022, RTC had 46 vans in the ACCESS fleet, and customers took 130,899 trips. FlexRIDE is curbside-to-curbside transit service available in select areas of Sparks / Spanish Springs, Somersett / Verdi, South Meadows, and North Valleys. In FY2022, Flexride delivered over 51,000 trips. The REGIONAL CONNECTOR is the intercity commuter service between Reno and Carson City, which has 5 stops and runs three morning and three afternoon round trips on weekdays. In calendar year 2021, customers took 14,890 trips on this service. Finally, RTC subsidizes vanpool, which is a transportation alternative for groups of 4 to 14 people who share similar commute patterns. A commuter van is driven by one of the members of the group and passengers are picked up and dropped off at agreed upon locations and times.



Figure 6 RTC RIDE and Regional Connector



Figure 5 RTC ACCESS and FlexRIDE

**Methodology:** RTC RIDE buses and the Regional Connector bus to Carson City started running on 100% alternative fuels as of 2021. The Carson City Regional Connector was electric, and the RTC RIDE fleet was a combination of one-third electric buses and two-thirds hybrid electric / biodiesel buses, capable of running 35% of the time in all-electric mode. RTC added 17 new hybrid buses to its fleet in February 2021. RTC ACCESS and Flexride vehicles use either gasoline or compressed natural gas (CNG).

The inventory uses NV Energy's 2021 grid emissions factor to calculate emissions for electric vehicles. See section **E2**, **Energy Emissions** to learn more about this approach. To calculate the GHG impact of bio-diesel, gasoline, or compressed natural gas (CNG) the inventory uses the 2021 US National Defaults (updated 2023).

The table below shows energy use by fuel type for RTC Washoe's services.

Energy Use by Fuel Type for RTC Washoe's services, 2021				)21
Vehicle	Fuel Type	Fuel	Unit	MT Co2e
Buses	Electric	1,020,784	kWh	338
Regional Connector	Electric	250,159	kWh	118
Buses	Biodiesel	568,890	Gallons	1
ACCESS, FLEXride	CNG	179,175	Gallons	118
ACCESS, FLEXride	Gasoline	13,504	Gallons	122
TOTAL	Electric	1,270,943	kWh	456
TOTAL	Biodiesel	568,890	Gallons	1
TOTAL	CNG	179,175	Gallons	118
TOTAL	Gasoline	13,504	Gallons	122

And finally, RTC Washoe reported 196,038 gallons of gasoline used for its vanpool. Using the National Default factor sets for fuel, this program creates 1,721 MT CO2e, the largest source of emissions for an RTC-managed program. However, the vanpool passenger van trips are included in Google's EIE "On Road" data, described above, so these emissions are not included as part of the Public Transit emissions.


## 2. E2 Energy Emissions Methodology

#### (1) Energy Summary

The Energy (Buildings) sector causes 3.56 MMT of CO2e, or 57% of emissions in Washoe County. When Commercial, Residential, and Industrial energy use are added together, Energy emissions from Buildings are the largest sector. Taken individually, as defined by the USCP, Commercial (22%), Residential (19%), and Industrial Energy (15%) are the second, third, and fourth largest sources, respectively, following Transportation (37%).

Within the Energy Category, 40% of emissions come from Commercial buildings, 34% comes from Residential buildings, and 26% comes from Industrial buildings.






Energy Emissions by Sector			
Sector MT CO2e Percent			
Commercial	1,413,727	40%	
Residential	1,219,977	34%	
Industrial	929,460	26%	
TOTAL	3,563,164	100%	

Sixty-two percent of the emissions from energy come from electric power, and 28% comes from natural gas, and 10% comes from other fuel sources such as distillate fuel oil, hydrocarbon gas liquids (HGL), or wood.





Breakdown o	Breakdown of energy use by type and sector in Washoe County, 2021			
Energy Type	Sector	MMT Co2e	% of total	
Electric	Commercial	1.08	31%	
Electric	Residential	0.58	16%	
Electric	Industrial	0.53	15%	
Natural Gas	Residential	0.61	17%	
Natural Gas	Commercial	0.28	8%	
Natural Gas	Industrial	0.10	3%	
Other	Industrial	0.30	8%	
Other	Commercial	0.05	1%	
Other	Residential	0.03	1%	
TOTAL		3.56	100%	

## (2) Energy Providers in Washoe County

In Washoe County, NV Energy is the main provider of both electricity and natural gas. NV Energy serves 1.3 million statewide electric customers and 50 million tourists annually across a 45,703-square-mile service territory that stretches north to south across Nevada from Elko to Clark County.




Figure 7 NV Energy's service area

NV Energy provides electric power to Washoe County from <u>four company-owned power plants in Northern Nevada</u>: Clark Mountain Combustion Turbines (132 MW), Fort Churchill Generating Station (226 megawatts / MW), Frank A. Tracy Generating Station (753 MW), and North Valmy Generating Station (261 MW). North Valmy is a coal-fueled, steam-electric generating plant, and the other three are fueled by natural gas or, in some cases, diesel oil. As of 2023, <u>NV Energy announced plans</u> for North Valmy to switch to a natural gas plant by 2025. Together, NV Energy's plants can produce more than 1,500 megawatts (MW) of electricity. As a reference point, one megawatt is equivalent to the power required to serve about 600 households. NV Energy relies on a combination of power generated at company-owned plants and electricity purchased from other utilities and independent power producers, including several geothermal, solar, and wind plants located in Nevada.

<u>Southwest Gas</u> provides natural gas to a small area in the Washoe Valley in the southern part of the County. Southwest Gas serves more than 2 million customers across Nevada, Arizona, and portions of California.




Figure 8 Southwest Gas service area map for Nevada

Finally, two electric cooperatives provide electricity to rural parts of the County.




Figure 9 NV Rural Utility Service Areas

<u>Surprise Valley Electrification Corporation (SVEC)</u> serves rural Washoe County communities north of Gerlach, all the way north to the Oregon border and west to the California border. SVEC is a non-profit rural electric cooperative owned by those it serves.

Individuals receiving electric service from Surprise Valley Electric are member owners of the cooperative. SVEC also serves communities in Nevada, Oregon, and California.

<u>Plumas-Sierra Rural Electric Cooperative (PSREC)</u> serves a small rural area just north of Cold Springs. PSREC is consumer-owned and not-for-profit. Any revenue beyond PSREC expenses is eventually returned to members in the form of capital credit payments. PSREC also serves three counties in California: Plumas, Sierra, and Lassen.

For definitions of customer types at four utilities, see **Appendix 7**.

## (3) Methodology for Energy Calculations

**Electricity** In its <u>2021 Sustainability Report</u>, NV Energy reported an Emissions Intensity of .331 MT / Net MWh for its combined Owned Generation (electricity generated at NV Energy plants) and Purchased Power (electricity generated by 3<sup>rd</sup> parties and sold to NV Energy). This number is converted to pounds / net megawatt hour (lbs / net MWh) and multiplied with the kWh usage.

NV Energy CO2e Intensity, 2021			
Emissions Intensity Category	Value	Unit	
Total Owned + Purchased Generation (CO2e)			
Emissions Intensity (MT / Net MWh)	0.331	MT / MWh	
1 metric ton to pounds conversion	2204.62262	lbs	
Total Owned + Purchased Generation (CO2e)			
Emissions Intensity (lbs / Net MWh)	729.7300872	lbs / MWh	

**Natural gas** use is reported in therms, and the inventory applies the following factor set, based on EPA guidance, to calculate associated emissions.

Natural Gas Emissions Factors		
Greenhouse Gas Emissions Factor (Kg / MMBTu)		
CO2	53.02	
CH4	0.005	
N2O	0.0001	

Other stationary fuels (eg, bottled gas, fuel oil, or wood) Some residents and businesses use other forms of stationary fuel, for energy. These types of fuel include bottled gas, fuel oil, or wood. Bottled gas includes bottled, tank, or liquefied petroleum (LP) gas, to include propane. Fuel oil includes kerosene. To determine the use of these stationary fuels in Washoe County, this inventory uses Nevada State Energy Data from the US Energy Information Administration (EIA) (e.g. Residential data).

2021 NV Statewide Stationary Energy Use (MMBtu / kWh)						
(so	(sources other than coal, natural gas, electricity, and renewable)					
	Distillate	Distillate HGL Kerosene Motor Residual Wood				
	Fuel Oil			Gasoline	Fuel Oil	
Residential	300,000	2,300,000	0	0	0	2,100,000
Commercial	2,200,000	1,900,000	0	n/a	0	400,000
Industrial	17,400,000	800,000	0	2,300,000	0	100,000

Because this data is available at the state level, it must be downscaled from the Nevada population and economy to Washoe County's population and economy. To determine the number of households using these kinds of fuel in Washoe County, this inventory uses the United States Census Bureau's American Community Survey (ACS), segment \$2504: Physical Housing Characteristics for Occupied Housing Units (5 year estimates). To determine the number of businesses using these kinds of fuel in Washoe County, this inventory uses The United States Census Bureau's OnTheMap tool, to calculate Industrial and Commercial jobs by location. See **Appendix 8** for a full list of jobs by category.

2021 Households, Commercial Jobs, and Industrial Jobs				
	Households Commercial Jobs Industrial Jobs			
Nevada	1,141,952	923,779	287,028	
Washoe County	188,878	149,709	57,920	
Washoe County %	17%	16%	20%	


The inventory then applies the following factor set to these energy uses, based on EPA sources.

Emissions Factors: Other Stationary Fuels (kg / MMBtu)						
	Distillate HGL Kerosene Motor Residual Wood				Wood	
	Fuel Oil			Gasoline	Fuel Oil	(biogenic)
CO2	73.96	62.98	n/a	0.06683	n/a	93.8
CH4	0.010870	0.010870	n/a	0.000003	n/a	0.316
N2O	.00072464	0.0010870	n/a	0.0000006	n/a	0.0042

## 3. E3 Energy Emissions - Residential

1.22 MMT of CO2e | 35% of Energy (Building) Emissions | 19% of overall emissions

MT CO2e by Energy Type for the Residential Sector



MT CO2e by Energy Type for the Residential Sector				
Energy Type	MT CO2e	Percent		
Electric	580,325	47%		
Natural Gas	608,141	50%		
Other	31,511	3%		
TOTAL	1,219,977	100%		

**Definition:** All emissions from energy use in households.

#### Residential Energy Use in Washoe County - Electricity

Washoe County residential customers used 1,753,864 MW of electricity in 2021. NV Energy delivered 1,748,938 MW to 210,138 residential customers, Plumas Sierra Rural Electric Cooperative delivered 4,882 MW to 416 customers, and Surprise Valley Electrification Corp delivered 44 MW to 4 households.

Residential Electric Use in Washoe County, 2021					
Residential Electric MT CO2e kWh MW					
NV Energy - Residential Electric	578,899	1,748,938,174	1,748,938		
Plumas Sierra Rural Electric Cooperative	1,414	4,882,314	4,882		
Surprise Valley Electrification Corp	13	43,586	44		
TOTAL	580,325	1,753,864,074	1,753,864		

#### Residential Energy Use in Washoe County - Natural Gas

Washoe County residential customers used 115,519,384 therms of natural gas in 2021. NV Energy delivered 107,348,003 therms to 169,787 residential customers. Southwest Gas delivered 8,171,381 therms to 8,397 residential customers.

Residential Natural Gas Use in Washoe County, 2021				
Residential Natural Gas	MT CO2e	Therms		
NV Energy - Residential NG	564,683	106,176 ,831		
SW Gas - Residential NG	43,458	8,171,381		
TOTAL	608,141	115,519,384		

#### Residential Energy Use in Washoe County - Other Stationary Fuel Combustion

The Energy Information Administration (EIA) provides <u>statewide MMBtu generation from</u> <u>alternate stationary energy types</u>, to which the inventory applies a "total households" ratio of 16.54% to calculate Washoe County's share of these emissions.

Residential Sector Energy Consumption Estimates, 2021				
House Heating fuel type	Million Btu (MMBtu), Nevada	Million Btu (MMBtu), Washoe County		
Bottled, tank, or liquefied petroleum				
(LP) gas, including propane	2,300,000	380,418		
All other fuels, including wood	2,100,000	347,338		
Distillate fuel oil	300,000	49,620		


Future inventories may incorporate data from the American Community Survey Data (ACS S2504), which has more specific ratio by fuel type.

Count of homes in Washoe County and Nevada using alternate fuel types, 2021				
House Heating fuel type	# of Nevada homes using fuel type	# of Washoe County homes using fuel type	Of homes in NV using fuel type: % in Washoe County	
Bottled, tank, or liquefied				
petroleum (LP) gas,				
including propane	30,489	6,818	22%	
All other fuels, including		4,324		
wood	24,937		17%	
Fuel oil, kerosene, etc.	6,243	3,879	62%	

## 4. E4 Energy Emissions - Commercial

1.41 MMT of CO2e | 40% of Energy (Building) Emissions | 22% of overall emissions

## MT CO2e by Energy Type for the Commercial Sector



MT CO2e by Energy Type for the Residential Sector				
Fuel Type MT CO2e Percent				
Electric	1,082,310	77%		
Natural Gas	284,073	20%		
Other	46,343	3%		
TOTAL	1,413,725	100%		

**Definition:** Commercial and institutional buildings and facilities provide public services for community needs, including safety, security, communications, recreation, sport, education, health, public administration, religious, cultural, and social. This includes commercial buildings and establishments, such as retail outlets, shopping complexes, office buildings; institutional buildings, such as schools, hospitals, police stations, government offices; and facilities, such as street lighting on highways, secondary roads and pedestrian areas, parking, mass transit, docks, navigation aids, fire and police protection, and public recreation areas. Water supply, waste collection and treatment (including drainage) are calculated separately, per the USCP.

#### **Commercial Energy Use in Washoe County - Electricity**

Washoe County commercial customers used 3,272,854 megawatts (MW) of electricity in 2021. NV Energy delivered 3,272,732 megawatts (MW) of electricity to 32,762 commercial customers and 1,405 government (municipal) customers in 2021. Surprise Valley Electrification Corp delivered 65 MW to 6 commercial customers, and Plumas Sierra delivered 57 MW to 7 commercial customers.

Government (municipal) energy usage is included in the Commercial sector for NV Energy's data. To avoid double-counting with the Water and Wastewater sector, this inventory has removed the total reported Water and Wastewater kWh (107,066,420) from NV Energy's reported Municipal Electric kWh (161,977,037). The Municipal remainder (54,910,653) is reported below.

Commercial Electricity Use in Washoe County, 2021					
Commercial Electric MT CO2e kWh					
NV Energy - all Commercial Electric	1,083,275	3,272,732,775	3,272,732		
NV Energy - Commercial Electric	1,065,100	3,217,822,122	3,217,822		
NV Energy - Municipal Electric	18,175	54,910,653	54,910		
Surprise Valley Electrification Corp - Commercial	19	65,284	65		
Plumas Sierra Rural Electric Cooperative -	10	00,204			
Commercial	16	56,624	57		
TOTAL	1,083,311	3,272,854,683	3,272,854		

#### **Commercial Energy Use in Washoe County - Natural Gas**

Washoe County commercial customers used 53,395,093 therms of natural gas in 2021. NV Energy delivered 51,656,782 therms to 14,144 commercial customers, and Southwest Gas delivered 1,738,311 therms to 600 commercial customers.

Commercial Natural Gas Use in Washoe County, 2021				
Commercial Natural Gas	MT CO2e	Therms		
NV Energy - Commercial Natural Gas	274,827	51,656,782		
Southwest Gas - Commercial Natural Gas	9,246	1,738,311		
TOTAL	284,073	53,395,093		


#### **Commercial Energy Use in Washoe County - Other Stationary Fuel Combustion**


The Energy Information Administration (EIA) provides statewide MMBtu generation from alternate stationary energy types, to which the inventory applies a ratio of 16.21% for commercial jobs based on US Census Bureau jobs data to calculate Washoe County's share of these emissions. See **Appendix 8** for a full jobs count list.

Commercial Sector Energy Consumption Estimates, 2021				
Million Btu (MMBtu), Million Btu (MI				
House Heating fuel type	Nevada	Washoe County		
Bottled, tank, or liquefied petroleum				
(LP) gas, including propane	1,900,000	307,917		
All other fuels, including wood	400,000	64,825		
Distillate fuel oil	2,200,000	356,535		

# 5. E5 Energy Emissions - Industrial

0.93 MMT of CO2e | 26% of Energy (Building) Emissions | 15% of overall emissions





MT CO2e by Energy Type for the Industrial Sector					
Fuel Type MT CO2e Percent					
Electric	529,031	57%			
Other	299,380	32%			
Natural Gas 101,050 11%					
TOTAL 929,461 100%					

**Definition:** This sector includes energy use in manufacturing industries and construction activities. Fuel combustion occurs in stationary equipment, including boilers, furnaces, burners, turbines, heaters, incinerators, engines, flares, etc.

#### **Industrial Energy use in Washoe County - Electric**

NV Energy delivered 1,598,279 MW of electricity to 170 industrial customers in 2021.

Industrial Electricity Use in Washoe County, 2021			
Industrial Electric MT CO2e kWh MW			
NV Energy - Industrial Electric	529,031	1,598,279,379	1,598,279

#### Industrial Energy use in Washoe County - Natural gas

NV Energy delivered 19,039,233 therms of natural gas to large commercial (industrial) customers in 2021. Southwest Gas did not report any Industrial natural gas customers.

Industrial Natural Gas Use in Washoe County, 2021			
Industrial Natural Gas MT CO2e Therm			
NV Energy - Industrial Natural Gas 101,050 19,039,2			

#### Industrial Energy Use in Washoe County - Other Stationary Fuel Combustion

The Energy Information Administration (EIA) provides statewide MMBtu generation from alternate stationary energy types, to which the inventory applies a ratio of 20.18% for industrial jobs based on US Census Bureau jobs data to calculate Washoe County's share of these emissions. See **Appendix 8** for a full jobs count list.

Industrial Sector Energy Consumption Estimates, 2021				
Million Btu (MMBtu), Million Btu (MMBtu				
House Heating fuel type	Nevada	Washoe County		
Bottled, tank, or liquefied petroleum				
(LP) gas, including propane	800,000	161,434		
All other fuels, including wood	100,000	20,179		
Distillate fuel oil	17,400,000	3,511,184		
Industrial Motor Gasoline	2,300,000	464,122		


## 6. E6 Solid Waste Emissions

0.13 MMT of CO2e | 2% of overall emissions

#### (1) Solid Waste Summary

The Solid Waste sector causes 0.13 MMT of CO2e, or 2% of emissions in Washoe County. Almost 100% of the emissions come from actual waste generated, with the remainder coming from flaring of landfill gas and the combustion of landfill gas, which generates energy that is sent back to the grid.

#### CO2e emissions from Solid Waste in Washoe County



MT CO2e by Activity for Solid Waste				
Activity MT CO2e Percent				
Waste generated	130,466	100%		
Flaring of landfill gas	28	0%		
Combustion of landfill gas	0.53	0%		
TOTAL	130,495	100%		

**Definition:** Municipal Solid Waste (MSW) is waste collected by municipalities or other local authorities. MSW typically includes: food waste, garden and park waste, paper and cardboard, wood, textiles, disposable diapers, rubber and leather, plastics, metal, glass and other materials (e.g., ash, dirt dust, soil, electronic waste).

#### (2) Solid Waste Management in Washoe County

Waste Management (WM) provides waste removal services for all of Washoe County, including Unincorporated areas, Reno, and Sparks. WM provides weekly curbside trash pick-up and bi-weekly curbside recycling pick-up for residents. Trash and recycling service is provided to businesses as needed. In 2024 WM reported 37,718 residential customers in Unincorporated Washoe County, 32,722 in the City of Sparks, and 72,592 in City of Reno. They also reported serving 493 businesses in Unincorporated Washoe County, 1,879 in the City of Sparks, and 4,987 in the City of Reno.

Most trash in Washoe County passes through one of WM's three transfer stations: the Commercial Row Transfer Station (Reno), the Stead Transfer Station (Reno), or the Incline Village transfer station. The Commercial Row, Stead, and Incline Village transfer stations receive trash from 1) WM's collection trucks, or 2) self-hauling customers.

WM transfer trucks then take the trash to Lockwood Regional Landfill, a fully permitted class I municipal solid waste landfill located about 10 miles east of Reno in Storey County, Nevada. The site encompasses approximately 3,200 acres of open land with the landfill occupying approximately 555 acres. When transfer trucks filled with trash arrive at Lockwood Landfill, they pull onto a "tipper" which lifts the entire trailer dumping trash into an open cell. Only one cell is active at a time. A compactor moves back and forth over the loose trash until it is tightly compacted and takes up the least amount of space possible. The trash is covered every evening with a layer of soil, alternative daily cover (inert material such as glass or chipped tires) and possibly a tarp. Covering the trash is required to reduce odors,



Figure 10 The tipper empties trash into Lockwood Landfill; image from WM

discourage scavenging wildlife and reduce flies and other vectors from entering or escaping the material.

As the trash decomposes, it produces methane. This methane is collected in pipes so that it can be vented, burned, and used as an energy source. Given Nevada's arid climate, leachate (garbage juice) pooling in the landfill is uncommon. However, Lockwood has a natural clay liner that prevents seepage into groundwater. As the landfill is expanded, the lowest levels are built with a composite liner to contain any potential leachate or other unwanted material from escaping.



Figure 11 Example of an enclosed LFG flare, from EPA website

WM also collects recyclable materials

from residents and businesses. Recyclable materials are taken to the Eco Center Material Recycling Facility (MRF) on E. Commercial Row in Reno for cleaning and sorting before being transported to a facility in Sacramento, California for a secondary sort. Paper, cardboard, tin, and plastic is baled to be sold as commodities. Glass collected in Northern Nevada is diverted from the Eco Center MRF to Lockwood Landfill where it is used as alternative daily cover. Because recycled items will be reused, no carbon emissions are associated with them, and they are not included in this inventory.

#### (3) Solid Waste Emissions in Washoe County

Greenhouse gas emissions occur throughout the lifecycle of waste management.

**Waste Generated** First, the waste generated by a community creates emissions, regardless of where it is disposed. In 2021, Washoe County generated 300,775 tons of waste. When MSW is first deposited in a landfill, it undergoes an aerobic (with oxygen) decomposition stage when little methane is generated. Then, typically within less than 1 year, anaerobic conditions are established and methane-producing bacteria begin to decompose the waste and generate methane. The landfill methane collection scenario is important to calculations in this inventory because methane is a potent greenhouse gas at least 28 times more effective than CO<sub>2</sub> at trapping heat in the atmosphere over a 100-year period, per IPCC assessment report AR6. The landfill methane collection scenario at Lockwood is "typical," per the table below.

Landfill methane collection scenario					
	0%	50%	75%	82.50%	90%
				Years 15 to one year	Final
Worst-case	Yrs 0 - 4	Yrs 5 – 9	Yrs 10 - 14	before final cover	cover
				Years 15 to one year	Final
Typical	Yrs 0 - 1	Yrs 2 - 4	Yrs 5 - 14	before final cover	cover
				Years 15 to one year	Final
Aggressive	Yr 0	Yrs .5 - 2	Yrs 3 - 14	before final cover	cover
California				Years 8 to 1 year before	Final
Regulatory	Yr 0	Yr 1	Yrs 2 - 7	final cover (85%)	cover

The wetter the landfill content, the more GHG emissions. The landfill moisture content at Lockwood is "dry," with <u>Storey County receiving 19 inches of rain per year, on average</u>.

<b>Precipitation Categories</b>		
Annual inches		
<b>Dry</b> < 20		
Moderate 20 - 40		
Wet > 40		

To identify waste types in the landfill, this inventory uses data from a 2018 Waste Composition and Characterization Analysis of hand-sorted materials at WM transfer stations (Incline, Stead, and Sage) in spring and fall of 2018. Recyclable items are not pulled from transfer station waste as part of standard operating procedure.

2018 spring / fall waste characterization:					
(Incline, Stead, and Sage transfer stations)					
		Standard	_		
148 Samples, Visual Sort	Mean	Deviation	Lower	Upper	
1. Dry Recoverable Fiber	11.9%	14%	10%	14%	
2. PET	1.3%	1%	1%	1%	
3. HDPE	.8%	1%	1%	1%	
4. Film Plastic	5.9%	5%	5%	7%	
5. Mixed Plastics	5.4%	4%	5%	6%	
6. Glass	2.5%	5%	2%	3%	
7. Aluminum	0.6%	1%	1%	1%	
8. Mixed Ferrous (Tin &					
Salvage)	2.2%	3%	2%	3%	
9. Mixed Non-Ferrous (Salvage)	0.9%	3%	0%	1%	
10. Inerts	1.7%	4%	1%	2%	
11. Hazardous Waste	0.1%	1%	0%	0%	
12. E-Waste	0.3%	2%	0%	1%	
13. Textiles	3.2%	6%	2%	4%	
14. Organics	55.7%	21%	53%	59%	
a. Yard Waste	15.3%	19%	13%	18%	
b. Food Waste	22.6%	17%	20%	25%	
c. Clean Wood	3.4%	8%	2%	5%	
d. Treated/Painted Wood	2.6%	7%	2%	4%	
e. Wet/Contaminated Fiber	10.9%	8%	10%	12%	
f. Rubber	0.2%	1%	0%	0%	
g. Allocated Organics	0.6%	5%	0%	1%	
15. Fines (<2" Items)	1.6%	4%	1%	2%	
16. Other	6.1%	11%	5%	8%	

The data shows that 67.6% of material thrown in the trash is "Organics" (55.7%) or "Dry Recoverable Fiber" (11.9%). Dry Recoverable Fiber is defined as "All clean dry fiber, including cardboard (old corrugated cardboard), chip board (cereal / shoe box), office paper, junk mail, and shredded paper that is readily recoverable using current waste / recycling processing technology." Definitions for all categories are listed in **Appendix 9**.

Organic materials cause greenhouse gas emissions, and the inventory calculates emissions for those items only. The Waste Characterization categories do not exactly match Clearpath categories, so they are instead mapped as follows. Rubber (0.2%) and Allocated Organics (0.6%) are not included in the calculation.

Mapping to Clearpath from Waste Characterization				
Clearpath Waste Type Inventory %		Relationship to Waste Characterization		
Newspaper	0.0%	Not in "fiber" definitions		
Office Paper	7.6%	One third of 22.8% dry + wet fiber		
Corrugated Cardboard	7.6%	One third of 22.8% dry + wet fiber		
Magazines / Third Class Mail	7.6%	One third of 22.8% dry + wet fiber		
Food Scraps	22.6%	Full "food waste" number		
Grass	5.10%	One third of 15.3% yard waste		
Leaves	5.10%	One third of 15.3% yard waste		
Branches	5.10%	One third of 15.3% yard waste		
Dimensional Lumber	6.0%	Sum of clean and treated / painted wood		
TOTAL	66.7%			

The Inventory then applies a factor set from EPA's <u>WARM (Waste Reduction Model) tool</u>, version 15.

2021 Factor Set for Waste		
(MT CH <sub>4</sub> / wet short	t ton)	
Waste Type	Factor	
Newspaper	0.0420	
Office Paper	0.1556	
Corrugated Cardboard	0.1048	
Magazines / Third Class Mail	0.0476	
Food Scraps	0.0648	
Grass	0.0228	
Leaves	0.0260	
Branches	0.0580	
Dimensional Lumber	0.0068	

**Combustion and flaring of landfill gas** Next, the disposal of landfill gases causes emissions. In a <u>typical landfill operation</u>, landfill gas (LFG) is extracted from landfills using a series of wells and a blower / flare (or vacuum) system. This system directs the collected gas to a central point where it can be processed and treated depending upon the ultimate use for the gas. From this point, the gas can be flared or beneficially used in an LFG energy

project. Lockwood Landfill emits 1,652,673,700 cubic feet / year of landfill gas. Since 28% of waste in the landfill comes from Washoe County,  $\sim$ 642,309,095 cubic feet / year are related to Washoe County Operations. Of that gas, 41% (261,858,830 cubic feet / year) is flared, and 59% (380,450,265 cubic feet / year) is combusted to generate grid electricity. Methane (CH<sub>4</sub>) makes up 52% of the landfill gas, and 99.96% of that methane is destroyed in this process. The inventory applies standard emissions factors to the small remainder of methane as well as the flared gas.




Figure 12 A technician checks a gas well at Lockwood landfill. (WM photo)

## 7. E7 Water & Wastewater Emissions

#### (1) Water & Wastewater Summary

The Water & Wastewater sector causes 0.09 MMT of CO2e, or 2% of emissions in Washoe County. Potable (drinkable) water causes one third of emissions in this category (0.03 MMT), and wastewater causes two thirds of emissions in this category (0.06 MMT).

MT CO2e for Potable Water and Wastewater Treatment in Washoe County




Wastewater Treatment and Potable Water, MT CO2e by Service				
Activity MT CO2e Percent				
Wastewater Treatment	61,460	67%		
Potable Water	30,102	33%		
TOTAL	91,562	100%		

# (2) Emissions from the Supply of Potable Water Operations in Washoe County (USCP Recommended)

0.03 MMT of CO2e | 33% of Water & Wastewater Emissions | <1% of overall emissions

#### **Sources of MT CO2e for Potable Water Operations**



Potable Water, MT CO2e by Operator				
Activity	MT CO2e	Percent		
Truckee Meadows Water	28,126	93%		
Authority (TMWA)				
Incline Village GID	1,311	4%		
Great Basin Water Co	446	2%		
Sun Valley GID	205	1%		
Gerlach GID	15	0%		
TOTAL	30,102	100%		

**Definition of Potable Water Operations** Potable Water Operations deliver clean drinking water to members of the community.

Potable Water in Washoe County Four operators provide potable water to the Washoe County community. Truckee Meadows Water Authority (TMWA) is a not-for-profit, community-owned water utility serving more than 440,000 residents. Great Basin Water Company is a private water and wastewater utility provider delivering services to over 20,000 residential and commercial customers in the Cold Springs, Spanish Springs in Washoe County as well as Spring Creek (Elko County), and Pahrump (Nye County) communities. Finally, two General Improvement Districts (GIDs) provide water to their residents: Incline Village and Sun Valley. Incline Village GID is chartered to provide water, sewer, trash, and recreation services for the communities of Incline Village and Crystal Bay, Nevada in unincorporated Washoe County. Sun Valley GID is chartered to provide water, sewer, garbage, and recreation services throughout the community. The District owns and maintains an estimated 100 miles of water mains, 120 miles of sewer mains, two sewer vaults, several pressure reducing vaults and pumping stations, and nine water storage water tanks. The Gerlach GID provides water, disposal, and sewer services to the 125 residents of the community. For more about GIDs in Nevada, see the Glossary in **Appendix 2.** Together, these four operators process 30,076 million gallons of water each year.

Volume of Potable Water and Population Served, by Operator		
Operator	Volume (million gallons / yr)	Population
Truckee Meadows Water Authority (TMWA)	27,915	444,182
Incline Village GID	861	9,799
Great Basin Water Co	664	11,167
Sun Valley GID	636	21,178
Gerlach GID	16.3	125
Total	30,092	486,451


**GHG Inventory Methodology** Emissions for potable water production are calculated based on electricity and natural gas use, as documented in **E2 Energy Methodology**. Operators' energy use is listed below. In the Commercial Energy sector of this inventory, potable water GHG energy usage values are subtracted from the utility-provided total energy-use numbers to avoid double-counting.

Potable Water Energy Use						
Operator Electricity (kWh) Natural Gas (MM						
Truckee Meadows Water Authority	65,183,869	123,170				
Incline Village GID	3,932,368	1,761				
Great Basin Water Co	1,346,223	0				
Sun Valley GID	517,390	6,271				
Gerlach GID	15,712	1,872				
Total	70,995,562	133,074				

## (3) Emissions from Wastewater Operations in Washoe County

0.06 MMT of CO2e | 67% of Water & Wastewater Emissions | <1% of overall emissions

### **Sources of MT CO2e for Wastewater Operations**



Water and Wastewater, MT CO2e by Source					
Activity	MT CO2e	Percent			
Flaring from digester (TMWRF)	35,075	57%			
Energy use (all operators)	13,811	22%			
Methane from septic systems	7,672	12%			
Methanol (TMWRF)	3,563	6%			
Nitrification / Denitrification	998	2%			
(all operators)					
Nitrification effluent	322	<1%			
Discharge (all operators)					
Combustion of digester gas	19	<1%			
TOTAL	61,460	100%			

**Definition** Wastewater, per the <u>EPA</u>, includes water that has constituents of human and / or animal metabolic (related to converting food and drink to energy in the body) wastes and water that has residuals from cooking, cleaning and / or bathing.

**Wastewater Management in Washoe County** Five organizations process wastewater in Washoe County. <u>Truckee Meadows Water Reclamation Facility (TMWRF)</u>, has a permitted capacity of 44 million gallons / day. That capacity is shared between the cities of Reno and Sparks and portions are leased to the Sun Valley General Improvement District and

Washoe County. Current flows into the facility average 30 million gallons / day. The facility is located in the City of Sparks, which serves as the operating authority. City of Reno directs major capital improvements, and a Joint Coordinating Committee (JCC) includes representatives from Sparks, Reno, Washoe County, and Sun Valley General Improvement District (GID). TMWRF serves the central Truckee Meadows, including areas within the City of Reno, the City of Sparks, the Sun Valley General Improvement District, and



Figure 13 TMWRF facility, via TMWRF website

portions of Washoe County that are within the Truckee Meadows and the Spanish Springs Valley. The sewer system transports wastewater flows from the Truckee Meadows Valley, Spanish Springs Valley, Sun Valley, Verdi / Truckee Canyon, and portions of the Golden Valley and Lemmon Valley hydrographic (river) basins.

The Reno-Stead Water Reclamation Facility (RSWRF) is a wastewater treatment and water reclamation facility meeting the latest design standards, instrumentation and process control technology, and energy and manpower efficiency to treat up to 2 million gallons per day of raw sewage, in compliance with stringent public health and water quality discharge standards. In 2021, RSWRF's capacity was approximately 2 million gallons per day. The facility planned to expand its capacity to 4 million gallons per day by 2023. A large portion of the water recycled at RSWRF flows to Swan Lake, where it supports the Swan Lake Nature Study. During the irrigation season, recycled water from RSWRF is also used for irrigation at North Valleys Regional Park / Sports Complex, Sierra Sage Golf Course, The Lakes Apartments, and Mayor's Park. RSWRF also has a Truck Fill Station in Reno for recycled water service customers.

The <u>Washoe County Community Services Department Utility Team</u> provides wastewater treatment to approximately 16,000 customers including some urban areas in Reno and Sparks. The Utility treats an average of 5 million gallons of wastewater per day at three

regional wastewater plants and manages the recovery of reclaimed water and biosolids from these waste streams. The three regional wastewater plants are South Truckee Meadows Water Reclamation Facility (STMWRF), Cold Springs Water Reclamation Facility (CSWRF), and Lemmon Valley Water Reclamation Facility (LVWRF).

Incline Village GID Wastewater Reclamation Facility receives an average of 1.3 million gallons of wastewater daily. The collection and export system for wastewater includes: 100 miles of sewer pipelines, 18 pumping stations, a half million-gallon storage tank, and a twenty-mile export pipeline taking treated effluent water out of the Tahoe Basin for final disposal. The wastewater treatment plant processes and disinfects wastewater using conventional biological treatment processes and solids handling facilities. The wastewater treatment process from start to finish takes approximately 15 hours. The solids removed from the process are sent to Bentley Ranch for composting with other organic material. The export pipeline transports the plant's secondary treated effluent to the IVGID wetlands in Douglas County.

The Gerlach GID has a small treatment plant south of the town. Influent waste flows through two, 1.4 acre facultative ponds in series, then empties into an evaporation basin. Nominal capacity is 20,000 gallons per day. In a facultative system, no energy is used.

And finally, some households and businesses, usually in suburban and rural areas, do not receive direct service from centralized wastewater treatment plants. These buildings depend on <u>septic systems</u> to treat and dispose relatively small volumes of wastewater. Septic systems treat wastewater from household plumbing fixtures (toilet, shower, laundry, etc) through both natural and technological processes, typically beginning with solids settling in a septic tank, and ending with wastewater treatment in the soil via the drainfield. This inventory estimates the population served by septic systems (57,472) by subtracting the operator-reported population served by wastewater treatment plants (427,641) from the 2021 NV State Demographer's population statistic (485,113).

Volume of water treated and population, by Wastewater Treatment Operator						
	Volume of water treated (million gallons / yr) Population served					
TMWRF	10,436	363,000				
Washoe County	1,481	26,717				
Reno Stead	649	28,000				
Incline Village GID	360	9,799				
Gerlach GID	5	125				
Septic	-	57,472				
TOTAL	12,931	485,113				

How wastewater treatment plants work Wastewater treatment plants clean sewage and water so they can be returned to the environment. First, large and small debris is removed. Next, organic matter, including carbon and nitrogen, is broken down and removed. Then, the wastewater is treated to remove phosphorus, nitrogen, and other nutrients, and it is disinfected. Finally, the solid sludge is treated and sent to landfill, and the clean water is returned to the environment.

Truckee Meadows Water Reclamation Facility (TMWRF) describes its specific process on its website: "TMWRF is a biological nutrient removal plant that uses separate nitrification and denitrification processes for nitrogen removal and biological and chemical processes for phosphorus removal. Reclaimed water is discharged to the Truckee River or is pumped to effluent (treated wastewater) reuse sites throughout the region. Solids are thickened, anaerobically digested, dewatered and hauled to the local landfill for disposal. The methane gas produced by solids digestion is used to generate the hot water which is used to heat many TMWRF's buildings as well as run a 988 kilowatt cogeneration engine which reduces power costs for the facility by roughly 1/3."

# **GHG Inventory Methodology**

Wastewater emissions come from different stages of the treatment process. First, the energy used to run the facilities causes emissions. Second, emissions come from the processes of combusting (burning) and flaring wastewater gases. Third, emissions come from the process of removing nitrogen from the water. And fourth, combustion of solid waste causes emissions. Not all facilities in Washoe County use all of these processes.

Invento	ry inputs for W	astewater T	reatmen	nt	
	Washoe		Reno	Incline	Gerlach
<b>Emissions Category</b>	TMWRF	County	Stead	Village	GID
Energy use, kWh	25,628,000	8,754,862	5,071	1,698,637	0
Energy use, therms	0	0	22,232	14,829	0
		ı			
Does the facility have a	Yes,	Yes,			
digester?	anaerobic	aerobic	No	No	No
Combustion: volume of					
gas produced by the		_	_	_	_
digester and combusted		_	_	_	_
each day (scf / day)	385,920				
Percent of methane					
(CH4) in digester gas	51.12%	_	_	_	-
Flaring: volume of gas					
produced by the digester					
and flared each day (scf /		_	_	_	-
day)	184,320				
Destruction efficiency of					
CH4	unmonitored	-	_	-	-
Does the facility use					
nitrification /	.,		.,		
denitrification?	Yes	Yes	Yes	No	No
Daily nitrogen load (N					
load) from effluent				-	-
discharge (kg N/day)	216	155	41		
Is methanol used for					
nitrogen removal?	Yes	No	No	No	No
Daily methanol load		_	_	_	_
(MT methanol used / day)	8.9				
Solide Disposal					
Solids Disposal  Are solids combusted?	NIa	NI.	Nic	NI.	NIc
Are solids compusted?	No	No	No	No	No

**Energy Use methodology** Emissions for wastewater processes are calculated based on electricity and natural gas use, using the factor sets documented in **E2**, **Energy Methodology**. Operators' energy use is listed above. To avoid double-counting, this inventory subtracts reported wastewater GHG energy use data from the utility-provided total energy-use data in the **Commercial Energy** section of this report.

**Digester methodology** Digestion is a process through which bacteria break down organic matter. This process is used on biosolids that are removed from wastewater.

Anaerobic digestion happens in the absence of oxygen in a vessel called a reactor. The process produces two outputs: biogas and digestate. Biogas is composed of a large percentage (50-75%) of methane (CH4) as well as carbon dioxide (CO2), hydrogen sulfide (H2S), water vapor, and trace amounts of other gases. Digestate is the residual material left after the digestion process. It is composed of liquid and solid portions.

Aerobic digesters, which operate in the presence of oxygen, produce non-combustible carbon dioxide gas, not methane. This process can also produce products like nitrate and phosphate.

TMWRF uses an anaerobic digester, and Washoe County uses an aerobic digester. Reno Stead, Incline Village, and Gerlach do not have digesters.

TMWRF combusts (burns) its methane gas (51%) and flares the remainder of the gas (49%). The exact methane destruction efficiency is not monitored, so this inventory assumes a destruction efficiency of 99.96%. The inventory uses the methane (CH4) emissions factor (0.0032 kg / MMBtu) and nitrogen emissions factor (0.00063 kg / MMBtu) to estimate the GHG impact of processing these gases. TMWRF recovers energy from this process and sends that energy to the electric grid; the facility uses heat from the process on-site.

**Nitrification / denitrification methodology** Nitrification and denitrification are processes used to clean wastewater. Nitrification is the biological oxidation (adding of oxygen) of ammonia (NH3) or ammonium (NH4+) in wastewater to create nitrite (NO2, then NO3). Denitrification is the process in which nitrate (NO3) is converted into nitrogen gas (N2) that goes back into the atmosphere, instead of polluting sensitive waterways. This inventory uses the emissions factor of 7 grams of N2O / person for the nitrification / denitrification process. The inventory then uses the N2O emissions factor of 0.005 kg N2O / kg N to measure the GHG impact of the daily nitrogen load in wastewater effluent. "Nitrogen load" is the amount of nitrogen discharged into a water body during a time period.

**Methanol methodology** Some wastewater treatment plants use methanol to assist with nitrogen removal. Methanol (CH3OH) is a type of alcohol that functions as a carbon source to accelerate the biodegradation of nitrogen. TMWRF is the only plant in Washoe County that uses methanol, and it uses 8.9 metric tons / day. This inventory applies an emissions factor of 1.096 CO2.

**Solids Disposal methodology** Some wastewater treatment plants combust their biosolids, causing emissions. None of the facilities in Washoe County do this. All of the biosolids are landfilled, and those emissions are captured in section **E6, Solid Waste**.


**Septic – Fugitive Methane emissions methodology** This inventory calculates methane emissions from septic users. Using population data, the inventory applies a methane generation rate of 0.09 kg BOD5 / person / day. "BOD" stands for "biochemical oxygen demand," and BOD5 is an indirect measure of the biodegradable organic material present in water. The inventory then applies the methane emissions factor of 0.048213 MT CH4 / daily kg BOD5.

# 8. E8. Process & Fugitive Emissions

## 1. Process & Fugitive Emissions Summary

Process and Fugitive emissions cause 0.19 MMT of CO2e, or 3% of emissions in Washoe County. Process emissions make up 0.0% (0.00 MMT) and fugitive emissions make up 100% (0.00 MMT) of this category, with Refrigeration 65% being the largest source of fugitive emissions (56%), followed by fugitive emissions from the distribution of natural gas (18%).

MT CO2e for Process and Fugitive Emissions in Washoe County, 2021



Fugitive Emissions in Washoe County, 2021				
Fugitive Emission	MT Co2E	MMT CO2e		
Refrigeration - HFC125	44,602	0.0446		
Refrigeration - HFC134a	28,647	0.0286		
Refrigeration - HFC143a	27,409	0.0274		
Refrigeration - HFC32	5,400	0.0054		
Refrigeration - HFC236fa	390	0.0004		
Refrigeration - Other HFC	5	0.0000		
Total Refrigeration	106,453	0.1065		
Fugitive emissions from Natural Gas	34,741	0.0347		
Total Natural Gas	34,741	0.0347		
Non-MDI Aerosols - HFC134a	9,056	0.0091		
Non-MDI Aerosols - Other HFC	6,558	0.0066		
Total Non-MDI Aerosols	15,614	0.0156		
Electric Power Systems, SF6 - Commercial	7,104	0.0071		
Electric Power Systems, SF6 - Residential	3,686	0.0037		
Electric Power Systems, SF6 - Industrial	3,359	0.0034		
Total Electric Power Systems	14,149	0.0141		
Foams - Other HFC	10,456	0.0105		
Foams - HFC134a	2,999	0.0030		
Total Foams	13,455	0.0135		
Fire extinguishing - Other HFC	2,531	0.0025		
Fire extinguishing - HFC236fa	824	0.0008		
Fire extinguishing - HFC125	272	0.0003		
Fire extinguishing - CF4	72	0.0001		
Fire extinguishing - HFC23	43	0.0000		
Fire extinguishing - Other PFC	32	0.0000		
Total Fire Extinguishing	3,774	0.0038		
Solvents - Other HFC	3,027	0.0030		
Solvents - Other PFC	0	0.0000		
Total Solvents	3,027	0.0030		
MDI Aerosols - HFC134a	1,420	0.0014		
MDI Aerosols - Other HFC	1,034	0.0010		
Total MDI Aerosols	2,454	0.0025		
Total Fugitive Emissions	193,667	0.1937		

**Definition of Process and Fugitive Emissions:** Process emissions result from physical or chemical processing rather than from fuel combustion. Examples include emissions from manufacturing cement, aluminum, adipic acid, ammonia, etc.

Fugitive emissions are not physically controlled but result from the intentional or unintentional release of GHGs. They commonly arise from the production, processing, transmission, storage and use of fuels or other substances, often through joints, seals, packing, gaskets, etc. Examples include HFCs from refrigeration leaks, SF6 from electrical power distributors, and  $CH_4$  from solid waste landfills.

**Process and Fugitive emissions in Washoe County** Washoe County does not produce significant Process emissions. Heavy industrial processes cause Process emissions, and according to the <u>EPA's Facility Level Information on GreenHouse gases Tool (FLIGHT)</u>, no buildings in Washoe County are classified as a) large emitters, directly emitting 25,000 metric tons of CO2e or more per year, or b) suppliers of certain products that would result in GHG emissions if released, combusted, or oxidized.

There are two primary sources of Fugitive emissions. First, the natural gas production and distribution system leaks methane, a potent greenhouse gas. Second, fluorinated gases escape from industrial applications including refrigeration and air conditioning equipment, solvent cleaning, foam production, sterilization, fire extinguishing, and aerosols. These gases include hydrofluorocarbons (HFCs) and perfluorocarbons (PFCs). Sulfur hexafluoride (SF6) is another fluorinated gas that utilities use in electric power systems for voltage electrical insulation, current interruption, and other uses in the transmission and distribution of electricity. It is the most potent greenhouse gas known to-date; over a 100-year period, SF6 is 24,300 times more effective at trapping infrared radiation than an equivalent amount of CO2.

## **Fugitive Emissions Methodology**

For fugitive greenhouse gases from the transmission of natural gas, this inventory applies a leakage rate of 0.3% to the total quantity of natural gas used in Washoe County in 2021 (188,150,339 therms). This inventory assumes 93.4% of the leakage is methane (CH4) and 1% of the leakage is carbon dioxide (CO<sub>2</sub>). It also assumes natural gas density is 0.8 kilograms per cubic meter (kg/m^3) and the natural gas energy density is 1,028 btu/scf.


For fugitive fluorinated gases, this inventory uses the EPA's fluorinated gas measurement for Nevada and applies a Washoe County population ratio to the statewide number. The inventory applies global warming potentials (GWPs) from the IPCC's 6<sup>th</sup> assessment to these values.

100-year Global Warming Potentials from the IPCC's 6th Assessment (AR6)			
	Global Warming		
GHG	Potential		
HFC236fa	8,690		
HFC125	3,740		
CF4 (PFC-14)	7,380		
HFC23	14,600		
HFC134a	1,530		
HFC143a	5,810		
HFC32	771		
SF6	24,300		

# 9. E9. Agriculture, Forestry, and Other Land Use (AFOLU)

The AFOLU sector causes 0.002 MMT of CO2e, less than 1% of emissions in Washoe County. Of the "Required" emissions categories in the USCP Inventory standard, 100% of the emissions come from electricity that powers agricultural businesses.

MT CO2e for Agricultural Emissions in Washoe County



**Definition** Emissions and removals from the Agriculture, Forestry and Other Land Use (AFOLU) sector are produced through a variety of pathways, including livestock (enteric fermentation and manure management), land use and land use change (e.g., forested land being cleared for cropland or settlements), and aggregate sources and non-CO2 emissions sources on land (e.g., fertilizer application and rice cultivation).

#### Agriculture, Forestry, and Land Use (AFOLU) Methodology

The ICLEI US Community Protocol (USCP) suggests 5 types of AFOLU data: 1) emissions from energy use 2) emissions and removals from forests, 3) emissions and removals from trees outside of forests, 4) emissions from livestock, and 5) emissions from crop agriculture.

Emissions from energy use are included in this inventory. The USCP requests agricultural energy use to be in the AFOLU category instead of "Commercial" or "Industrial" energy. Both NV Energy and Plumas Sierra Rural Electric Company (PSREC) supply energy to agricultural customers, and that energy use is included in the AFOLU sector, using the same energy methodology and factor sets explained in section E2, Energy Methodology.

USCP says data types 2 and 3 are "Recommended." This inventory calculates these figures using ICLEI's Land Emissions and Removals Navigator (LEARN) tool. A longer discussion of trees and forests is included in the next section. The USCP standard calls for a "gross" GHG emissions calculation that does not include the "net" impact of sequestration (removal of CO2 from the atmosphere). So both emissions and removals from land use are described below, but neither emissions nor removals are included in the final GHG count for Washoe County.

Data types 4 and 5 are USCP "Optional." This inventory does not calculate emissions from livestock (data type 4) because these emissions were small in the 2014 inventory (0.0281MMT CO2e). Similar emissions in 2021 would account for less than 1% of the total 2021 GHG emissions in Washoe County. We assume the livestock figures did not change much between 2014 and 2021. The inventory also does not calculate data from crop agriculture (data type 5). Out of 1,693,762 hectares of land in Washoe County, only 2,187 hectares—less than 1% of total land—is cropland. The previous 2014 inventory also did not calculate emissions from cropland.


#### Trees, Forests, and Land Use in Washoe County

Unlike other sectors, different types of land use not only emit GHGs, but they can also remove CO2 from the atmosphere through photosynthesis, the process by which plants convert light energy into the chemical energy necessary to help them grow. Forests and trees play a key role in regulating the planet's climate.

ICLEI's proprietary LEARN tool uses point-in time data from the US Geological Survey's (USGS) National Land Cover Database (NLCD) to provide snapshots of estimated land use emissions and removals data by calculating land cover changes between 2013 and 2019.

Grassland is, by far, the most common land use type in Washoe County. In 2019, grassland covered 1,490,126 hectares, or 88% of Washoe County.

# Land cover (hectares) in Washoe County from the National Land Cover Database, 2019



Land	Cover Subcategories, with 2019	size in hectares	s (ha):
Grassland (1,490,1	<u> </u>		,
Shrub, scrub	Grassland / herbaceous (herbs)	Pasture / hay	
1,214,376	274,039	1,712	
Wetland (64,704 h	a)		
Open water	Emergent herbaceous wetlands		
58,021	6,683		
Other Land (49,199	e ha)		
Barren land	Perennial ice / snow		
6,817	0		
Forest Land (45,74	3 ha)		
Evergreen forest	Woody wetlands	Mixed forest	Deciduous (sheds
			leaves yearly)
38,923	5,157	1,443	220
Settlement / Deve	loped (41,803 ha)		
Medium intensity	Low intensity	Open space	High intensity
14,108	13,331	7,547	6,817
Cropland (2,187 ha	a)		
Cultivated crops			
2,187			




Figure 14 Land cover in Washoe County from the National Land Cover Database, 2019

Some modest changes in land use occurred between 2013 and 2019, and the inventory uses these land use changes to calculate GHG emissions and removals. See **Appendix 10** for a full land use change matrix.

GHG Emissions and Removals from Land Use changes, 2013 to 2019						
			removals	emissions	annual GHG	
		2013 to 2019	factor	factor	emissions	
Туре	Land Use	value (ha)	(t C / ha)	(t C / ha)	(MT CO2e/yr)	
Forest Change	"forest to"	1,469			18,410	
Deforestation	to grassland	605		41	15,352	
Deforestation	to other	6		37	1,245	
Deforestation	to wetland	798		2	1,112	
Deforestation	to settlement	60		19	701	
Deforestation	to cropland	0		4	0	
Reforestation		2,469			-2,913	
	non-forest to					
	forest	2,469	-0.32		-2,913	
Forest - Remaining		43,274			-20,476	
Undisturbed		36,255	-0.23		-31,046	
Disturbed	Total	7,019			10,570	
	Insect	6,734		29.01		
	Harvest / Other	190		0.62		
	Fire	95		54.51		
Trees Outside of Forest		4,433			-42,837	
Tree canopy loss		9		78.2	523	
Canopy maintained /						
gained		4,433	-2.66		-43,360	
GHG Emissions					29,503	
GHG Removals					-77,319	
Net GHG Balance					-47,816	

On net, between 2013 – 2019, forests and trees removed more emissions (-77,319 MT CO2e / year) than were caused by land use changes (29,503 MT CO2e / year). More land was reforested (2,469 ha) than deforested (1,469 ha). Most of the reforestation came from grassland to forest ( $\sim$ 2,400 ha), followed by wetland to forest ( $\sim$ 100 ha). Most of the deforestation was from forest to wetland ( $\sim$ 800 ha), and forest to grassland ( $\sim$ 600 ha). Tree canopy loss was only 2 ha per year, with most of the loss going to grassland ( $\sim$ 1.55 ha / year), followed by wetland (0.2 ha / year) and settlement (0.05 ha / year).

While forest data covers the time period 2013 – 2019 in the NLCD, tree canopy data captures 2011 – 2016. Over this time period, Washoe County had an average of 4,442 ha of tree canopy outside of forests, representing nearly 0.3% tree canopy in these areas. An image of Washoe County's 2016 tree canopy is below.




Figure 15 Washoe County tree canopy, 2016. Source: NLCD

Total GHG emissions for Washoe County across all sectors could be reduced if additional forests / trees are added to its land base, and / or if tree losses are reduced further.

# F. Community-wide GHG emissions forecast

Expected December 2024.

Washoe County's most recent community-wide greenhouse gas (GHG) inventory includes emissions from activities and sources that took place within the county during the 2021 calendar year. Using the 2021 GHG inventory as a baseline, Washoe County will provide a basic "business-as-usual" forecast for 2042, as well as reduction scenarios.

Emissions estimates will incorporate:

- Population growth
- Household growth
- Commercial and industrial growth (square ft, economic growth, or job count)
- On road transportation fuel efficiency
- Electricity grid carbon intensity projections

ICLEI will provide the fuel efficiency and grid carbon intensity projections, and Washoe County will use 2042 growth projections from the Truckee Meadows Regional Planning Authority (TMRPA), below.

Washoe County Growth Projections through 2042					
2021 2042 growth					
Population	485,113	587,479	+102,366		
Jobs (Commercial)	208,442	392,609	+184,167		
Households	212,916	256,123	+43,207		

Data sources: 2021 - US Census Bureau; 2042 - TMRPA

## G. Next steps: Working together as a community to reduce GHGs

To meet its GHG reduction goals of 28 percent by 2025, 45 percent by 2030, and Net Zero 2050, Washoe County is implementing mitigation actions recommended in its <u>Community Climate Action Plan</u>. The on-road transportation sector, as well as commercial and residential energy sectors, are top priorities, given that, together, they make up 71% Washoe County's total emissions (On-Road Transportation, 26%; Commercial Energy, 25%; Residential Energy, 20%).

Washoe County also encourages the operators in this plan to adopt Net Zero 2050 commitments and to create their own Climate Action Plans to reach this goal. Several operators have already taken meaningful steps toward Net Zero 2050. NV Energy, for example, has committed to the updated Renewable Portfolio Standard (RPS) from the Nevada Legislature's State Bill 358 (2019), ensuring the percentage of electricity sold each year to Nevadans that comes from renewable energy or energy efficiency measures is 50% by 2030. RTC Washoe has had a 100% clean energy bus fleet since 2021. Reno Tahoe International Airport (RTIA) publishes annual Sustainability reports for its own operations. (The airlines themselves are responsible for fuel choices). And Waste Management intends to introduce a new yard waste service at Lockwood landfill in 2025.

To measure emissions reduction progress against the baseline year of 2021, Washoe County plans to conduct GHG inventories at intervals of 3-5 years, as ICLEI recommends. The detailed methodology section of this report, as well as notes and attached data files in the ClearPath Climate Planner tool will help Washoe County complete a future inventory consistent with this one.

Washoe County will align with ICLEI's framework and methodology for local governments to identify and reduce greenhouse gas emissions:

- Conduct an inventory and forecast of local greenhouse gas emissions;
- Establish a greenhouse gas emissions Science-Based Target;
- Develop a climate action plan for achieving the emissions reduction target;
- 4. Implement the climate action plan; and,
- 5. Monitor and report on progress.

This report represents the completion of ICLEI's Climate Mitigation Milestone One, and provides a foundation for future work to reduce greenhouse gas emissions in Washoe County.



Figure 16 ICLEI Climate Mitigation Milestones

# **APPENDICES**

# 1. Contributors

Thank you to all the organizations and individuals who provided data for this Inventory. We have a clear picture of County-wide emissions thanks to you.

	List of Specialists who provided data for 2021 Washoe County Inventory					
Sector	Organization	Name	Title			
Transportation	Reno-Tahoe International Airport (RTIA)	Todd Welty	Environmental Program Manager			
Transportation	Reno / Stead Airport	Todd Welty	Environmental Program Manager			
Transportation	Reno NV Air National Guard (ANG) at RTIA	Yvonne Downs	NVANG, 152 AW Environmental Manager			
Transportation	Regional Transportation Commission (RTC) Washoe	Sai Sun	Transit Planner			
Energy	NV Energy (Electric and Natural Gas)	Billie Augustine	Government & Business Account Advisor			
Energy	NV Energy (Natural Gas)	Leif Dworzan	Energy Analyst			
Energy	Southwest Gas	Adam Schochat	Manager, Engineering			
Energy	Plumas-Sierra Rural Electric Cooperative (PSREC)	Kaitlyn Beever	Executive Assistant			
Energy	Surprise Valley Electrification Corp (SVEC)	Joseph Johnson	Controller			
Solid Waste	Waste Management	Kendra Kostelecky	Northern Nevada Contract Compliance			
Solid Waste	Waste Management	Jillian Hillenbrand	Environmental Protection Specialist			

# Appendix 1: Contributors (continued)

List of Specialists who provided data for 2021 Washoe County Inventory				
Sector	Organization	Name	Title	
Potable Water	Truckee Meadows Water Authority (TMWA)	Shawn Stoddard	Senior Resource Economist	
Potable Water	Incline Village General Improvement District (GID)	James Youngblood	Utilities Superintendent	
Potable Water	Great Basin Water Co. (Spanish Springs and Cold Springs)	Mark Rohus	Regional Manager	
Potable Water	Sun Valley General Improvement District (GID)	Brad Bakle	Public Works Director	
Wastewater	Truckee Meadows Water Reclamation Facility (TMWRF)	Casey Mentzer	Plant Manager	
Wastewater	Washoe County	Alan Jones	Sr. Licensed Engineer	
Wastewater	Reno Stead Water Reclamation Facility (RSWRF)	Robert Zoncki	Facility Supervisor	
Wastewater	Incline Village GID	James Youngblood	Utilities Superintendent	
Wastewater	Gerlach GID	Russell Bierle	Public Works Supervisor	

## 2. Glossary

These terms from ICLEI's US Community Protocol, unless otherwise noted.

**Activity** Refers to a community use activity (or activities), which is defined as the use of energy, materials, and/or services by members of the community that result in the creation of GHG emissions either directly (e.g., use of household furnaces and vehicles with internal combustion engines) or indirectly (e.g., use of electricity created through combustion of fossil fuels at a power plant, consumption of goods and services whose production, transport and/or disposal resulted in creation of GHG emissions directly or indirectly).

**Activity Data** Data on the magnitude of a human activity resulting in emissions taking place during a given period of time. Data on energy use, fuel used, miles traveled, input material flow, and product output are all examples of activity data that might be used to compute GHG emissions.

**Annual** A frequency of once a year; unless otherwise noted, annual events such as reporting requirements will be based on the calendar year.

**Anthropogenic emissions** GHG emissions that are a direct result of human activities or are the result of natural processes that have been affected by human activities.

**Analysis year** The single year timeframe for which GHG emissions are being quantified and reported. Typically, the analysis year refers to when the emissions occur, but in some cases it refers to when the activity occurs (e.g., future emissions resulting from disposal of waste in the analysis year).

**Base year emissions** GHG emissions in chosen year against which a community's emissions are compared over time.

**Biochemical oxygen demand (BOD** $_5$ ) The oxygen used in meeting the metabolic needs of aerobic microorganisms in water rich in organic matter (as water polluted with sewage).

**Biofuel** Fuel made from biomass, including wood and wood waste, sulphite lyes (black liquor), vegetal waste (straw, hay, grass, leaves, roots, bark, crops), animal materials/waste (fish and food meal, manure, sewage sludge, fat, oil and tallow), turpentine, charcoal, landfill gas, sludge gas, and other biogas, bioethanol, biomethanol, bioETBE, bioMTBE, biodiesel, biodimethylether, fischer tropsch, bio oil, and all other liquid biofuels which are added to, blended with, or used straight as transportation diesel fuel.

**Boundaries** GHG emission accounting and reporting boundaries for a community have two dimensions, in-boundary and trans-boundary. In-boundary emissions are GHG emissions released within the jurisdictional boundary of a community. Examples include GHG emissions from natural gas combustion in household furnaces and gasoline combustion in motor vehicles driven on roads within the community's jurisdictional boundary. Trans-boundary emissions are GHG emissions occurring outside the jurisdictional boundary of a community as a result of activities occurring within the community boundary (see "Trans-boundary Emissions" for more details). Note: community boundaries are distinct from boundaries as defined in the Local Government Operations Protocol in which a boundary can have several dimensions, i.e., organizational, operational, and geographic. Those latter boundaries determine which emissions are accounted for and reported by the local governmental entity.

**British thermal unit (Btu)** The quantity of heat required to raise the temperature of one pound of water by one degree Fahrenheit at about 39.2 degrees Fahrenheit.

**Carbon dioxide (CO<sub>2</sub>)** The most common of the six primary GHGs, consisting of a single carbon atom and two oxygen atoms, and providing the reference point for the GWP of other gases. (Thus, the GWP of CO2is equal to 1.)

**Carbon footprint** The total volume of GHG emissions caused by a community, organization, event, product, or person.

**Carbon sink** A biological system or other natural environment, such as a forest or a body of water, that absorbs more carbon dioxide from the atmosphere than it releases.

**Carbon dioxide equivalent (CO<sub>2</sub>e)** The universal unit for comparing emissions of different GHGs expressed in terms of the GWP of one unit of carbon dioxide.

**Community** Community traditionally refers to residents, businesses, industries, and government co-located within a jurisdictionally defined area.

**Community use activities** Use of energy, materials, and services by all members of the community that result in the creation of GHG emissions either directly (e.g., use of household furnaces and vehicles with internal combustion engines) or indirectly (e.g., use of electricity created through combustion of fossil fuels at a power plant, consumption of goods and services whose production, transport and/or disposal resulted in creation of GHG emissions directly or indirectly). Also see "Use" defined below.

**Double counting** Two or more reporting entities taking ownership of the same emissions or reductions, or the same reporting entity counting the same emissions twice.

**Emission factor** A unique value for determining an amount of a GHG emitted on a per unit activity basis (for example, metric tons of CO2 emitted per million Btus of coal combusted, or metric tons of CO2 emitted per kWh of electricity consumed).

**Entity** Any business, corporation, institution, organization, government agency, etc., recognized under U.S. law and comprised of all the facilities and emission sources delimited by the organizational boundary developed by the entity, taken in their entirety.

**Facility** Any property, plant, building, structure, stationary source, stationary equipment or grouping of stationary equipment or stationary sources located on one or more contiguous or adjacent properties, in actual physical contact or separated solely by a public roadway or other public right-of way, and under common operational or financial control, that emits or may emit any greenhouse gas.

**Fossil fuel** A fuel, such as coal, oil, and natural gas, produced by the decomposition of ancient (fossilized) plants and animals.

**Fugitive emissions** Emissions that are not physically controlled but result from the intentional or unintentional release of GHGs. They commonly arise from the production, processing, transmission, storage and use of fuels or other substances, often through joints, seals, packing, gaskets, etc. Examples include HFCs from refrigeration leaks, SF6 from electrical power distributors, and CH4 from solid waste landfills.

General Improvement District (GID) An entity that provides county and municipal governments in the State of Nevada with a financing tool flexible enough and capable enough to finance a variety of infrastructure projects designed to encourage private sector investment in property-based projects. The governing body responsible for the creation and administration of the GID may collect property tax revenues from the GID and issue debt for a wide range of projects ranging from the development and maintenance of cemeteries, swimming pools, streets, alleys, curbs, gutters and sidewalks to the furnishing of fencing, facilities needed for the protection from fire and the control and eradication of noxious weeds. (Source: UNR Extension School)

**Global warming potential (GWP)** The ratio of radiative forcing (degree of warming to the atmosphere) that would result from the emission of one mass-based unit of a given GHG compared to one equivalent unit of carbon dioxide (CO2) over a given period of time.

**Greenhouse gas emissions (GHGs)** Greenhouse gas emissions are gases that trap heat in the atmosphere. Some greenhouse gases such as carbon dioxide occur naturally and are emitted into the atmosphere through natural processes and human activities. Other greenhouse gases are created and emitted solely through human activities. The principal greenhouse gases that enter the atmosphere because of human activities are carbon dioxide (CO2), methane (CH4), nitrous oxide (N2O), and fluorinated gases (hydrofluorocarbons, perfluorocarbons, and sulfur hexafluoride).

GHG emission sources and associated activities GHG emission sources are any physical process or activity that releases GHG emissions into the atmosphere. Examples of emission sources include: vehicle exhaust from combustion of gasoline, furnace exhaust from the combustion of natural gas, power plant exhaust from the combustion of coal for the production of electricity, fugitive emissions from leaking refrigerants, and methane emissions from a landfill. Activities associated with GHG emission sources are human activities that result in the production of GHG emissions. An example is electricity use, which requires the generation of electricity at a power plant that may produce a quantity of GHG emissions in the process of generating the electricity.

**Hydrofluorocarbons (HFCs)** One of the six primary GHGs, a group of manmade chemicals with various commercial uses (e.g., refrigerants) composed of one or two carbon atoms and varying numbers of hydrogen and fluorine atoms. Most HFCs are highly potent GHGs with 100-year GWPs in the thousands.

**In-boundary emissions** GHG emissions released within the jurisdictional boundary of a community. Examples include GHG emissions from natural gas combustion in household furnaces and gasoline combustion in motor vehicles driven on roads within the community's jurisdictional boundary.

**Intergovernmental Panel on Climate Change (IPCC)** International body of climate change scientists. The role of the IPCC is to assess the scientific, technical and socioeconomic information relevant to the understanding of the risk of human-induced climate change (www.ipcc.ch).

**Inventory** A comprehensive, quantified list of a community's or organization's GHG emissions and sources.

**Inventory boundary** An imaginary line that encompasses the GHG emissions included in the inventory. It results from the chosen organizational and operational boundaries.

**Kilowatt hour (kWh)** The electrical energy unit of measure equal to one thousand watts of power supplied to, or taken from, an electric circuit steadily for one hour. (A Watt is the unit of electrical power equal to one ampere under a pressure of one volt, or 1/746 horsepower.)

**Liquid petroleum gas (LPG)** A group of hydrocarbon-based gases derived from crude oil refining or natural gas fractionation. They include propane, propylene, normal butane, butane, butylene, isobutene A-14 and isobutylene. For convenience of transportation, these gases are liquefied through pressurization.

**Methane (CH<sub>4</sub>)** One of the six primary GHGs, consisting of a single carbon atom and four hydrogen atoms, possessing a GWP of 21, and produced through the anaerobic decomposition of waste in landfills, animal digestion, decomposition of animal wastes, production and distribution of natural gas and petroleum, coal production, and incomplete fossil fuel combustion.

**Metric ton (MT)** Common international measurement for the quantity of GHG emissions, equivalent to about 2,204.6 pounds or 1.1 short tons.

**Mobile combustion** Emissions from the combustion of fuels in transportation sources (e.g., cars, trucks, buses, trains, airplanes, and marine vessels) and emissions from offroad equipment such as what is used in construction, agriculture, and forestry. A piece of equipment that cannot move under its own power, but that is transported from site to site (e.g., an emergency generator) is a stationary, not a mobile, combustion source.

**Natural gas** A naturally occurring mixture of hydrocarbons (e.g., methane, ethane, or propane) produced in geological formations beneath the earth's surface that maintains a gaseous state at standard atmospheric temperature and pressure under ordinary conditions.

**Nitrous oxide (N<sub>2</sub>O)** One of the six primary GHGs, consisting of two nitrogen atoms and a single oxygen atom, possessing a GWP of 310, and typically generated as a result of soil cultivation practices, particularly the use of commercial and organic fertilizers, fossil fuel combustion, nitric acid production, and biomass burning.

**Operator** The entity having operational control of a facility or other entity.

Paris Agreement A legally binding international treaty on climate change. It was adopted by 196 Parties at the UN Climate Change Conference (COP21) in Paris, France, in 2015. Its overarching goal is to hold "the increase in the global average temperature to well below 2°C above pre-industrial levels" and pursue efforts "to limit the temperature increase to 1.5°C above pre-industrial levels." (Source: United Nations Climate Change)

**Perfluorocarbons (PFCs)** One of the six primary GHGs, A group of man-made chemicals composed of one or two carbon atoms and four to six fluorine atoms, containing no chlorine. Originally introduced as alternatives to ozone depleting substances, PFCs have few commercial uses and are typically emitted as by-products of industrial and manufacturing processes. PFCs have very high GWPs and are very long-lived in the atmosphere.

**Process emissions** Emissions from physical or chemical processing rather than from fuel combustion. Examples include emissions from manufacturing cement, aluminum, adipic acid, ammonia, etc.

**Propane** A normally straight chain hydrocarbon that boils at -43.67 degrees Fahrenheit and is represented by the chemical formula C3H8.

Science-Based Targets Calculated climate goals, in line with the latest climate science, that represent your community's fair share of the ambition necessary to meet the Paris Agreement commitment of keeping warming below 1.5°C. To achieve this goal, the Intergovernmental Panel on Climate Change (IPCC) states that we must reduce global emissions by 50% by 2030 and achieve climate neutrality by 2050. Equitably reducing global emissions by 50% requires that high-emitting, wealthy nations reduce their emissions by more than 50%.

**Scope(s)** Scopes are used in the context of reporting on GHG emissions associated with individual organizational entities (e.g., the operations of a business or local government). In that context, the scopes framework can be used to categorize direct (scope 1) emissions (e.g., smoke stacks or tailpipes that release emissions within an organizational boundary), indirect energy-related (scope 2) emissions (e.g., the use of purchased or acquired electricity, heating, cooling, or steam regardless of where the energy is generated), and other indirect (scope 3) emissions not covered in scope 2 (e.g., upstream and downstream emissions from the extraction and production of purchased materials and fuels).

The Community Protocol does not use scopes as a framework for categorizing emissions in community inventories because the organization-related definitions of scopes do not translate to the community scale in a manner that is applicable, clear, and valuable.

**Short ton (ton)** Common measurement for a ton in the U.S. and equivalent to 2,000 pounds or about 0.907 metric tons.

**Source(s)** Any physical process or activity that releases GHG emissions into the atmosphere (e.g., vehicle exhaust from combustion of gasoline, furnace exhaust from the combustion of natural gas, power plant exhaust from combustion of coal for the production of electricity).

**Standard cubic foot (scf)** The amount of gas that would occupy a volume of one cubic foot if free of combined water at standard conditions.

**Stationary combustion** Emissions from the combustion of fuels to produce electricity, steam, heat, or power using equipment (boilers, furnaces, etc.) in a fixed location.

**Sulfur hexafluoride (SF** $_6$ ) One of the six primary GHGs, consisting of a single sulfur atom and six fluoride atoms, possessing a very high GWP of 23,900, and primarily used in electrical transmission and distribution systems.

**Therm** A measure of one hundred thousand (105) Btu.

**Use** Putting into action or service energy, water, materials, or services. In this Protocol, the term "use" is not the same as "consumption". The term "use" refers to any and all use, by all potential users of energy, water, materials, or services, while "consumption" is a subset of "use", limited to the use of resources - typically purchased - by "consumers". "Consumers", in turn, are usually limited to just households and governments, and not businesses, although a subcategory of business expenses (described in Chapter 3.4.7 Consumption-Based Emissions) are sometimes also included in "consumption". In the language of this Protocol, businesses, governments, and households all "use" electricity, but only governments and households "consume" electricity, since businesses use it to create products and services for consumers. For households and governments, "consumption" and "use" of electricity are the same. Although "use" and "consumption" are often used interchangeably in common speech, this distinction is important when it comes to accounting and reporting of consumption-based emissions. For more details on these distinctions, see Appendix I – Consumption-based Emission Activities and Sources.

## 3. Abbreviations and acronyms

Btu British thermal unit(s)

CH₄ methane

CO<sub>2</sub> carbon dioxide

CO<sub>2</sub>e carbon dioxide equivalent

EF emissions factor

EIA United States Energy Information Administration
EPA United States Environmental Protection Agency

g gram(s)

GHG greenhouse gas

GPC Global Protocol for Community-Scale Greenhouse Gas Emissions

GRP General Reporting Protocol
GWP Global Warming Potential

HFC hydrofluorocarbon

IPCC Intergovernmental Panel on Climate Change

kg kilogram(s)

kWh kilowatt-hour(s)

lb(s) pound(s)
LFG landfill gas

LPG liquefied petroleum gas

MMBtu one million British thermal units

mpg miles per gallon

MSW municipal solid waste

MT metric ton(s)

MMT million metric tons

MWh megawatt-hour(s)

PFC perfluorocarbon

SF<sub>6</sub> sulfur hexafluoride

VMT vehicle miles traveled

WARM U.S. EPA's Waste Reduction Model

WTE waste-to-energy

WWTP wastewater treatment plant

# 4. Comparison of 2014 and 2021 emissions data for Washoe County

Comparison of 2014 and 2021 emissions data for Washoe County							
Туре	Fuel or Source	2014 Usage	2021 Usage	Usage Unit	2014 Emissions (MT CO2e)	2021 Emissions (MT CO2e)	% change
Transportation							
On-road	Gasoline	3,153,538,462	2,677,846,997	VMT	no data	1,034,447	n/a
On-road	Diesel	124,177,808	347,968,818	VMT	no data	499,772	n/a
Nonroad	Diesel	not collected	-	-	no data	387,405	n/a
Nonroad	Gasoline	not collected	-	-	no data	90,949	n/a
Nonroad	LPG	not collected	-	-	no data	15,158	n/a
Nonroad	CNG	not collected	-	-	no data	1,796	n/a
Nonroad – RNO Ground	Diesel	72,748	87,846	Gallons	743	905	22%
Nonroad – RNO Ground	Gasoline	64,495	70,937	Gallons	571	628	10%
Nonroad – R/S Ground	Diesel	5,549	5,013	Gallons	57	52	-9%
Nonroad – R/S Gound	Gasoline	3,750	1,704	Gallons	33	15	-55%
Commercial (Passenger) - RTIA	Jet Kerosene	28,077,281	14,948,972	Gallons	115,618	146,246	26%
Freight - RTIA	Jet Kerosene	No data	4,926,489	Gallons	Incl above	48,196	n/a
General Aviation - RTIA	Jet Kerosene	No data	4,074,471	Gallons	Incl above	39,861	n/a
General Aviation – RTIA	Aviation Gas	129,255	155,118	Gallons	463	1,294	179%
General Aviation – R/S	Jet Kerosene	128,929	488,146	Gallons	1,235	4,776	287%
General Aviation – R/S	Aviation Gas	70,288	99,619	Gallons	586	831	42%
ANG - RTIA	Jet Kerosene	No data	842,075	Gallons	No data	8,238	n/a

# Appendix 4: Comparison of 2014 and 2021 emissions data for Washoe County (continued)

Туре	Fuel or	2014 Usage	2021 Usage	Usage	2014	2021	%		
	Source			Unit	Emissions	Emissions	change		
					(MT CO2e)	(MT CO2e)			
Transportation (continued)									
Rail, Commercial	Diesel	2,827,241	-	Gallons	29,141	23,110	-21%		
Rail, Passenger	Diesel	76,070	-	Gallons	784	702	-10%		
Water, Pleasure Craft	Gasoline	not collected	-	-	no data	14,903	n/a		
Water, Pleasure Craft	Diesel	not collected	-	-	no data	3,616	n/a		
Buses – RTC Washoe	Electric	VMT calc	1,020,784	kWh	0.21	338	n/a		
Buses – RTC Washoe	Bio-diesel	VMT calc	568,890	Gallons	No data	1	n/a		
Buses – RTC Washoe	Diesel	VMT calc	None	Gallons	6,265	None	n/a		
Regional Connector Bus	Electric	Incl above	250,159	kWh	Incl above	72	n/a		
(Carson City)									
Paratransit and Flexride	Gasoline	No data	13,504	Gallons	No data	122	n/a		
Paratransit and Flexride	CNG	No data	179,175	Gallons	81	118	46%		
Transportation Total Transportation Total					1,455,397	2,323,551	60%		

Appendix 4: Comparison of 2014 and 2021 emissions data for Washoe County (continued)

Туре	Fuel or	2014 Usage	2021 Usage	Usage	2014	2021	%
	Source			Unit	Emissions	Emissions	change
					(MT CO2e)	(MT CO2e)	
Commercial Energy							
Commercial – NV Energy	Electricity	2,282,107	3,217,822	MWh	1,013,061	1,065,100	5%
Municipal – NV Energy	Electricity	Incl. in Comm	54,895	MWh	Included	18,175	n/a
Commercial - SVEC	Electricity	Not collected	65	MWh	No data	19	n/a
Commercial - PSREC	Electricity	Not collected	57	MWh	No data	16	n/a
Commercial – NV Energy	Natural Gas	42,064,472	51,656,782	Therms	223,678	274,827	23%
Commercial – SW Gas	Natural Gas	No data	1,738,311	Therms	No data	9,246	n/a
Commercial	Fuel Oil	16,965	356,535	MMBtu	1,245	26,281	2011%
Commercial	Kerosene	319,555	None	MMBtu	24,226	None	n/a
Commercial	Propane	217,955	307,917	MMBtu	13,340	19,430	46%
	(HGL)						
Commercial	Wood	No data	64,825	MMBtu	No data	632	n/a
Commercial Energy Total					1,275,550	1,508,755	18%

Appendix 4: Comparison of 2014 and 2021 emissions data for Washoe County (continued)

Туре	Fuel or	2014 Usage	2021 Usage	Usage	2014	2021	%		
	Source			Unit	Emissions	Emissions	change		
					(MT CO2e)	(MT CO2e)			
Residential Energy	Residential Energy								
Residential – NV Energy	Electricity	1,384,243	1,748,938	MWh	720,265	578,899	-20%		
Residential - PSREC	Electricity	Not collected	4,882	MWh	No data	1,414	n/a		
Residential - SVEC	Electricity	Not collected	44	MWh	No data	13	n/a		
Residential – NV Energy	Natural Gas	90,629,880	106,176,831	Therms	481,923	564,683	17%		
Residential – SW Gas	Natural Gas	Not collected	8,171,381	Therms	No data	43,458	n/a		
Residential	Propane	484,849	405,268	MMBtu	29,675	24,184	-19%		
	(HGL)								
Residential	Kerosene	70,948	Not in data		5,378	No data	n/a		
Residential	Fuel oil	496,510	52,861	MMBtu	36,437	3,943	-89%		
Residential	Wood	338,819	370,027	MMBtu	3,715	3,384	-9%		
Residential Energy Total					1,277,392	1,219,978	-4%		

# Appendix 4: Comparison of 2014 and 2021 emissions data for Washoe County (continued)

Туре	Fuel or	2014 Usage	2021 Usage	Usage	2014	2021	%	
	Source			Unit	Emissions	<b>Emissions</b>	change	
					(MT CO2e)	(MT CO2e)		
Industrial Energy								
Industrial – NV Energy	Electricity	Incl. in Comm	1,598,279	MWh	174,390	529,031	n/a	
Industrial – NV Energy	Natural Gas	14,771,470	19,039,233	Therms	78,399	101,050	29%	
Industrial	Fuel Oil	4,979	3,511,184	MMBtu	364	258,056	70795%	
Industrial	Propane	12,549	161,434	MMBtu	765	10,152	1227%	
	(HGL)							
Industrial	Motor	No data	464,122	MMBtu	No data	31,131	n/a	
	Gasoline							
Industrial	Wood	No data	20,179	MMBtu	No data	41	n/a	
Industrial	Kerosene	28	No data		2	No data	n/a	
Industrial Energy Total					253,922	929,460	266%	

Appendix 4: Comparison of 2014 and 2021 emissions data for Washoe County (continued)

Туре	Fuel or	2014 Usage	2021 Usage	Usage Unit	2014	2021	%
	Source				Emissions	Emissions	change
					(MT CO2e)	(MT CO2e)	
Solid Waste							
Waste	Waste	571,662	300,775	Tons	185,679	130,466	-30%
	Generated						
Flaring	Landfill Gas	530,000,000	261,858,830	Cubic ft / yr	No data	38	n/a
Combustion	Landfill Gas	522,000,000	380,450,265	Cubic ft / yr	185	0.53	-100%
Solid Waste Total					195,051	130,466	33%
Water & Wastewater (	(Water)						
TMWA	Electricity	48,066,256	65,183,869	kWh	10,408	28,106	170%
TMWA	Natural Gas	No data	123,170	MMBtu	Incl above	included	n/a
						in elec.#	
IVGID	Electricity	No data	3,932,368	kWh	No data	1,311	n/a
IVGID	Natural Gas	No data	1,761	kWh	No data	included in	n/a
						elec.#	
Great Basin Water Co	Electricity	No data	1,346,223	kWh	No data	446	n/a
Sun Valley GID	Electricity	No data	517,390	kWh	No data	205	n/a
Sun Valley GID	Natural Gas	No data	6,271	MMBtu	No data	included in	n/a
						elec.#	
Gerlach GID	Electricity	No data	15,712	kWh	No data	15	n/a
Gerlach GID	Propane	No data	1,872	Therms	No data	included in	n/a
						elec.#	

Appendix 4: Comparison of 2014 and 2021 emissions data for Washoe County (continued)

Туре	Fuel or	2014	2021	Usage Unit	2014	2021	%			
	Source	Usage	Usage		Emissions	Emissions	change			
					(MT CO2e)	(MT CO2e)				
Water & Wastewater (Wastewater)										
Energy Use - TMWRF	Electricity	30,800,000	25,268,000	kWh	No data	8,483	n/a			
Combustion – TMWRF	Digester Gas	498,240	385,920	scf/day	0.0000244	19	n/a			
Flaring – TMWRF	Digester Gas	No data	184,320	scf/day	No data	35,075	n/a			
Wastewater Treatment	Nitrification /	330,000	363,000	people	16,026	867	-95%			
TMWRF	Denitrification									
Effluent - TMWRF	Nitrification	185	216	Kg N / day	No data	169	n/a			
Wastewater Treatment - TMWRF	Methanol	8.8	8.9	MT CH3OH / day	3,963	3,563	-10%			
Energy Use – WCounty	Electricity	No data	8,754,862	kWh	No data	2,898	n/a			
Wastewater Treatment	Nitrification /	No data	26,717	people	No data	64	n/a			
- Washoe County	Denitrification									
Effluent - WCounty	Nitrification	No data	155	Kg N / day	74	121	64%			
Energy Use – RSWRF	Electricity	1,459,200	5,071	kWh	No data	1,795	n/a			
Energy Use - RSWRF	Natural Gas	32,183	22,323	therms	No data	Included	n/a			
						in elec.#				
Wastewater Treatment	Nitrification /	No data	28,000	people	No data	67	n/a			
Reno Stead WRF	Denitrification									
Effluent – RSWRF	Nitrification	No data	41	Kg N / day	No data	32	n/a			
Energy Use – IVGD	Electricity	No data	1,698,637	kWh	No data	636	n/a			
Energy Use – IVGD	Natural Gas	No data	14,829	therms	No data	included	n/a			
						in elec.#				
Energy Use – Gerlach	None	No calc	125	people	No data	0	n/a			
Fugitive - Septic	Methane	No calc	0.09	Kg BOD5 / day	No data	7,672	n/a			
Water & Wastewater To	otal				30,472	91,564	200%			

Appendix 4: Comparison of 2014 and 2021 emissions data for Washoe County (continued)


Туре	Fuel or Source	2014	<b>2021 Usage</b>	Usage Unit	2014	2021	%			
		Usage			Emissions	Emissions	change			
					(MT CO2e)	(MT CO2e)				
Process & Fugitive Emissions										
Fugitive	Natural Gas	No data	188,150,339	therms	No data	34,741	n/a			
Fugitive	Refrigeration	No data	-	-	No data	106,453	n/a			
Fugitive	Non-MDI	No data	-	-	No data	15,614	n/a			
	Aerosols									
Fugitive	Electric Power	No data	-	-	No data	14,150	n/a			
	Systems									
Fugitive	Foams	No data	ı	-	No data	13,455	n/a			
Fugitive	Solvents	No data	-	-	No data	3,027	n/a			
Fugitive	MDI Aerosols	No data	-	-	No data	2,455	n/a			
Fugitive	Fire	No data	-	-	No data	3,776	n/a			
	Extinguishing									
<b>Process &amp; Fugitive Emis</b>	sions Total				No data	193,669	n/a			
		Agricultur	al (Energy and	Livestock)						
Energy Use – NV Energy	Electric	No data	7,368,753	kWh	No data	2,439	n/a			
Energy Use - PSREC	Electric	No data	96,139	kWh	No data	28	n/a			
Livestock	Dairy cow	No data	ı	Dairy cows	13,097	No calc	n/a			
Livestock	Beef cow	No data	-	Beef cows	13,985	No calc	n/a			
Livestock	Horse	No data	-	Horses	1,114	No calc	n/a			
Agricultural Total	28,196	2,467	-91%							
TOTAL GROSS EMISSION	15				4,516,000	6,304,911	40%			

Appendix 4: Comparison of 2014 and 2021 emissions data for Washoe County (continued)

Туре	Fuel or Source	2014	2021 Usage	Usage Unit	2014	2021	%		
		Usage			Emissions	<b>Emissions</b>	change		
					(MT CO2e)	(MT CO2e)			
Agriculture, Forestry, and Other Land Use (Forests & Trees)									
Trees outside of Forests Emissions No data 9 Hectares No data 523									
Trees outside of Forests	Removals	No data	4,433	Hectares	No data	-43,360	n/a		
Undisturbed Forests	Removals	No data	36,255	Hectares	No data	-31,046	n/a		
Non-Forest to Forest	Removals	No data	2,469	Hectares	No data	-2,913	n/a		
Forest Disturbances	Emissions	No data	7,019	Hectares	No data	10,570	n/a		
Forest to Grassland	Emissions	No data	605	Hectares	No data	15,352	n/a		
Forest to Other	Emissions	No data	6	Hectares	No data	1,245	n/a		
Forest to Wetland	Emissions	No data	798	Hectares	No data	1,112	n/a		
Forest to Settlement	Emissions	No data	60	Hectares	No data	701	n/a		
Forest to Cropland	Emissions	No data	0.1	Hectares					
Forests & Tress Total						-47,816	n/a		
TOTAL NET EMISSIONS (	TOTAL NET EMISSIONS (with Sequestration)								


### 5. Total emissions from 2008 and 2014 Community-wide Inventories

The <u>Community-Wide GHG Inventory from 2014</u> reported total emissions of 4.516 MMT CO2E. Transportation caused 32% of emissions, Residential Energy 28%, Commercial Energy 28%, Industrial Energy 6%, Solid Waste 4%, Water & Wastewater 1%, and Agriculture 1%.



The <u>Community-Wide GHG Inventory from 2008</u> reported total emissions of 6.1 MMT CO2E, with Transportation causing 43% of emissions, Commercial / Industrial Energy 26%, Residential Energy 19%, and Waste 12%.

2008 Washoe County Community-wide GHG Emissions by Sector



Source: CACP2009 Model output

### 6. Description of "Nonroad" Transportation sources

Source: **EPA's National Emissions Inventory** 

The U.S. EPA's National Emissions Inventory (NEI) is a nationwide compilation of air pollutant emission estimates. Pollutants included in the NEI are criteria air pollutants (CAPs), precursors to CAPs, and hazardous air pollutants (HAPs). In addition, the NEI houses emission estimates for greenhouse gases (GHGs) for select sectors. Currently, the NEI is compiled on 3-year cycles, with the 2020 NEI being the most recent release. Staff at the EPA collaborates with state, local, and tribal (SLT) air agencies to estimate emissions for each NEI, with additional data coming from other programs, such as the Toxics Release Inventory (TRI) and the Greenhouse Gas Reporting Program (GHGRP). Emission estimates are compiled within the Emission Inventory System (EIS) and subsequently selected using a hierarchical approach to generate a complete inventory. Additional information on the latest NEI release can be found here.

Emission sources in the NEI are consolidated into four data categroies: onroad mobile, nonroad mobile, nonpoint, and point. Onroad mobile sources include emissions from motorized vehicles that normally operate on public roadways. This includes passenger cars, motorcycles, minivans, sport-utility vehicles, light-duty trucks, heavy-duty trucks, and buses. The sector includes emissions generated from parking areas, emissions from short-duration idle during pickups / deliveries, emissions from vehicles when they start, and emissions while the vehicles are moving. The sector also includes "hoteling emissions, which refers to the time spent idling in a diesel long-haul combination truck during federally mandated rest periods of long-haul trips.

The mobile nonroad equipment data category includes all mobile source emissions that do not operate on roads, excluding commercial marine vehicles, railways, and aircraft. These sources included included in this category are construction, agriculture, industrial, lawn & garden (commercial and residential), commercial, logging, railroad support (excluding locomotives), recreational vehicles, recreational marine (pleasure craft, excluding commercial marine vessels; CMVs), and underground mining.

The nonpoint emissions category includes biogenic emissions, fires (wildfires, prescribed burning, and agricultural field burning), and all other stationary sources that aren't covered in the point category. These sources are all reported at the county-level, though some sources such as shipping lanes and ports are more finely resolved to the county / shape identifier (ID) (polygon) level. In addition, some nonroad mobile sources, such as trains and commercial marine vessels, reside within the nonpoint data category.

The point source emissions category is composed of individual facilities, usually at specific latitude / longitude coordinates, rather than as county or tribal aggregates. These facilities include large energy and industrial sites, such as electric generating utilities (EGUs), portland cemet manufacturing plats, petroleum refineries, natural gas compressor

stations, and facilities that manufacture pulp and paper, automobiles, machinery, chemicals, fertilizers, pharmaceuticals, glass food products, and other products. Additionally, smaller point sources are included voluntarily by some SLT agencies, and can include small facilities such as crematoria, dry cleaners, and gas stations. The point source data category also includes emissions from the landing and take-off portions of aircraft operations, the ground support equipment at airports, and locomotive emissions within railyards.

### 7. Definitions of customer types from energy utilities

**NV Energy** customer descriptions are in their <u>Definitions</u> document.

**Commercial or General Service** - Service to Customers engaged in selling, warehousing, or distributing a commodity, in some business activity or in a profession, or in some form of economic or social activity (offices, stores, clubs, hotels, etc.) and for purposes that do not come directly under another classification of service.

**Governmental Entities** - An agency or instrumentality of a government, including without limitation, the State of Nevada or an agent or instrumentality of the State of Nevada and a political subdivision of the State of Nevada or of any other government or an agency or instrumentality of a political subdivision of the State of Nevada or of any other government.

**Residential Service** - Service to Customer provided for residential purposes only in a single family dwelling or building, or in an individual flat or apartment in a multiple family dwelling or building or portion thereof occupied as the home of one or more individuals.

**Industrial Service** - Service to Customers engaged in a process which creates or changes raw or unfinished materials into another form or product (Factories, mills, machine shops, miles, oil wells, refineries, pumping plants, creameries, canning or packing plants, etc.; i.e., in extractive, fabricating, or processing activities.

**Irrigation Pumping Service** - Electric service used for irrigation or agricultural drainage purposes which is metered separately and billed under the applicable schedule.

	NV Energy Customer Classification details						
а	Are buildings assigned based on metering rates? If so, please describe by category:	See <u>NV Energy Rate Schedules</u> .					
b	Are multifamily apartment buildings classified as residential or commercial?	Yes, see definition above.					
С	How are large users such as hospitals or universities classified?	Commercial					
d	How are municipal/institutional (publicowned) buildings categorized?	Government					
е	Is transit vehicle energy use included? If so, in which category?	See <u>NV Energy Rate Schedules</u> .					
f	Are agricultural buildings included external from the agricultural category?	yes					
g	Are wastewater treatment facilities included? If so, in which category?	See NV Energy Rate Schedules.					

#### Appendix 7: Definitions of customer types from energy utilities (continued)

**Southwest Gas** customer descriptions are as follows:

**Commercial customers** - A customer who is engaged primarily in the sale of goods or services including institutions and local, state, and federal government agencies for uses other than those involving manufacturing or electric power generation.

**Residential customers** - A house, apartment, townhouse or any other permanent residential unit that is used as a permanent home.

**Industrial customers** - A customer who is engaged primarily in process which creates or changes raw or unfinished materials into another form or product.

**Agricultural customers** - Irrigation pumping customers for use as fuel in internal combustion engines for pumping water for agricultural irrigations.

Appendix 7: Definitions of customer types from energy utilities (continued) – Southwest Gas definitions

	S	W Gas Customer Classification Details
а	Are buildings assigned based on metering rates?	No, buildings are not based on metering rates.
b	Are multifamily apartment buildings classified as residential or commercial?	Multifamily apartment buildings are classified as commercial when identified as a location at which more than one dwelling unit receives the benefits of a natural gas service through a single meter including, without limitation.  Please note, there are other multi-family structures that are defined as any structure where three or more permanent residential dwellings joined by common walls each receive the benefits of natural gas
		service through an individual meter installed as part of a multiple meter assembly. Such structures are defined as residential customers.
С	How are large users such as hospitals or universities classified?	Large users such as hospitals and universities are classified as commercial customers.
d	How are municipal/institutional (public-owned) buildings categorized?	Southwest Gas does not have a unique customer classification for municipal/institutional (public-owned) buildings. Such building are classified as commercial customer.
е	Is transit vehicle energy use included? If so, in which category?	Transit vehicle energy falls under the compressed natural gas customer class. There were no such customers served by Southwest Gas in 2021, in Washoe County.
f	Are agricultural buildings included external from the agricultural category?	Agricultural buildings maybe categorized under the Industrial customer class.  No such customer were served during 2021.
g	Are wastewater treatment facilities included? If so, in which category?	Wastewater treatment facilities are included under the Industrial customer class. However, there were no such customer served by Southwest Gas in 2021, in Washoe County.

### Appendix 7: Definitions of customer types from energy utilities (continued)

### **Surprise Valley Electric Company**

Surprise Valley Electric Company does not currently assign building types.

	SVEC Customer Classification Details							
а	Are buildings assigned based on metering rates? If so, please describe by category:	No buildings assigned.						
b	Are multifamily apartment buildings classified as residential or commercial?	No apartment buildings as customers.						
С	How are large users such as hospitals or universities classified?	No such large users.						
d	How are municipal/institutional (public-owned) buildings categorized?	No municipal/institutional customers or buildings.						
е	Is transit vehicle energy use included? If so, in which category?	No transit vehicle energy customers.						
f	Are agricultural buildings included external from the agricultural category?	All agricultural usage aggregated per meter.						
g	Are wastewater treatment facilities included? If so, in which category?	No wastewater treatment facilities customers.						

### Plumas-Sierra Rural Electric Co-Op

PSREC assigns building types to each category based on its <u>rate classes</u>.

	PSREC Customer Classification Details						
а	Are buildings assigned based on metering rates? If so, please describe by category:	Yes					
b	Are multifamily apartment buildings classified as residential or commercial?	N/A					
С	How are large users such as hospitals or universities classified?	N/A					
d	How are municipal/institutional (publicowned) buildings categorized?	Commercial					
е	Is transit vehicle energy use included? If so, in which category?	N/A					
f	Are agricultural buildings included external from the agricultural category?	No					
g	Are wastewater treatment facilities included? If so, in which category?	N/A					

# 8. Commercial and Industrial Jobs in Washoe County, 2021

Commercial and Industrial Jobs in Washoe County, 2021  Per North American Industry Classification System (NAICS)								
NAICS Industry	Sector	Nevada	Washoe County	% Washoe County				
Accommodation and Food Services	Commercial	217,183	22,519	10.37%				
Retail Trade	Commercial	136,187	23,263	17.08%				
Health Care and Social Assistance	Commercial	134,476	25,597	19.03%				
Administration & Support, Waste Management and Remediation	Commercial	82,937	15,213	18.34%				
Educational Services	Commercial	81,797	16,482	20.15%				
Professional, Scientific, and Technical Services	Commercial	62,105	12,263	19.75%				
Public Administration	Commercial	50,924	7,543	14.81%				
Finance and Insurance	Commercial	38,758	6,016	15.52%				
Other Services (excluding Public Administration)	Commercial	29,561	5,797	19.61%				
Management of Companies and Enterprises	Commercial	25,892	3,361	12.98%				
Arts, Entertainment, and Recreation	Commercial	25,253	4,419	17.50%				
Real Estate and Rental and Leasing	Commercial	24,000	4,340	18.08%				
Information	Commercial	14,706	2,896	19.69%				
TOTAL COMMERCIAL	Commercial	923,779	149,709	16.21%				

**Appendix 8: Commercial and Industrial Jobs in Washoe County, 2021 (continued)** 

NAICS Industry	Sector	Nevada	Washoe County	% Washoe County
Construction	Industrial	91,864	17,233	18.76%
Transportation and Warehousing	Industrial	79,717	16,357	20.52%
Manufacturing	Industrial	56,739	13,141	23.16%
Wholesale Trade	Industrial	36,056	9,536	26.45%
Mining, Quarrying, and Oil and Gas Extraction	Industrial	13,234	223	1.69%
Utilities	Industrial	4,777	812	17.00%
Agriculture, Forestry, Fishing and Hunting	Industrial	4,641	618	13.32%
Total Industrial	Industrial	287,028	57,920	20.18%
TOTAL	Total	1,210,807	207,629	17.15%

Source: United States Census Bureau's OnTheMap tool

## 9. Definitions of Solid Waste material categories

Definitions of Material Categories from							
2018 Waste Composition and Characterization Analysis,							
	Sloan Vazquez McAffee Municipal Solid Waste Advisors						
Dry Recoverable	All clean dry fiber, including carboard (OCC), chip board (cereal /						
Fiber	shoe box), office paper, junk mail, and shredded paper that is						
	readily recoverable using current waste / recycling processing						
	technology.						
PET UBC's	PET plastic (#1) used beverage containers						
HDPE	All readily identifiable HDPE, including UBC's, five-gallon pails,						
	laundry baskets, trash cans, toys, et al						
Film Plastic	All film plastic from t-shirt bags to large garbage bags and painters'						
	tarps						
Mixed Plastics	All readily identifiable plastics except PET, HDPE, and Film						
Glass	CRV and plate (window) glass						
Aluminum UBC's	All aluminum beverage containers, primarily CRV						
Mixed Ferrous	Tin cans, steel (pots, pans, construction material, shelving, etc.)						
Mixed Non-Ferrous	Aluminum windows and doors, folding lawn chairs, stainless steel						
	fixtures, brass hardware, copper pipe, et al.						
Inerts	Dirt, rock, sand, brick, tile, ceramic, concrete, et al.						
Hazardous Waste	Pesticide, insecticide, paint, solvents, oil, cleaning solutions, et al						
E-waste	All items that operate via AC current or battery						
Textiles	Clothing, bedding, carpet, towels, rags, et al						
Organics	Yard / garden waste, food waste, clean wood, painted / treated						
	wood, wet contaminated fiber, rubber						
Wet Contaminated	Fiber that has been soiled and is not marketable as a post-						
Fiber	consumer fiber grade, and fiber that would disintegrate during the						
	mechanical sorting process (screens and / or air classification)						
	making it non-recoverable with fiber products						
Fines	Materials that fall through the 2" lattice on the sort table.						
	Depending upon the source of the sample, the fines may be heavy						
	in organic and inert materials, or in glass shards and small fiber						
	(shred). The organic / inert fines are produced from unprocessed						
	MSW or from "dirty" materials recycling facility (MRF) operations.						
	The glass / fiber fines are produced from "clean," or single-stream						
	recycling processing plants.						
Other	These materials are not readily recoverable as any of the other						
	commodity / products. They are generally represented by items						
	that are comprised of more than one material and cannot be						
	readily, economically separated and recovered.						

Source: Two season waste composition and characterization analysis (July 2018)

# 10. Land Use Change matrices, 2013 to 2019

Simplified land cover change matrix for 2013 to 2019. All areas in hectares.

2019: Top 2013: Left	Forest Land	Cropland	Grassland	Wetland	Settlement	Other Land	Total
Forest Land	43,274	0.1	605	798	60	6	44,743
Cropland	0	1,540	15	5	20	0	1,579
Grassland	2,332	639	1,489,166	3,148	1,319	1,405	1,498,008
Wetland	136	8	120	60,114	26	22	60,426
Settlement	0.3	0	2	0	40,375	0	40,377
Other Land	0.8	0	219	640	3	47,767	48,630
Total	45,743	2,187	1,490,126	64,704	41,803	49,199	0

Simplified land cover change matrix for 2013 to 2019. All areas are in hectares.											
2019: Top	Forest	Crop-	Grass-	Wet-	Settle-	Other					
2013: Left	Land	land	land	land	ment	Land	Total				
Forest Land	43,274	0.1	605	798	60	6	44,743				
Cropland	0	1,540	15	5	20	0	1,579				
							1,498,00				
Grassland	2,332	639	1,489,166	3,148	1,319	1,405	8				
Wetland	136	8	120	60,114	26	22	60,426				
Settlement	0.3	0	2	0	40,375	0	40,377				
Other Land	0.8	0	219	640	3	47,767	48,630				
Total	45,743	2,187	1,490,126	64,704	41,803	49,199	0				

### Appendix 10: Land Use Change Matrices, 2013 to 2019 (continued)

### **Detailed Land Cover Change Matrix**

#### **Land Cover Change Matrix**

Table 2. Full NLCD land cover change matrix for 2013 to 2019. All areas are in hectares.

					Tabl	C Z. Tull NLOD	ianu cover change mat	11X 101 2010 to	2010. AI	i ai cas ai c iii i	noutarus.						
2019: Top 2013: Left	Deciduous Forest	Evergreen Forest	Mixed Forest	Woody Wetlands	Cultivated Crops	Pasture/Hay	Grassland/Herbaceous	Shrub/Scrub	Open Water	Emergent Herbaceous Wetlands	Developed, Open Space	Developed, Low Intensity	Developed, Medium Intensity	Developed, High Intensity	Barren Land	Perennial Ice/Snow	Total
Deciduous Forest	101	0.3	0	0	0	0	0	0.8	0	0	0	0	0	0	0	0	102
Evergreen Forest	0	37,324	0.5	0.2	0	0	420	178	15	0.4	8	2	0.8	0.4	4	0	37,953
Mixed Forest	0	0	1,238	0	0	0	0	0.1	0.2	0	0	0	0	0	0	0	1,238
Woody Wetlands	0	0	0	4,610	0.1	0	1	4	446	336	11	11	18	9	2	0	5,449
Cultivated Crops	0	0	0	0	1,540	10	0.5	4	0	5	4	13	3	0.3	0	0	1,579
Pasture/Hay	0	0	0	0.3	28	1,656	0	0.6	0.4	21	4	3	5	1	0	0	1,721
Grassland/Herbaceous	0	21	0.5	83	8	10	191,623	33,981	1,978	35	46	16	20	11	710	0	228,542
Shrub/Scrub	118	1,576	204	329	603	35	81,727	1,180,133	839	274	434	268	318	194	695	0	1,267,745
Open Water	0	2	0	10	1	0.1	83	31	53,641	38	1	0.8	0.5	0.2	5	0	53,813
Emergent Herbaceous Wetlands	0	0.2	0	124	7	0	3	3	498	5,937	8	6	6	4	17	0	6,612
Developed, Open Space	0	0.2	0	0	0	0	0	0.1	0	0	7,030	84	398	68	0	0	7,580
Developed, Low Intensity	0	0.1	0	0	0	0	0	0.7	0	0	0	12,928	208	175	0	0	13,312
Developed, Medium Intensity	0	0	0	0	0	0	0	0.6	0	0	0	0	13,131	26	0	0	13,157
Developed, High Intensity	0	0	0	0	0	0	0	0.5	0	0	0	0	0	6,328	0	0	6,329
Barren Land	0	0	0	0.8	0	0	181	38	604	37	0.9	0.5	0.7	0.4	47,767	0	48,530
Perennial Ice/Snow	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	220	38,923	1,443	5,157	2,187	1,712	274,039	1,214,376	58,021	6,683	7,547	13,331	14,108	6,817	49,199	0	0